

# Safety Data Sheet

## according to Regulation (EC) No. 1907/2006 (REACH)

Trade name : ID 215 Enzymatic Instrument Cleaner  
Revision date : 10.01.2023  
Print date : 22.02.2023

Version (Revision) : 3.0.0 (2.0.0)

### SECTION 1: Identification of the substance/mixture and of the company/ undertaking

#### 1.1 Product identifier

ID 215 Enzymatic Instrument Cleaner  
Unique Formula Identifier : QPP2-T6P9-X600-RXDY

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

##### Relevant identified uses

ID 215 is a concentrate for manual, enzymatic cleaning of general and surgical instruments.

##### Products Category [PC]

PC 35 - Washing and cleaning products

##### Uses advised against

None, if handled according to order.

##### Remark

The product is intended for professional use.

#### 1.3 Details of the supplier of the safety data sheet

##### Supplier

orochemie GmbH + Co. KG

**Street :** Max-Planck-Straße 27

**Postal code/City :** 70806 Kornwestheim

**Telephone :** +49 7154 1308-0

**Telefax :** +49 7154 1308-40

**Information contact :** DÜRR DENTAL SE, Höpfigheimer Str. 17, 74321 Bietigheim-Bissingen, Germany

Tel: +49 7142 705-0, Fax: +49 7142 705-500, info@duerrdental.com

in Great Britain/Ireland:

DÜRR DENTAL [Products] UK Ltd., 14 Linnell Way - Telford Way Industrial Estate, Kettering Northants NN16 8PS, United Kingdom, info@duerruk.com

#### 1.4 Emergency telephone number

INT: +49 6132 84463 (24 h/7 d)

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

##### Classification according to Regulation (EC) No 1272/2008 [CLP]

Acute Tox. 4 ; H302 - Acute toxicity (oral) : Category 4 ; Harmful if swallowed.

Skin Corr. 1B ; H314 - Skin corrosion/irritation : Category 1B ; Causes severe skin burns and eye damage.

Eye Dam. 1 ; H318 - Serious eye damage/eye irritation : Category 1 ; Causes serious eye damage.

Aquatic Acute 1 ; H400 - Hazardous to the aquatic environment : Acute 1 ; Very toxic to aquatic life.

Aquatic Chronic 2 ; H411 - Hazardous to the aquatic environment : Chronic 2 ; Toxic to aquatic life with long lasting effects.

##### Classification procedure

The classification was carried out according to the calculation method of Regulation No. (EC) 1272/2008 [CLP].

#### 2.2 Label elements

##### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

##### Hazard pictograms



# Safety Data Sheet

## according to Regulation (EC) No. 1907/2006 (REACH)

**Trade name :** ID 215 Enzymatic Instrument Cleaner  
**Revision date :** 10.01.2023  
**Print date :** 22.02.2023

**Version (Revision) :** 3.0.0 (2.0.0)

Corrosion (GHS05) · Environment (GHS09) · Exclamation mark (GHS07)

### Signal word

Danger

### Hazard components for labelling

2,2'-OXYBISETHANOL ; CAS No. : 111-46-6  
ISOTRIDECANOL ETHOXYLATE ; CAS No. : 69011-36-5  
DIDECYLDIMETHYLAMMONIUM CHLORIDE ; CAS No. : 7173-51-5

### Hazard statements

H314 Causes severe skin burns and eye damage.  
H302 Harmful if swallowed.  
H400 Very toxic to aquatic life.  
H411 Toxic to aquatic life with long lasting effects.

### Precautionary statements

P273 Avoid release to the environment.  
P280 Wear protective gloves and eye/face protection.  
P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor/.../ if you feel unwell.  
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].  
P403+P233 Store in a well-ventilated place. Keep container tightly closed.  
P501 Dispose of contents/container to hazardous or special waste collection point.

### Special rules for supplemental label elements for certain mixtures

EUH208 Contains POLY[IMINOCARBONIMIDOYLIMINOCARBONIMIDOYLIMINO- 1,6-HEXANEDIYL], HYDROCHLORIDE. May produce an allergic reaction.

## 2.3 Other hazards

The mixture does not contain any substances that have endocrine disrupting properties. The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

#### Description

ID 215 contains quaternary ammonium compounds, guanidines, non-ionic surfactants, diethylene glycol, enzymes and excipients in aqueous solution.

#### Hazardous ingredients

2,2'-OXYBISETHANOL ; REACH No. : 01-2119457857-21 ; EC No. : 203-872-2; CAS No. : 111-46-6

Weight fraction :  $\geq 30 - < 35$  %  
Classification 1272/2008 [CLP] : Acute Tox. 4 ; H302

ISOTRIDECANOL ETHOXYLATE ; REACH No. : 02-2119552461-55 ; EC No. : 931-138-8; CAS No. : 69011-36-5

Weight fraction :  $\geq 10 - < 15$  %  
Classification 1272/2008 [CLP] : Eye Dam. 1 ; H318 Acute Tox. 4 ; H302

DIDECYLDIMETHYLAMMONIUM CHLORIDE ; REACH No. : 01-2119945987-15 ; EC No. : 230-525-2; CAS No. : 7173-51-5

Weight fraction :  $\geq 5 - < 10$  %  
Classification 1272/2008 [CLP] : Skin Corr. 1B ; H314 Eye Dam. 1 ; H318 Acute Tox. 4 ; H302 Aquatic Acute 1 ; H400 Aquatic Chronic 2 ; H411  
Specific Conc. Limits : (M Acute=10)

PROPAN-2-OL ; REACH No. : 01-2119457558-25 ; EC No. : 200-661-7; CAS No. : 67-63-0

Weight fraction :  $\geq 1 - < 5$  %  
Classification 1272/2008 [CLP] : Flam. Liq. 2 ; H225 Eye Irrit. 2 ; H319 STOT SE 3 ; H336

POLY[IMINOCARBONIMIDOYLIMINOCARBONIMIDOYLIMINO- 1,6-HEXANEDIYL], HYDROCHLORIDE ; REACH No. : CAS: 1802181-67-4 ; CAS No. : 32289-58-0

Weight fraction :  $\geq 0,25 - < 0,5$  %

# Safety Data Sheet

## according to Regulation (EC) No. 1907/2006 (REACH)

**Trade name :** ID 215 Enzymatic Instrument Cleaner  
**Revision date :** 10.01.2023  
**Print date :** 22.02.2023

**Version (Revision) :** 3.0.0 (2.0.0)

Classification 1272/2008 [CLP] : Acute Tox. 2 ; H330 Eye Dam. 1 ; H318 Acute Tox. 4 ; H302 Skin Sens. 1B ; H317 STOT SE 3 ; H335 Aquatic Acute 1 ; H400 Aquatic Chronic 1 ; H410

Specific Conc. Limits : (M=10)

### Additional information

For full text of Hazard- and EU Hazard-statements: see SECTION 16.

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

#### General information

When in doubt or if symptoms are observed, get medical advice.

#### Following inhalation

When in doubt or if symptoms are observed, get medical advice.

#### In case of skin contact

Wash with plenty of water. When in doubt or if symptoms are observed, get medical advice.

#### After eye contact

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

#### Following ingestion

Do NOT induce vomiting. Rinse mouth immediately and drink plenty of water. Never give anything by mouth to an unconscious person or a person with cramps. Call a physician immediately.

### 4.2 Most important symptoms and effects, both acute and delayed

Causes severe skin burns and eye damage. Harmful if swallowed.

### 4.3 Indication of any immediate medical attention and special treatment needed

None

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

#### Suitable extinguishing media

Carbon dioxide (CO<sub>2</sub>) Extinguishing powder Water spray jet Water mist The product itself does not burn. Co-ordinate fire-fighting measures to the fire surroundings.

#### Unsuitable extinguishing media

Full water jet

### 5.2 Special hazards arising from the substance or mixture

None known.

#### Hazardous combustion products

None known.

### 5.3 Advice for firefighters

Adapt protective equipment to surrounding fire.

#### Special protective equipment for firefighters

Adapt protective equipment to surrounding fire.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Use personal protection equipment. See protective measures under point 7 and 8.

#### For non-emergency personnel

Use personal protection equipment. See protective measures under point 7 and 8.

# Safety Data Sheet

## according to Regulation (EC) No. 1907/2006 (REACH)

Trade name : ID 215 Enzymatic Instrument Cleaner  
Revision date : 10.01.2023  
Print date : 22.02.2023

Version (Revision) : 3.0.0 (2.0.0)

### For emergency responders

#### Personal protection equipment

See protective measures under point 7 and 8.

### 6.2 Environmental precautions

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

### 6.3 Methods and material for containment and cleaning up

#### For cleaning up

No special measures are necessary.

### 6.4 Reference to other sections

None

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Keep/Store only in original container. Please note safety instructions and directions for use on the drum.

#### Protective measures

##### Measures to prevent fire

Usual measures for fire prevention. When using do not smoke.

### 7.2 Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Keep/Store only in original container. Keep container tightly closed and in a well-ventilated place.

#### Hints on joint storage

Store the foodstuffs separately.

### 7.3 Specific end use(s)

None

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Occupational exposure limit values

2,2'-OXYBISETHANOL ; CAS No. : 111-46-6

Limit value type (country of origin) : TLV/TWA ( GB )

Limit value : 23 ppm / 101 mg/m<sup>3</sup>

PROPAN-2-OL ; CAS No. : 67-63-0

Limit value type (country of origin) : TLV/STEL ( GB )

Limit value : 500 ppm / 1250 mg/m<sup>3</sup>

Limit value type (country of origin) : TLV/TWA ( GB )

Limit value : 400 ppm / 999 mg/m<sup>3</sup>

#### DNEL-/PNEC-values

There are no data available on the preparation itself.

##### DNEL/DMEL

2,2'-OXYBISETHANOL ; CAS No. : 111-46-6

Limit value type : DNEL Consumer (local)

Exposure route : Inhalation

Exposure frequency : Long-term

Limit value : 12 mg/m<sup>3</sup>

Limit value type : DNEL Consumer (local)

Exposure route : Inhalation

Exposure frequency : Short-term

Limit value : 12 mg/m<sup>3</sup>

# Safety Data Sheet

## according to Regulation (EC) No. 1907/2006 (REACH)

**Trade name :** ID 215 Enzymatic Instrument Cleaner  
**Revision date :** 10.01.2023  
**Print date :** 22.02.2023

**Version (Revision) :** 3.0.0 (2.0.0)

---

Limit value type : DNEL Consumer (systemic)  
Exposure route : Dermal  
Exposure frequency : Long-term  
Limit value : 53 mg/kg  
Limit value type : DNEL Consumer (systemic)  
Exposure route : Dermal  
Exposure frequency : Long-term  
Limit value : 21 mg/kg  
Assessment factor : 24 h  
Limit value type : DNEL Consumer (systemic)  
Exposure route : Inhalation  
Exposure frequency : Long-term  
Limit value : 12 mg/m<sup>3</sup>  
Limit value type : DNEL worker (local)  
Exposure route : Inhalation  
Exposure frequency : Long-term  
Limit value : 60 mg/m<sup>3</sup>  
Limit value type : DNEL worker (systemic)  
Exposure route : Dermal  
Exposure frequency : Long-term  
Limit value : 106 mg/kg  
Limit value type : DNEL worker (systemic)  
Exposure route : Inhalation  
Exposure frequency : Long-term  
Limit value : 60 mg/m<sup>3</sup>  
Limit value type : DNEL worker (systemic)  
Exposure route : Dermal  
Exposure frequency : Long-term  
Limit value : 43 mg/kg  
Assessment factor : 24 h  
Limit value type : DNEL worker (systemic)  
Exposure route : Inhalation  
Exposure frequency : Long-term  
Limit value : 44 mg/m<sup>3</sup>  
DIDECYLDIMETHYLAMMONIUM CHLORIDE ; CAS No. : 7173-51-5  
Limit value type : DNEL worker (systemic)  
Exposure route : Oral  
Exposure frequency : Long-term  
Limit value : 18,2 mg/m<sup>3</sup>  
Limit value type : DNEL worker (systemic)  
Exposure route : Dermal  
Exposure frequency : Long-term  
Limit value : 8,6 mg/kg  
Assessment factor : 24 h  
Limit value type : DNEL worker (systemic)  
Exposure route : Inhalation  
Exposure frequency : Long-term  
Limit value : 5,39 mg/m<sup>3</sup>  
Limit value type : DNEL worker (systemic)  
Exposure route : Inhalation  
Exposure frequency : Short-term  
Limit value : 5,39 mg/m<sup>3</sup>  
Limit value type : DNEL worker (systemic)  
Exposure route : Dermal  
Exposure frequency : Long-term

# Safety Data Sheet

## according to Regulation (EC) No. 1907/2006 (REACH)

**Trade name :** ID 215 Enzymatic Instrument Cleaner  
**Revision date :** 10.01.2023  
**Print date :** 22.02.2023

**Version (Revision) :** 3.0.0 (2.0.0)

---

Limit value : 1,55 mg/kg  
Limit value type : DNEL worker (systemic)  
Exposure route : Dermal  
Exposure frequency : Short-term  
Limit value : 1,55 mg/kg

PROPAN-2-OL ; CAS No. : 67-63-0  
Limit value type : DNEL Consumer (systemic)  
Exposure route : Dermal  
Exposure frequency : Long-term  
Limit value : 319 mg/kg  
Assessment factor : 24 h  
Limit value type : DNEL Consumer (systemic)  
Exposure route : Inhalation  
Exposure frequency : Long-term  
Limit value : 89 mg/m<sup>3</sup>  
Limit value type : DNEL Consumer (systemic)  
Exposure route : Oral  
Exposure frequency : Long-term  
Limit value : 26 mg/kg  
Assessment factor : 24 h  
Limit value type : DNEL worker (systemic)  
Exposure route : Dermal  
Exposure frequency : Long-term  
Limit value : 888 mg/kg  
Assessment factor : 24 h  
Limit value type : DNEL worker (systemic)  
Exposure route : Inhalation  
Exposure frequency : Long-term  
Limit value : 500 mg/m<sup>3</sup>

**PNEC**  
2,2` -OXYBISETHANOL ; CAS No. : 111-46-6  
Limit value type : PNEC (Aquatic, freshwater)  
Limit value : 10 mg/l  
Limit value type : PNEC (Aquatic, marine water)  
Limit value : 1 mg/l  
Limit value type : PNEC (Industrial)  
Exposure route : Soil  
Limit value : 1,53 mg/kg  
Limit value type : PNEC (Sediment, freshwater)  
Limit value : 20,9 mg/kg  
Limit value type : PNEC (Sediment, marine water)  
Limit value : 2,09 mg/kg  
Limit value type : PNEC (Sewage treatment plant)  
Limit value : 199,5 mg/l

DIDECYLDIMETHYLAMMONIUM CHLORIDE ; CAS No. : 7173-51-5  
Limit value type : PNEC (Aquatic, freshwater)  
Limit value : 0,002 mg/l  
Limit value type : PNEC (Aquatic, marine water)  
Limit value : 0,0002 mg/l  
Limit value type : PNEC (Industrial)  
Exposure route : Soil  
Limit value : 1,4 mg/kg  
Limit value type : PNEC (Sediment, freshwater)  
Limit value : 2,82 mg/kg  
Limit value type : PNEC (Sediment, marine water)

# Safety Data Sheet

## according to Regulation (EC) No. 1907/2006 (REACH)

**Trade name :** ID 215 Enzymatic Instrument Cleaner  
**Revision date :** 10.01.2023  
**Print date :** 22.02.2023

**Version (Revision) :** 3.0.0 (2.0.0)

Limit value : 0,282 mg/kg  
Limit value type : PNEC (Sewage treatment plant)  
Limit value : 0,595 mg/l  
PROPAN-2-OL ; CAS No. : 67-63-0  
Limit value type : PNEC (Aquatic, freshwater)  
Limit value : 140,9 mg/l  
Limit value type : PNEC (Aquatic, marine water)  
Limit value : 140,9 mg/l  
Limit value type : PNEC (Industrial)  
Exposure route : Soil  
Limit value : 28 mg/kg  
Limit value type : PNEC (Sediment, freshwater)  
Limit value : 552 mg/kg  
Limit value type : PNEC (Sediment, marine water)  
Limit value : 552 mg/kg  
Limit value type : PNEC (Secondary poisoning)  
Limit value : 160 mg/kg  
Limit value type : PNEC (Sewage treatment plant)  
Limit value : 2251 mg/l

### 8.2 Exposure controls

#### Personal protection equipment

##### Eye/face protection

Eye glasses with side protection EN 166

##### Skin protection

###### Hand protection

Short-term exposure (Level 2: < 30 min): disposable gloves to EN374 category III, e.g. nitrile rubber, material thickness 0.1 mm.

Long-term exposure (Level 6: < 480 min): protective gloves to EN374 category III, e.g. nitrile rubber, material thickness 0.7 mm.

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits.

###### Body protection

Body protection: not required.

##### Respiratory protection

No special measures are necessary.

#### General information

Keep away from food, drink and animal feedingstuffs. Wash hands before breaks and after work. Separate storage of work clothes. When using do not eat, drink, smoke, sniff.

#### Other protection measures

Provide adequate ventilation.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

**Appearance :** Liquid

**Colour :** blue

**Odour :** characteristic

#### Safety characteristics

**Melting point/freezing point :** ( 1013 hPa ) not determined

**Initial boiling point and boiling range :** ( 1013 hPa ) approx. 100 °C

**Decomposition temperature :** ( 1013 hPa ) not determined

# Safety Data Sheet

## according to Regulation (EC) No. 1907/2006 (REACH)

**Trade name :** ID 215 Enzymatic Instrument Cleaner  
**Revision date :** 10.01.2023  
**Print date :** 22.02.2023

**Version (Revision) :** 3.0.0 (2.0.0)

<b>Flash point :</b>			53,5	°C	
<b>Auto-ignition temperature :</b>			not applicable		
<b>Lower explosion limit :</b>			not applicable		
<b>Upper explosion limit :</b>			not applicable		
<b>Vapour pressure :</b>	( 50 °C )		not determined		
<b>Density :</b>	( 20 °C )	approx.	1,03	g/cm <sup>3</sup>	
<b>Solvent separation test :</b>	( 20 °C )	<	3	%	
<b>Water solubility :</b>	( 20 °C )		100	Weight-%	
<b>pH value :</b>			6,5 - 7,5		
<b>log P O/W :</b>			not determined		
<b>Flow time :</b>	( 20 °C )	<	20	s	DIN-cup 4 mm
<b>Odour threshold :</b>			not determined		
<b>Maximum VOC content (EC) :</b>			33,6	Weight-%	
<b>Oxidising liquids :</b>		Not applicable.			
<b>Explosive properties :</b>		Not applicable.			
<b>Corrosive to metals :</b>		Not corrosive to metals.			

### 9.2 Other information

None

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

None, if handled according to order.

### 10.2 Chemical stability

Stable under recommended storage and handling conditions (see section 7).

### 10.3 Possibility of hazardous reactions

None, if handled according to order.

### 10.4 Conditions to avoid

No information available.

### 10.5 Incompatible materials

No information available.

### 10.6 Hazardous decomposition products

None known.

## SECTION 11: Toxicological information

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

Harmful: possible risk of irreversible effects if swallowed.

#### Acute oral toxicity

Parameter :	ATEmix
Exposure route :	Oral
Effective dose :	1024 mg/kg
Parameter :	LD50 ( 2,2` -OXYBISETHANOL ; CAS No. : 111-46-6 )
Exposure route :	Oral
Species :	Practical experience/human evidence
Effective dose :	1120 mg/kg
Parameter :	LD50 ( 2,2` -OXYBISETHANOL ; CAS No. : 111-46-6 )
Exposure route :	Oral
Species :	Rat
Effective dose :	12565 mg/kg
Parameter :	LD50 ( 2,2` -OXYBISETHANOL ; CAS No. : 111-46-6 )
Exposure route :	Oral



# Safety Data Sheet

## according to Regulation (EC) No. 1907/2006 (REACH)

**Trade name :** ID 215 Enzymatic Instrument Cleaner  
**Revision date :** 10.01.2023  
**Print date :** 22.02.2023

**Version (Revision) :** 3.0.0 (2.0.0)

---

Species : Rabbit  
Effective dose : 4400 mg/kg  
Parameter : LD50 ( ISOTRIDECANOL ETHOXYLATE ; CAS No. : 69011-36-5 )  
Exposure route : Oral  
Species : Rat  
Effective dose : > 300 - 2000 mg/kg  
Method : OECD 423  
Parameter : LD50 ( DIDECYLDIMETHYLAMMONIUM CHLORIDE ; CAS No. : 7173-51-5 )  
Exposure route : Oral  
Species : Rat  
Effective dose : 238 mg/kg  
Method : OECD 401  
Parameter : LD50 ( PROPAN-2-OL ; CAS No. : 67-63-0 )  
Exposure route : Oral  
Species : Rat  
Effective dose : 5280 mg/kg  
Parameter : LD50 ( PROPAN-2-OL ; CAS No. : 67-63-0 )  
Exposure route : Oral  
Species : Rat  
Effective dose : 5840 mg/kg  
Method : OECD 401  
Parameter : LD50 ( POLY[IMINOCARBONIMIDOYLIMINOCARBONIMIDOYLIMINO- 1,6-  
HEXANEDIYL], HYDROCHLORIDE ; CAS No. : 32289-58-0 )  
Exposure route : Oral  
Species : Rat  
Effective dose : > 2000 mg/kg  
Method : OECD 423  
Parameter : ATE ( 2,2` -OXYBISETHANOL ; CAS No. : 111-46-6 )  
Exposure route : Oral  
Effective dose : 500 mg/kg  
Parameter : ATE ( ISOTRIDECANOL ETHOXYLATE ; CAS No. : 69011-36-5 )  
Exposure route : Oral  
Effective dose : 500 mg/kg  
Parameter : ATE ( DIDECYLDIMETHYLAMMONIUM CHLORIDE ; CAS No. : 7173-51-5 )  
Exposure route : Oral  
Effective dose : 500 mg/kg  
Parameter : ATE ( POLY[IMINOCARBONIMIDOYLIMINOCARBONIMIDOYLIMINO- 1,6-  
HEXANEDIYL], HYDROCHLORIDE ; CAS No. : 32289-58-0 )  
Exposure route : Oral  
Effective dose : 500 mg/kg

### Acute dermal toxicity

Parameter : ATEmix  
Exposure route : Dermal  
Effective dose : not relevant  
Parameter : LD50 ( 2,2` -OXYBISETHANOL ; CAS No. : 111-46-6 )  
Exposure route : Dermal  
Species : Rabbit  
Effective dose : 13300 mg/kg  
Parameter : LD50 ( ISOTRIDECANOL ETHOXYLATE ; CAS No. : 69011-36-5 )  
Exposure route : Dermal  
Species : Rabbit  
Effective dose : > 2000 mg/kg  
Method : OECD 402  
Parameter : LD50 ( DIDECYLDIMETHYLAMMONIUM CHLORIDE ; CAS No. : 7173-51-5 )  
Exposure route : Dermal  
Species : Rabbit

# Safety Data Sheet

## according to Regulation (EC) No. 1907/2006 (REACH)

**Trade name :** ID 215 Enzymatic Instrument Cleaner  
**Revision date :** 10.01.2023  
**Print date :** 22.02.2023

**Version (Revision) :** 3.0.0 (2.0.0)

---

Effective dose : 3342 mg/kg  
Parameter : LD50 ( PROPAN-2-OL ; CAS No. : 67-63-0 )  
Exposure route : Dermal  
Species : Rabbit  
Effective dose : 12800 mg/kg  
Parameter : LD50 ( PROPAN-2-OL ; CAS No. : 67-63-0 )  
Exposure route : Dermal  
Species : Rabbit  
Effective dose : 13900 mg/kg  
Method : OECD 402  
Parameter : LD50 ( POLY[IMINOCARBONIMIDOYLIMINOCARBONIMIDOYLIMINO- 1,6-  
HEXANEDIYL], HYDROCHLORIDE ; CAS No. : 32289-58-0 )  
Exposure route : Dermal  
Species : Rat  
Effective dose : > 2000 mg/kg  
Method : OECD 402

### Acute inhalation toxicity

Parameter : ATEmix  
Exposure route : Inhalation (vapour)  
Effective dose : 125 mg/l  
Parameter : LC0 ( 2,2'-OXYBISETHANOL ; CAS No. : 111-46-6 )  
Exposure route : Inhalation  
Species : Rat  
Effective dose : > 4,6 mg/l  
Exposure time : 4 h  
Parameter : LC50 ( PROPAN-2-OL ; CAS No. : 67-63-0 )  
Exposure route : Inhalation  
Species : Mouse  
Effective dose : 27,2 mg/l  
Exposure time : 4 h  
Parameter : LC50 ( PROPAN-2-OL ; CAS No. : 67-63-0 )  
Exposure route : Inhalation  
Species : Rat  
Effective dose : > 25 mg/l  
Exposure time : 6 h  
Method : OECD 403  
Parameter : LC50 ( PROPAN-2-OL ; CAS No. : 67-63-0 )  
Exposure route : Inhalation  
Species : Rat  
Effective dose : 72,6 mg/l  
Exposure time : 4 h  
Parameter : LC50 ( PROPAN-2-OL ; CAS No. : 67-63-0 )  
Exposure route : Inhalation (vapour)  
Species : Rat  
Effective dose : > 10000 ppm  
Exposure time : 6 h  
Parameter : LD50 ( PROPAN-2-OL ; CAS No. : 67-63-0 )  
Exposure route : Inhalation (vapour)  
Species : Rat  
Effective dose : 47,5 mg/l  
Parameter : LC50 ( POLY[IMINOCARBONIMIDOYLIMINOCARBONIMIDOYLIMINO- 1,6-  
HEXANEDIYL], HYDROCHLORIDE ; CAS No. : 32289-58-0 )  
Exposure route : Inhalation  
Species : Rat  
Effective dose : 1,61 mg/l  
Method : OECD 403

# Safety Data Sheet

## according to Regulation (EC) No. 1907/2006 (REACH)

**Trade name :** ID 215 Enzymatic Instrument Cleaner  
**Revision date :** 10.01.2023  
**Print date :** 22.02.2023

**Version (Revision) :** 3.0.0 (2.0.0)

### Corrosion

Causes severe skin burns and eye damage.

### Respiratory or skin sensitisation

Based on available data, the classification criteria are not met.

### CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

Based on available data, the classification criteria are not met.

#### Carcinogenicity

Based on available data, the classification criteria are not met.

#### Germ cell mutagenicity

Based on available data, the classification criteria are not met.

#### Reproductive toxicity

Based on available data, the classification criteria are not met.

### STOT-single exposure

Based on available data, the classification criteria are not met.

### STOT-repeated exposure

Based on available data, the classification criteria are not met.

### Aspiration hazard

Based on available data, the classification criteria are not met.

## 11.2 Information on other hazards

### Endocrine disrupting properties

The mixture does not contain any substances that have endocrine disrupting properties.

### Additional information

The classification was carried out according to the calculation method of Regulation No. (EC) 1272/2008 [CLP].

## SECTION 12: Ecological information

### 12.1 Toxicity

#### Aquatic toxicity

Very toxic to aquatic life. Toxic to aquatic life with long lasting effects.

##### Acute (short-term) fish toxicity

Parameter : LC50 ( 2,2` -OXYBISETHANOL ; CAS No. : 111-46-6 )

Species : Pimephales promelas (fathead minnow)

Evaluation parameter : Acute (short-term) fish toxicity

Effective dose : 75200 mg/l

Exposure time : 96 h

Parameter : LC50 ( 2,2` -OXYBISETHANOL ; CAS No. : 111-46-6 )

Species : Carassius auratus (goldfish)

Evaluation parameter : Acute (short-term) fish toxicity

Effective dose : > 5000 mg/l

Exposure time : 24 h

Parameter : LC50 ( 2,2` -OXYBISETHANOL ; CAS No. : 111-46-6 )

Species : Gambusia affinis (Mosquito fish)

Evaluation parameter : Acute (short-term) fish toxicity

Effective dose : > 100 mg/l

Exposure time : 96 h

Parameter : LC50 ( 2,2` -OXYBISETHANOL ; CAS No. : 111-46-6 )

Species : Leuciscus idus (golden orfe)

Evaluation parameter : Acute (short-term) fish toxicity

Effective dose : > 10000 mg/l

Exposure time : 96 h

Parameter : LC50 ( 2,2` -OXYBISETHANOL ; CAS No. : 111-46-6 )

# Safety Data Sheet

## according to Regulation (EC) No. 1907/2006 (REACH)

**Trade name :** ID 215 Enzymatic Instrument Cleaner  
**Revision date :** 10.01.2023  
**Print date :** 22.02.2023

**Version (Revision) :** 3.0.0 (2.0.0)

---

Species : Oncorhynchus mykiss (Rainbow trout)  
Evaluation parameter : Acute (short-term) fish toxicity  
Effective dose : > 1000 mg/l  
Exposure time : 96 h  
Parameter : LC50 ( ISOTRIDEKANOL ETHOXYLATE ; CAS No. : 69011-36-5 )  
Species : Leuciscus idus (golden orfe)  
Evaluation parameter : Acute (short-term) fish toxicity  
Effective dose : > 1 - 10 mg/l  
Exposure time : 96 h  
Parameter : LC50 ( ISOTRIDEKANOL ETHOXYLATE ; CAS No. : 69011-36-5 )  
Species : Cyprinus carpio (Common Carp)  
Evaluation parameter : Acute (short-term) fish toxicity  
Effective dose : > 1 mg/l  
Exposure time : 96 h  
Method : OECD 203  
Parameter : LC50 ( DIDECYLDIMETHYLAMMONIUM CHLORIDE ; CAS No. : 7173-51-5 )  
Species : Pimephales promelas (fathead minnow)  
Evaluation parameter : Acute (short-term) fish toxicity  
Effective dose : 0,19 mg/l  
Exposure time : 96 h  
Parameter : LC50 ( DIDECYLDIMETHYLAMMONIUM CHLORIDE ; CAS No. : 7173-51-5 )  
Species : Danio rerio (zebrafish)  
Evaluation parameter : Acute (short-term) fish toxicity  
Effective dose : > 0,1 - 1 mg/l  
Exposure time : 96 h  
Method : OECD 203  
Parameter : LC50 ( PROPAN-2-OL ; CAS No. : 67-63-0 )  
Species : Pimephales promelas (fathead minnow)  
Evaluation parameter : Acute (short-term) fish toxicity  
Effective dose : 9640 mg/l  
Exposure time : 96 h  
Parameter : LC50 ( PROPAN-2-OL ; CAS No. : 67-63-0 )  
Species : Leuciscus idus (golden orfe)  
Evaluation parameter : Acute (short-term) fish toxicity  
Effective dose : > 100 mg/l  
Exposure time : 48 h  
Parameter : LC50 ( POLY[IMINOCARBONIMIDOYLIMINOCARBONIMIDOYLIMINO- 1,6-  
HEXANEDIYL], HYDROCHLORIDE ; CAS No. : 32289-58-0 )  
Species : Oncorhynchus mykiss (Rainbow trout)  
Evaluation parameter : Acute (short-term) fish toxicity  
Effective dose : 0,321 mg/l  
Exposure time : 96 h  
Method : OECD 203

**Chronic (long-term) fish toxicity**  
Parameter : NOEC ( DIDECYLDIMETHYLAMMONIUM CHLORIDE ; CAS No. : 7173-51-5 )  
Species : Danio rerio (zebrafish)  
Evaluation parameter : Chronic (long-term) fish toxicity  
Effective dose : 0,032 mg/l  
Exposure time : 816 h  
Method : OECD 210  
Parameter : NOEC ( POLY[IMINOCARBONIMIDOYLIMINOCARBONIMIDOYLIMINO- 1,6-  
HEXANEDIYL], HYDROCHLORIDE ; CAS No. : 32289-58-0 )  
Species : Pimephales promelas (fathead minnow)  
Evaluation parameter : Chronic (long-term) fish toxicity  
Effective dose : 0,00498 mg/l  
Exposure time : 672 h

# Safety Data Sheet

## according to Regulation (EC) No. 1907/2006 (REACH)

**Trade name :** ID 215 Enzymatic Instrument Cleaner  
**Revision date :** 10.01.2023  
**Print date :** 22.02.2023

**Version (Revision) :** 3.0.0 (2.0.0)

Method : OECD 210

### Acute (short-term) toxicity to crustacea

Parameter : EC50 ( 2,2` -OXYBISETHANOL ; CAS No. : 111-46-6 )

Species : Daphnia magna (Big water flea)

Evaluation parameter : Acute (short-term) daphnia toxicity

Effective dose : > 10000 mg/l

Exposure time : 24 h

Parameter : EC50 ( 2,2` -OXYBISETHANOL ; CAS No. : 111-46-6 )

Species : Daphnia magna (Big water flea)

Effective dose : 48900 mg/l

Exposure time : 48 h

Parameter : EC50 ( ISOTRIDEKANOL ETHOXYLATE ; CAS No. : 69011-36-5 )

Species : Daphnia

Evaluation parameter : Acute (short-term) daphnia toxicity

Effective dose : > 1 - 10 mg/l

Exposure time : 48 h

Method : OECD 202

Parameter : EC50 ( DIDECYLDIMETHYLAMMONIUM CHLORIDE ; CAS No. : 7173-51-5 )

Species : Daphnia magna (Big water flea)

Evaluation parameter : Acute (short-term) daphnia toxicity

Effective dose : 0,062 mg/l

Exposure time : 48 h

Parameter : EC50 ( DIDECYLDIMETHYLAMMONIUM CHLORIDE ; CAS No. : 7173-51-5 )

Species : Daphnia magna (Big water flea)

Evaluation parameter : Acute (short-term) daphnia toxicity

Effective dose : > 0,01 - 0,1 mg/l

Exposure time : 48 h

Method : OECD 202

Parameter : EC50 ( PROPAN-2-OL ; CAS No. : 67-63-0 )

Species : Daphnia magna (Big water flea)

Evaluation parameter : Acute (short-term) daphnia toxicity

Effective dose : 13299 mg/l

Exposure time : 48 h

Parameter : EC50 ( PROPAN-2-OL ; CAS No. : 67-63-0 )

Species : Daphnia magna (Big water flea)

Evaluation parameter : Acute (short-term) daphnia toxicity

Effective dose : 9714 mg/l

Exposure time : 24 h

Parameter : EC50 ( PROPAN-2-OL ; CAS No. : 67-63-0 )

Species : Daphnia magna (Big water flea)

Evaluation parameter : Acute (short-term) daphnia toxicity

Effective dose : > 100 mg/l

Exposure time : 48 h

Parameter : EC50 ( POLY[IMINOCARBONIMIDOYLIMINOCARBONIMIDOYLIMINO- 1,6-  
HEXANEDIYL], HYDROCHLORIDE ; CAS No. : 32289-58-0 )

Species : Daphnia magna (Big water flea)

Evaluation parameter : Acute (short-term) daphnia toxicity

Effective dose : 0,156 mg/l

Exposure time : 48 h

Method : OECD 202

### Chronic (long-term) toxicity to aquatic invertebrate

Parameter : NOEC ( ISOTRIDEKANOL ETHOXYLATE ; CAS No. : 69011-36-5 )

Species : Daphnia magna (Big water flea)

Evaluation parameter : Chronic (long-term) daphnia toxicity

Effective dose : > 1 mg/l

# Safety Data Sheet

## according to Regulation (EC) No. 1907/2006 (REACH)

**Trade name :** ID 215 Enzymatic Instrument Cleaner  
**Revision date :** 10.01.2023  
**Print date :** 22.02.2023

**Version (Revision) :** 3.0.0 (2.0.0)

Exposure time : 504 h  
Method : OECD 202  
Parameter : NOEC ( DIDECYLDIMETHYLAMMONIUM CHLORIDE ; CAS No. : 7173-51-5 )  
Species : Daphnia magna (Big water flea)  
Evaluation parameter : Chronic (long-term) daphnia toxicity  
Effective dose : 0,014 mg/l  
Exposure time : 504 h  
Method : OECD 211  
Parameter : NOEC ( DIDECYLDIMETHYLAMMONIUM CHLORIDE ; CAS No. : 7173-51-5 )  
Species : Daphnia magna (Big water flea)  
Evaluation parameter : Chronic (long-term) daphnia toxicity  
Effective dose : > 0,01 - 0,1 mg/l  
Method : OECD 211  
Parameter : NOEC ( POLY[IMINOCARBONIMIDOYLIMINOCARBONIMIDOYLIMINO- 1,6-  
HEXANEDIYL], HYDROCHLORIDE ; CAS No. : 32289-58-0 )  
Species : Daphnia magna (Big water flea)  
Evaluation parameter : Chronic (long-term) daphnia toxicity  
Effective dose : 0,00544 mg/l  
Exposure time : 504 h  
Method : OECD 211

### Acute (short-term) toxicity to algae and cyanobacteria

Parameter : EC50 ( 2,2'-OXYBISETHANOL ; CAS No. : 111-46-6 )  
Species : Selenastrum capricornutum  
Evaluation parameter : Inhibition of growth rate  
Effective dose : > 100 mg/l  
Parameter : EC50 ( ISOTRIDEKANOL ETHOXYLATE ; CAS No. : 69011-36-5 )  
Species : Desmodesmus subspicatus  
Evaluation parameter : Acute (short-term) algae toxicity  
Effective dose : > 1 - 10 mg/l  
Exposure time : 72 h  
Method : OECD 201  
Parameter : EC50 ( DIDECYLDIMETHYLAMMONIUM CHLORIDE ; CAS No. : 7173-51-5 )  
Species : Pseudokirchneriella subcapitata  
Evaluation parameter : Acute (short-term) algae toxicity  
Effective dose : > 0,01 - 0,1 mg/l  
Method : OECD 201  
Parameter : ErC50 ( DIDECYLDIMETHYLAMMONIUM CHLORIDE ; CAS No. : 7173-51-5 )  
Species : Pseudokirchneriella subcapitata  
Evaluation parameter : Inhibition of growth rate  
Effective dose : 0,026 mg/l  
Exposure time : 96 h  
Method : OECD 201  
Parameter : EC50 ( PROPAN-2-OL ; CAS No. : 67-63-0 )  
Species : Pseudokirchneriella subcapitata  
Evaluation parameter : Acute (short-term) algae toxicity  
Effective dose : > 1000 mg/l  
Exposure time : 72 h  
Parameter : EC50 ( PROPAN-2-OL ; CAS No. : 67-63-0 )  
Species : Scenedesmus subspicatus  
Evaluation parameter : Acute (short-term) algae toxicity  
Effective dose : > 100 mg/l  
Exposure time : 72 h  
Parameter : EC50 ( PROPAN-2-OL ; CAS No. : 67-63-0 )  
Species : Algae  
Evaluation parameter : Acute (short-term) algae toxicity

# Safety Data Sheet

## according to Regulation (EC) No. 1907/2006 (REACH)

**Trade name :** ID 215 Enzymatic Instrument Cleaner  
**Revision date :** 10.01.2023  
**Print date :** 22.02.2023

**Version (Revision) :** 3.0.0 (2.0.0)

Effective dose : 1800 mg/l  
Exposure time : 168 h  
Parameter : ErC50 ( POLY[IMINOCARBONIMIDOYLIMINOCARBONIMIDOYLIMINO- 1,6-  
HEXANEDIYL], HYDROCHLORIDE ; CAS No. : 32289-58-0 )  
Species : Pseudokirchneriella subcapitata  
Evaluation parameter : Acute (short-term) algae toxicity  
Effective dose : 0,0206 mg/l  
Exposure time : 72 h  
Method : OECD 201

### Chronic (long-term) toxicity to aquatic algae and cyanobacteria

Parameter : NOEC ( 2,2` -OXYBISETHANOL ; CAS No. : 111-46-6 )  
Species : Scenedesmus quadricauda  
Evaluation parameter : Chronic (long-term) algae toxicity  
Effective dose : 2700 mg/l  
Exposure time : 192 h  
Parameter : NOEC ( DIDECYLDIMETHYLAMMONIUM CHLORIDE ; CAS No. : 7173-51-5 )  
Species : Pseudokirchneriella subcapitata  
Evaluation parameter : Chronic (long-term) algae toxicity  
Effective dose : > 0,01 - 0,1 mg/l  
Exposure time : 72 h  
Method : OECD 201

### Toxicity to microorganisms

Parameter : EC50 ( 2,2` -OXYBISETHANOL ; CAS No. : 111-46-6 )  
Evaluation parameter : Bacteria toxicity  
Effective dose : > 1000 mg/l  
Exposure time : 3 h  
Parameter : EC10 ( 2,2` -OXYBISETHANOL ; CAS No. : 111-46-6 )  
Species : Pseudomonas putida  
Evaluation parameter : Bacteria toxicity  
Effective dose : 8000 mg/l  
Exposure time : 16 h  
Parameter : EC50 ( ISOTRIDEKANOL ETHOXYLATE ; CAS No. : 69011-36-5 )  
Species : Bacteria toxicity  
Effective dose : 140 mg/l  
Parameter : EC10 ( ISOTRIDEKANOL ETHOXYLATE ; CAS No. : 69011-36-5 )  
Evaluation parameter : Bacteria toxicity  
Effective dose : > 10000 mg/l  
Exposure time : 17 h  
Method : DIN 38412 / part 8  
Parameter : EC50 ( DIDECYLDIMETHYLAMMONIUM CHLORIDE ; CAS No. : 7173-51-5 )  
Evaluation parameter : Bacteria toxicity  
Effective dose : 11 mg/l  
Exposure time : 3 h  
Method : OECD 209  
Parameter : EC50 ( PROPAN-2-OL ; CAS No. : 67-63-0 )  
Evaluation parameter : Bacteria toxicity  
Effective dose : > 100 mg/l  
Parameter : EC10 ( PROPAN-2-OL ; CAS No. : 67-63-0 )  
Species : Pseudomonas putida  
Evaluation parameter : Bacteria toxicity  
Effective dose : 5175 mg/l  
Exposure time : 18 h

### Sewage treatment plant

In case of appropriate conduction into adapted biological purification plants no disturbances have to be expected.

## 12.2 Persistence and degradability

# Safety Data Sheet

## according to Regulation (EC) No. 1907/2006 (REACH)

**Trade name :** ID 215 Enzymatic Instrument Cleaner  
**Revision date :** 10.01.2023  
**Print date :** 22.02.2023

**Version (Revision) :** 3.0.0 (2.0.0)

### Abiotic degradation

No data available.

### Biodegradation

Parameter : DOC reduction ( 2,2` -OXYBISETHANOL ; CAS No. : 111-46-6 )  
Inoculum : Degree of elimination  
Evaluation parameter : Biodegradation  
Degradation rate : > 70 %  
Test duration : 672 h  
Parameter : BOD (% of COD) ( ISOTRIDEKANOL ETHOXYLATE ; CAS No. : 69011-36-5 )  
Inoculum : Biodegradation  
Evaluation parameter : Aerobic  
Degradation rate : > 60 %  
Test duration : 672 h  
Method : OECD 301B  
Parameter : BOD (% of COD) ( ISOTRIDEKANOL ETHOXYLATE ; CAS No. : 69011-36-5 )  
Inoculum : Biodegradation  
Evaluation parameter : Anaerobic  
Degradation rate : > 60 %  
Test duration : 1440 h  
Parameter : Biodegradation ( PROPAN-2-OL ; CAS No. : 67-63-0 )  
Inoculum : Degree of elimination  
Evaluation parameter : Aerobic  
Degradation rate : > 95 %  
Method : OECD 301E

The surfactant contained in this mixture complies with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents.

### 12.3 Bioaccumulative potential

No information available.

### 12.4 Mobility in soil

#### Distribution

No data available

### 12.5 Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

### 12.6 Endocrine disrupting properties

The mixture does not contain any substances that have endocrine disrupting properties.

### 12.7 Other adverse effects

No information available.

### 12.8 Additional ecotoxicological information

Prevent from flowing into surface water/ground water.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

#### Directive 2008/98/EC (Waste Framework Directive)

##### After intended use

##### Disposal operations

Dispose according to legislation. Consult the appropriate local waste disposal expert about waste disposal.

##### Recovery operations

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

##### Waste codes/waste designations according to EWC/AVV



# Safety Data Sheet

## according to Regulation (EC) No. 1907/2006 (REACH)

Trade name : ID 215 Enzymatic Instrument Cleaner  
Revision date : 10.01.2023  
Print date : 22.02.2023

Version (Revision) : 3.0.0 (2.0.0)

Concentrate/larger quantities: 18 01 06\*.

### SECTION 14: Transport information

#### 14.1 UN number

UN 1760

#### 14.2 UN proper shipping name

##### Land transport (ADR/RID)

CORROSIVE LIQUID, N.O.S. (contains DIDECYLDIMETHYLAMMONIUM CHLORIDE )

##### Sea transport (IMDG)

CORROSIVE LIQUID, N.O.S. (contains DIDECYLDIMETHYLAMMONIUM CHLORIDE )

##### Air transport (ICAO-TI / IATA-DGR)

CORROSIVE LIQUID, N.O.S. (contains DIDECYLDIMETHYLAMMONIUM CHLORIDE )

#### 14.3 Transport hazard class(es)

##### Land transport (ADR/RID)

Class(es) : 8  
Classification code : C9  
Hazard identification number (Kemler No.) : 80  
Tunnel restriction code : E  
Special Provisions : LQ 1 | · E 2  
Hazard label(s) : 8 / N

##### Sea transport (IMDG)

Class(es) : 8  
EmS-No. : F-A / S-B  
Special Provisions : LQ 1 | · E 2  
Hazard label(s) : 8 / N

##### Air transport (ICAO-TI / IATA-DGR)

Class(es) : 8  
Special Provisions : E 2  
Hazard label(s) : 8

#### 14.4 Packing group

II

#### 14.5 Environmental hazards

Land transport (ADR/RID) : Yes  
Sea transport (IMDG) : Yes (P)  
Air transport (ICAO-TI / IATA-DGR) : Yes

#### 14.6 Special precautions for user

None

#### 14.7 Maritime transport in bulk according to IMO instruments

not applicable

### SECTION 15: Regulatory information

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

##### EU legislation

##### Authorisations and/or restrictions on use

##### Restrictions on use

##### Regulation (EC) No. 1907/2006 (REACH), Annex XVII (restrictions)

Use restriction according to REACH annex XVII, no. : 3, 40, 75

# Safety Data Sheet

## according to Regulation (EC) No. 1907/2006 (REACH)

**Trade name :** ID 215 Enzymatic Instrument Cleaner  
**Revision date :** 10.01.2023  
**Print date :** 22.02.2023

**Version (Revision) :** 3.0.0 (2.0.0)

### National regulations

#### Restrictions of occupation

According to directive 94/33/EC, juveniles are only allowed to handle this product as long as all effects of dangerous substances are prevented.

### 15.2 Chemical Safety Assessment

For this mixture a chemical safety assessment has not been carried out.

## SECTION 16: Other information

### 16.1 Indication of changes

02. Classification of the substance or mixture · 02. Label elements · 02. Labelling according to Regulation (EC) No. 1272/2008 [CLP] · 03. Hazardous ingredients · 11. Corrosion · 11. Skin corrosion/irritation · 11. Serious eye damage/eye irritation · 11. STOT-repeated exposure · 15. Restrictions on use

### 16.2 Abbreviations and acronyms

ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road  
ATE = Acute Toxicity Estimates  
CAS = Chemical Abstracts Service  
CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]  
CMR = Carcinogen, Mutagen or Reproductive toxicant  
CO<sub>2</sub> = Carbon dioxide  
DMEL = Derived Minimal Effect Level  
DNEL = Derived No Effect Level  
EC = European Commission  
EC50 = Half maximal effective concentration  
EN = European Standard (Norm)  
EU = European Union  
EUH statement = CLP-specific Hazard statement  
EWC = European Waste Catalogue  
GHS = Globally Harmonized System of Classification and Labelling of Chemicals  
H statement = GHS Hazard statement  
IATA = International Air Transport Association ICAO-TI = International Civil Aviation Organization-Technical Instructions  
IMDG = International Maritime Dangerous Goods  
LC50 = Median lethal concentration  
LD50 = Median lethal dose  
LogPow = Logarithm of the octanol/water partition coefficient  
MARPOL 73/78 = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)  
NOEC/NOEL = No observed effect concentration/level  
OECD = Organisation for Economic Co-operation and Development  
PBT = Persistent, Bioaccumulative and Toxic  
PNEC = Predicted No Effect Concentration  
REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation [Regulation (EC) No. 1907/2006]  
RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail  
RMM = Risk Management Measure  
RRN = REACH Registration Number  
STOT-RE = Specific Target Organ Toxicity - Repeated Exposure  
STOT-SE = Specific Target Organ Toxicity - Single Exposure  
SVHC = Substances of Very High Concern  
TLV/STEL = Threshold limit value/short-term exposure limit  
TLV/TWA = Threshold limit value/time weighted average  
UN = United Nations  
VOC = Volatile Organic Compound  
vPvB = Very Persistent and Very Bioaccumulative

### 16.3 Key literature references and sources for data

None

### 16.4 Classification for mixtures and used evaluation method according to regulation (EC)

# Safety Data Sheet

## according to Regulation (EC) No. 1907/2006 (REACH)

**Trade name :** ID 215 Enzymatic Instrument Cleaner  
**Revision date :** 10.01.2023  
**Print date :** 22.02.2023

**Version (Revision) :** 3.0.0 (2.0.0)

---

### No 1272/2008 [CLP]

The classification was carried out according to the calculation method of Regulation No. (EC) 1272/2008 [CLP].

#### 16.5 Relevant H- and EUH-phrases (Number and full text)

H225	Highly flammable liquid and vapour.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H335	May cause respiratory irritation.
H336	May cause drowsiness or dizziness.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.

#### 16.6 Training advice

None

#### 16.7 Additional information

Follow the instructions for use on the label.

---

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

---