

Page 1/7

Revision: 07.02.2023

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 07.02.2023

undertaking

Version number 6 (replaces version 5)

SECTION 1: Identification of the substance/mixture and of the company/

· 1.1 Product identifier

- Trade name: Flexitime Dynamix Heavy Tray Base (5:1)
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
 - · Application of the substance / the mixture Dental impression material
- · 1.3 Details of the supplier of the safety data sheet
 - Manufacturer/Supplier:

Kulzer GmbH

Leipziger Straße 2, 63450 Hanau (Germany)

Tel.: +49 (0)800 4372522

- · Informing department: E-Mail: msds@kulzer-dental.com
- · 1.4 Emergency telephone number: Emergency CONTACT (24-Hour-Number): +49 (0)6132-84463

SECTION 2: Hazards identification

- 2.1 Classification of the substance or mixture
 - Classification according to Regulation (EC) No 1272/2008

The product is not classified, according to the GB CLP regulation.

Additional information:

Since the product is a medical device in the sense of Directive 93/42/EEC (MDD) or the Regulation (EU) 2017/745 (MDR), that is intended for the end user and is used invasively or with physical contact, it is exempted from the classification and labeling obligation according to Regulation (EC) 1272/2008.

- · 2.2 Label elements
 - · Labelling according to Regulation (EC) No 1272/2008 Void
 - · Hazard pictograms Void
 - · Signal word Void
 - · Hazard statements Void
 - · Additional information: see 2.1
- · 2.3 Other hazards -
 - Results of PBT and vPvB assessment
 - PBT: Not applicable.
 - · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
 - Description: -

Г	Description		
L	· Dangerous components:		
	CAS: 14464-46-1	Cristobalite	50-75%
	EINECS: 238-878-4	STOT RE 1, H372	
Г	CAS: 556-67-2	octamethylcyclotetrasiloxane	≥0.025-<0.25%
	EINECS: 209-136-7	Flam. Lig. 3, H226	
	Reg.nr.: 01-2119529238-36-xxxx		
		Aquatic Chronic 1, H410 (M=10)	
		PBT; vPvB	

[·] Additional information For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
 - After inhalation Supply fresh air; consult doctor in case of symptoms.

(Contd. on page 2)



Page 2/7

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 07.02.2023

Version number 6 (replaces version 5)

Revision: 07.02.2023

Trade name: Flexitime Dynamix Heavy Tray Base (5:1)

(Contd. of page 1)

- · After skin contact If skin irritation continues, consult a doctor.
- · After eye contact

Rinse opened eye for several minutes under running water. Then consult doctor.

· After swallowing

Rinse out mouth and then drink plenty of water.

In case of persistent symptoms consult doctor.

· 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
 - · Suitable extinguishing agents

CO2, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam. Use fire fighting measures that suit the environment.

· 5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

- 5.3 Advice for firefighters
 - · Protective equipment: Put on breathing apparatus.
 - Additional information -

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation

Avoid contact with eyes and skin.

- **6.2 Environmental precautions:** Prevent material from reaching sewage system, holes and cellars.
- 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (diatomite, universal binders, for small amounts tissues).

· 6.4 Reference to other sections

No dangerous materials are released.

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

-

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Keep containers tightly sealed.

Ensure good ventilation/exhaustion at the workplace.

- Information about protection against explosions and fires: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
 - Storage
 - · Requirements to be met by storerooms and containers: No special requirements.
 - Information about storage in one common storage facility: Not required.
 - · Further information about storage conditions: None.
- · 7.3 Specific end use(s) No further relevant information available.

CR.



Page 3/7

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 07.02.2023

Version number 6 (replaces version 5)

Revision: 07.02.2023

Trade name: Flexitime Dynamix Heavy Tray Base (5:1)

(Contd. of page 2)

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

Components with critical values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

Not required.

- Additional information: The lists that were valid during the compilation were used as basis.
- · 8.2 Exposure controls
 - Appropriate engineering controls No further data; see item 7.
 - Individual protection measures, such as personal protective equipment
 - General protective and hygienic measures
 Keep away from foodstuffs, beverages and food.

Wash hands during breaks and at the end of the work.

- · Breathing equipment: Not required.
- · Hand protection

Check protective gloves prior to each use for their proper condition.

recommended

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

Not determined

· For the permanent contact of a maximum of 15 minutes gloves made of the following materials are suitable:

Butyl rubber, BR Nitrile rubber, NBR

- Eye/face protection Safety glasses
- · Body protection: Light weight protective clothing

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

Physical state
Colour:
Smell:
Odour threshold:
Fluid
Violet
Characteristic
Not determined.

· Melting point/freezing point: · Boiling point or initial boiling point and

boiling range >300 °C
Flammability Not applicable.

· Lower and upper explosion limit

Lower: Not determined.
Upper: Not determined.
Flash point: >130 °C

Decomposition temperature: Not determined.

SADT
• pH Not determined.

(Contd. on page 4)



Page 4/7

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 07.02.2023 Version number 6 (replaces version 5) Revision: 07.02.2023

Trade name: Flexitime Dynamix Heavy Tray Base (5:1)

(Contd. of page 3)

· Viscosity:

Kinematic viscosity
Not determined.
Not determined.

Solubility

· Water: Not miscible or difficult to mix

· Partition coefficient n-octanol/water (log

value)Not determined.Steam pressure:Not determined.

Density and/or relative density

Density at 20 °C
 Relative density
 Vapour density
 Not determined.
 Not determined.

9.2 Other information

No further relevant information available.

· Appearance:

Form: Pasty

Important information on protection of health and environment, and on safety.

• Self-inflammability: Product is not selfigniting. Explosive properties: Product is not explosive.

Not determined.

Change in condition

Evaporation rate Not determined.

· Information with regard to physical hazard classes

Void Explosives · Flammable gases Void · Aerosols Void Void · Oxidising gases · Gases under pressure Void Flammable liquids Void · Flammable solids Void · Self-reactive substances and mixtures Void Pyrophoric liquids Void Pyrophoric solids Void Self-heating substances and mixtures Void · Substances and mixtures, which emit flammable gases in contact with water Oxidising liquids Void Void · Oxidising solids Void · Organic peroxides Void

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability

Corrosive to metals

· Desensitised explosives

· Conditions to be avoided: No decomposition if used and stored according to specifications.

Void

Void

- · 10.3 Possibility of hazardous reactions No dangerous reactions known
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: None

(Contd. on page 5)



Page 5/7

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 07.02.2023

Version number 6 (replaces version 5)

Revision: 07.02.2023

Trade name: Flexitime Dynamix Heavy Tray Base (5:1)

(Contd. of page 4)

· Additional information: -

SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
 - · Acute toxicity Based on available data, the classification criteria are not met.
 - · Skin corrosion/irritation Based on available data, the classification criteria are not met.
 - Serious eye damage/irritation Based on available data, the classification criteria are not met.
 - Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
 - · Germ cell mutagenicity Based on available data, the classification criteria are not met.
 - · Carcinogenicity Based on available data, the classification criteria are not met.
 - Reproductive toxicity Based on available data, the classification criteria are not met.
 - STOT-single exposure Based on available data, the classification criteria are not met.
 - STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.
- · 11.2 Information on other hazards
 - · Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

- · 12.1 Toxicity
 - · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
 - · **PBT:** Not applicable.
 - vPvB: Not applicable.
- 12.6 Endocrine disrupting properties

For information on endocrine disrupting properties see section 11.

- · 12.7 Other adverse effects
 - · Additional ecological information:
 - General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
 - Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Disposal must be made according to official regulations.

- · Uncleaned packagings:
 - · Recommendation:

Disposal must be made according to official regulations.

Non contaminated packagings can be used for recycling.

00



Page 6/7

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 07.02.2023

Version number 6 (replaces version 5)

Revision: 07.02.2023

Trade name: Flexitime Dynamix Heavy Tray Base (5:1)

(Contd. of page 5)

SECTION 14: Transport informat	ion	
· 14.1 UN number or ID number · ADR, IMDG, IATA	Void	
· 14.2 UN proper shipping name · ADR, IMDG, IATA	Void	
· 14.3 Transport hazard class(es)		
· ADR, ADN, IMDG, IATA · Class	Void	
· 14.4 Packing group · ADR, IMDG, IATA	Void	
14.5 Environmental hazards: Marine pollutant:	No	
14.6 Special precautions for user	Not applicable.	
14.7 Maritime transport in bulk according IMO instruments	n g to Not applicable.	
· Transport/Additional information:	-	
· UN "Model Regulation":	Void	

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
 - Directive 2012/18/EU
 - Named dangerous substances ANNEX I None of the ingredients is listed.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H226 Flammable liquid and vapour.

H361f Suspected of damaging fertility.

H372 Causes damage to organs through prolonged or repeated exposure. H410 Very toxic to aquatic life with long lasting effects.

Abbreviations and acronyms:

SADT: Self Accord percomposition Temperature
ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement
Concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society)

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 3: Flammable liquids – Category 3 Repr. 2: Reproductive toxicity – Category 2 STOT RE 1: Specific target organ toxicity (repeated exposure) – Category 1

(Contd. on page 7)



Page 7/7

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 07.02.2023

Version number 6 (replaces version 5)

Revision: 07.02.2023

Trade name: Flexitime Dynamix Heavy Tray Base (5:1)

(Contd. of page 6)

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1 · * Data compared to the previous version altered.



Page 1/8

Revision: 07.02.2023

Tel.: +49 (0)800 4372522

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 07.02.2023

Version number 6 (replaces version 5)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
 - Trade name: Flexitime Dynamix Heavy Tray CAT (5:1)
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
 - · Application of the substance / the mixture Dental impression material
- · 1.3 Details of the supplier of the safety data sheet
 - Manufacturer/Supplier:

Kulzer GmbH

Leipziger Straße 2, 63450 Hanau (Germany)

· Informing department: E-Mail: msds@kulzer-dental.com

· 1.4 Emergency telephone number: Emergency CONTACT (24-Hour-Number): +49 (0)6132-84463

SECTION 2: Hazards identification

- 2.1 Classification of the substance or mixture
 - · Classification according to Regulation (EC) No 1272/2008

The product is not classified, according to the GB CLP regulation.

· Additional information:

Since the product is a medical device in the sense of Directive 93/42/EEC (MDD) or the Regulation (EU) 2017/745 (MDR), that is intended for the end user and is used invasively or with physical contact, it is exempted from the classification and labeling obligation according to Regulation (EC) 1272/2008.

- · 2.2 Label elements
 - · Labelling according to Regulation (EC) No 1272/2008 Void
 - · Hazard pictograms Void
 - · **Signal word** Void
 - · Hazard statements Void
 - Additional information: see 2.1
- · 2.3 Other hazards ·
 - · Results of PBT and vPvB assessment

·PBT	
------	--

556-67-2 octamethylcyclotetrasiloxane

· vPvB:

556-67-2 octamethylcyclotetrasiloxane

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

· Description: -

· Dangerous components:		
	Cristobalite	50-75%
	STOT RE 1, H372	
	octamethylcyclotetrasiloxane	≥0.025-<0.25%
EINECS: 209-136-7	Flam. Liq. 3, H226	
Reg.nr.: 01-2119529238-36-xxxx	Repr. 2, H361f	
	Aquatic Chronic 1, H410 (M=10)	
	PBT; vPvB	
CAS: 68478-92-2	Platinum divinyltetramethyldisiloxane complex	<1%
EINECS: 270-844-4	Flam. Liq. 2, H225	
	Repr. 2, H361d	
		(Contd. on page 2)

Contd. on page 2



Page 2/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 07.02.2023

Version number 6 (replaces version 5)

Revision: 07.02.2023

Trade name: Flexitime Dynamix Heavy Tray CAT (5:1)

(Contd. of page 1)

·SVHC

556-67-2 octamethylcyclotetrasiloxane

· Additional information For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
 - After inhalation Supply fresh air; consult doctor in case of symptoms.
 - After skin contact if skin irritation continues, consult a doctor.
 - After eve contact

Rinse opened eye for several minutes under running water. Then consult doctor.

· After swallowing

Rinse out mouth and then drink plenty of water.

In case of persistent symptoms consult doctor.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

· 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents

CO2, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam. Use fire fighting measures that suit the environment.

5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

· 5.3 Advice for firefighters

· Protective equipment: Put on breathing apparatus.

Additional information -

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation

Avoid contact with eyes and skin.

- 6.2 Environmental precautions: Prevent material from reaching sewage system, holes and cellars.
- · 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (diatomite, universal binders, for small amounts tissues).

· 6.4 Reference to other sections

No dangerous materials are released.

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Keep containers tightly sealed.

Ensure good ventilation/exhaustion at the workplace.

Information about protection against explosions and fires: No special measures required. (Contd. on page 3)



Page 3/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 07.02.2023

Version number 6 (replaces version 5)

Trade name: Flexitime Dynamix Heavy Tray CAT (5:1)

(Contd. of page 2)

Revision: 07.02.2023

· 7.2 Conditions for safe storage, including any incompatibilities

- · Storage
 - Requirements to be met by storerooms and containers: No special requirements.
 - Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

Components with critical values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace. Not required.

· DNI	ELs	
556-67-2	octamethylcyclotetrasiloxane	
Oral	general population, long term, systemic	3.7 mg/Kg (not defined)
Inhalative	worker industrial, long term, systemic	73 mg/m3 (not defined)
	worker industrial, long term, local	73 mg/m3 (not defined)
	general population, long term, systemic	13 mg/m3 (not defined)
	general population, long term, local	13 mg/m3 (not defined)

· PNECs

556-67-2 octamethylcyclotetrasiloxane

0.0015 mg/l (not defined) freshwater marine water 0.00015 mg/l (not defined) sewage treatment plant 10 mg/l (not defined) sediment, dry weight, freshwater 3 mg/Kg (not defined) sediment, dry weight, marine water 0.3 mg/Kg (not defined)

· 8.2 Exposure controls

- Appropriate engineering controls No further data; see item 7.
- Individual protection measures, such as personal protective equipment

General protective and hygienic measures

Keep away from foodstuffs, beverages and food.

Wash hands during breaks and at the end of the work.

· Breathing equipment: Not required.

· Hand protection

Check protective gloves prior to each use for their proper condition. recommended

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 4)

[·] Additional information: The lists that were valid during the compilation were used as basis.



Page 4/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 07.02.2023 Version number 6 (replaces version 5) Revision: 07.02.2023

Trade name: Flexitime Dynamix Heavy Tray CAT (5:1)

(Contd. of page 3)

For the permanent contact of a maximum of 15 minutes gloves made of the following materials are suitable:

Butyl rubber, BR Nitrile rubber, NBR

Eye/face protection Safety glasses

Body protection: Light weight protective clothing

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

General Information

Physical state
 Colour:
 Smell:
 Odour threshold:
 Melting point/freezing point:
 Fluid
 Light grey
 Characteristic
 Not determined
 Not determined

Melting point/freezing point:
Boiling point or initial boiling point and

boiling range >300 °C
Flammability Not applicable.

· Lower and upper explosion limit

Lower: Not determined.
Upper: Not determined.

Flash point: >130 °C

Decomposition temperature: Not determined.

·SADT

· **pH** Not determined.

· Viscosity:

· Kinematic viscosity
· dynamic:

Solubility

Not determined.

Not determined.

Motor

• Water: Not miscible or difficult to mix

· Partition coefficient n-octanol/water (log

value)Not determined.Steam pressure:Not determined.

Density and/or relative density

Density at 20 °C
 Relative density
 Vapour density
 Not determined.
 Not determined.

• 9.2 Other information No further relevant information available.

Appearance:

Form: Pasty

Important information on protection of health and environment, and on safety.

• Self-inflammability: Product is not selfigniting. Explosive properties: Product is not explosive.

Not determined.

· Change in condition

· Evaporation rate Not determined.

Information with regard to physical hazard

classes

· Explosives Void · Flammable gases Void

(Contd. on page 5)



Page 5/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 07.02.2023 Version number 6 (replaces version 5) Revision: 07.02.2023

Trade name: Flexitime Dynamix Heavy Tray CAT (5:1)

	(Contd. of pag
· Aerosols	Void
· Oxidising gases	Void
· Gases under pressure	Void
· Flammable liquids	Void
Flammable solids	Void
· Self-reactive substances and mixtures	Void
· Pyrophoric liquids	Void
· Pyrophoric solids	Void
Self-heating substances and mixtures	Void
· Substances and mixtures, which emit	
flammable gases in contact with water	Void
· Oxidising liquids	Void
· Oxidising solids	Void
· Organic peroxides	Void
· Corrosive to metals	Void
Desensitised explosives	Void

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
 - Conditions to be avoided: No decomposition if used and stored according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: None
 - Additional information: -

SECTION 11: Toxicological information

- 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008 Acute toxicity Based on available data, the classification criteria are not met.
 - LD/LC50 values that are relevant for classification:

556-67-2 octamethylcyclotetrasiloxane

Oral	LD50	>4800 mg/kg (rat) (OECD 401)
Dermal	LD50	>2375 mg/kg (rat) (OECD 402)
Inhalative	LC50/4 h	36 mg/l (rat) (OECD 403)

- Skin corrosion/irritation Based on available data, the classification criteria are not met.
- Serious eye damage/irritation Based on available data, the classification criteria are not met.
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met. **Carcinogenicity** Based on available data, the classification criteria are not met.
- Reproductive toxicity

68478-92-2 Platinum divinyltetramethyldisiloxane complex

Oral NOAEL (parental toxicity) 125 mg/kg/d (rat) (OECD 422)

- STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.

(Contd. on page 6)



Page 6/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 07.02.2023

Version number 6 (replaces version 5)

Revision: 07.02.2023

Trade name: Flexitime Dynamix Heavy Tray CAT (5:1)

(Contd. of page 5)

· 11.2 Information on other hazards

Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic toxicity:

556-67-2 octamethylcyclotetrasiloxane

EC50/21d >0.015 mg/L (daphnia) (EPA OTS 797.1330) EC50/48h >0.015 mg/l (daphnia) (EPA OTS 797.1300) LC50/96h >0.022 mg/l (fish) (EPA OTS 797.1400)

NOEC / 91d ≥0.0044 mg/l (fish)

NOEC / 21d ≥0.015 mg/l (daphnia) (EPA OTS 797.1330) NOEC / 96h <0.022 mg/l (algae) (EPA OTS 797.1050)

≥0.022 mg/l (fish) (EPA OTS 797.1400)

NOEC / 48h ≥0.015 mg/l (daphnia) (EPA OTS 797.1300) ErC50/ 96h >0.022 mg/L (algae) (EPA OTS 797.1050)

· 12.2 Persistence and degradability

556-67-2 octamethylcyclotetrasiloxane

Biodegradation 3.7 % /29d (not defined) (OECD 310)

· 12.3 Bioaccumulative potential

556-67-2 octamethylcyclotetrasiloxane

Bloconcentration factor (BCF) 12400 (not defined)

- · 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment

· PBT:

556-67-2 octamethylcyclotetrasiloxane

· vPvB

556-67-2 octamethylcyclotetrasiloxane

12.6 Endocrine disrupting properties

For information on endocrine disrupting properties see section 11.

- · 12.7 Other adverse effects
 - · Additional ecological information:
 - · General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Disposal must be made according to official regulations.

(Contd. on page 7)



Page 7/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 07.02.2023

Version number 6 (replaces version 5)

Revision: 07.02.2023

Trade name: Flexitime Dynamix Heavy Tray CAT (5:1)

(Contd. of page 6)

Uncleaned packagings:

· Recommendation:

Disposal must be made according to official regulations. Non contaminated packagings can be used for recycling.

SECTION 14: Transport informati	on	
· 14.1 UN number or ID number · ADR, IMDG, IATA	Void	
14.2 UN proper shipping name ADR, IMDG, IATA	Void	
· 14.3 Transport hazard class(es)		
· ADR, ADN, IMDG, IATA · Class	Void	
14.4 Packing group ADR, IMDG, IATA	Void	
14.5 Environmental hazards: Marine pollutant:	No	
· 14.6 Special precautions for user	Not applicable.	
14.7 Maritime transport in bulk according IMO instruments	g to Not applicable.	
· Transport/Additional information:	-	
· UN "Model Regulation":	Void	

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
 - Directive 2012/18/EU
 - Named dangerous substances ANNEX I None of the ingredients is listed.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H225 Highly flammable liquid and vapour. H226 Flammable liquid and vapour.

H361d Suspected of damaging the unborn child.

H361f Suspected of damaging fertility.

H372 Causes damage to organs through prolonged or repeated exposure.
H410 Very toxic to aquatic life with long lasting effects.

Abbreviations and acronyms:

SADT: Self Accelerating Decomposition Temperature

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

(Contd. on page 8)



Page 8/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 07.02.2023

Version number 6 (replaces version 5)

Revision: 07.02.2023

Trade name: Flexitime Dynamix Heavy Tray CAT (5:1)

(Contd. of page 7)

IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonised System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)
DNEL: Derived No-Effect Level (UK REACH)

DNEL: Derived No-Effect Level (UK REACH)
PNEC: Predicted No-Effect Concentration (UK REACH)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
Flam. Liq. 2: Flammable liquids – Category 2
Flam. Liq. 3: Flammable liquids – Category 3
Repr. 2: Reproductive toxicity – Category 2
Repr. 2: Reproductive toxicity – Category 2
STOT RE 1: Specific target organ toxicity (repeated exposure) – Category 1
Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1
** Pata compared to the previous version altered

* Data compared to the previous version altered.



Page 1/8

Revision: 07.02.2023

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 07.02.2023

undertaking

Version number 6 (replaces version 5)

SECTION 1: Identification of the substance/mixture and of the company/

· 1.1 Product identifier

- Trade name: Flexitime Light Flow Base (1:1), Flexitime Medium Flow **Base (1:1)**
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
 - Application of the substance / the mixture Dental impression material
- · 1.3 Details of the supplier of the safety data sheet
 - Manufacturer/Supplier:

Kulzer GmbH

Leipziger Straße 2, 63450 Hanau (Germany)

Tel.: +49 (0)800 4372522

Informing department: E-Mail: msds@kulzer-dental.com

· 1.4 Emergency telephone number: Emergency CONTACT (24-Hour-Number): +49 (0)6132-84463

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
 - Classification according to Regulation (EC) No 1272/2008
 The product is not classified, according to the GB CLP regulation.

Additional information:

Since the product is a medical device in the sense of Directive 93/42/EEC (MDD) or the Regulation (EU) 2017/745 (MDR), that is intended for the end user and is used invasively or with physical contact, it is exempted from the classification and labeling obligation according to Regulation (EC) 1272/2008.

- - Labelling according to Regulation (EC) No 1272/2008 Void
 - · **Hazard pictograms** Void
 - · Signal word Void
 - · Hazard statements Void
 - · Additional information: see 2.1
- · 2.3 Other hazards -
 - · Results of PBT and vPvB assessment

· PB	T:
556-67-2	octamethylcyclotetrasiloxane
· vP 1	/B:
556-67-2	octamethylcyclotetrasiloxane

SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
 - · Description: -

· Dangerous components:		
CAS: 14464-46-1 EINECS: 238-878-4	Cristobalite	25-50%
LINECS. 230-070-4	STOT RE 1, H372	(Contd. on page 2)



Page 2/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 07.02.2023 Version number 6 (replaces version 5) Revision: 07.02.2023

Trade name: Flexitime Light Flow Base (1:1), Flexitime Medium Flow Base (1:1)

CAS: 27306-78-1	modified heptamethyltrisiloxane with polyalkylene oxide	≥2.5-≤5%
	Aquatic Chronic 2, H411 Acute Tox. 4, H332; Eye Irrit. 2, H319	
CAS: 556-67-2 EINECS: 209-136-7 Reg.nr.: 01-2119529238-36-xxxx	octamethylcyclotetrasiloxane Flam. Liq. 3, H226 Repr. 2, H361f Aquatic Chronic 1, H410 (M=10) PBT; vPvB	≥0.025-<0.25
·SVHC		
556-67-2 octamethylcyclotetrasii	loxane	

Additional information For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
 - · After inhalation Supply fresh air; consult doctor in case of symptoms.
 - · After skin contact If skin irritation continues, consult a doctor.
 - · After eye contact
 - Rinse opened eye for several minutes under running water. Then consult doctor.
 - · After swallowing

Rinse out mouth and then drink plenty of water.

In case of persistent symptoms consult doctor.

- 4.2 Most important symptoms and effects, both acute and delayed
- No further relevant information available.
- · 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
 - · Suitable extinguishing agents

CO2, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam. Use fire fighting measures that suit the environment.

· 5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

- 5.3 Advice for firefighters
 - · Protective equipment: Put on breathing apparatus.
 - · Additional information -

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation

Avoid contact with eyes and skin.

- · 6.2 Environmental precautions: Prevent material from reaching sewage system, holes and cellars.
- · 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (diatomite, universal binders, for small amounts tissues).

· 6.4 Reference to other sections

No dangerous materials are released.

See Section 7 for information on safe handling

(Contd. on page 3)



Page 3/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 07.02.2023 Version number 6 (replaces version 5) Revision: 07.02.2023

Trade name: Flexitime Light Flow Base (1:1), Flexitime Medium Flow **Base (1:1)**

(Contd. of page 2)

See Section 8 for information on personal protection equipment. See Section 13 for information on disposal.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Please observe the additional instructions in the product's instructions for use.

Keep containers tightly sealed.

Ensure good ventilation/exhaustion at the workplace.

- Information about protection against explosions and fires: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
 - Storage
 - Requirements to be met by storerooms and containers: No special requirements.
 - Information about storage in one common storage facility: Not required.
 - · Further information about storage conditions: None.
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
 - Components with critical values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

Not required.

· DNELs

556-67-2 octamethylcyclotetrasiloxane

Oral	general population, long term, systemic	3.7 mg/Kg (not defined)
Inhalative	worker industrial, long term, systemic	73 mg/m3 (not defined)
	worker industrial, long term, local	73 mg/m3 (not defined)
	general population, long term, systemic	13 mg/m3 (not defined)
	general population, long term, local	13 mg/m3 (not defined)
	Inhalative	Inhalative worker industrial, long term, systemic worker industrial, long term, local general population, long term, systemic

PNECs

556-67-2 octamethylcyclotetrasiloxane

0.0015 mg/l (not defined) freshwater marine water 0.00015 mg/l (not defined) 10 mg/l (not defined) sewage treatment plant sediment, dry weight, freshwater 3 mg/Kg (not defined) sediment, dry weight, marine water 0.3 mg/Kg (not defined)

- · Additional information: The lists that were valid during the compilation were used as basis.
- - Appropriate engineering controls No further data; see item 7.
 - Individual protection measures, such as personal protective equipment
 - General protective and hygienic measures Keep away from foodstuffs, beverages and food.

Wash hands during breaks and at the end of the work.

· Breathing equipment: Not required.

(Contd. on page 4)



Page 4/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 07.02.2023 Version number 6 (replaces version 5) Revision: 07.02.2023

Trade name: Flexitime Light Flow Base (1:1), Flexitime Medium Flow **Base (1:1)**

(Contd. of page 3)

· Hand protection

Check protective gloves prior to each use for their proper condition. recommended

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

For the permanent contact of a maximum of 15 minutes gloves made of the following materials are suitable:

Butyl rubber, BR Nitrile rubber, NBR

Eye/face protection Safety glasses

Body protection: Light weight protective clothing

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

General Information

· Physical state Fluid · Colour: Green · Smell: Characteristic

Odour threshold: Not determined. • Melting point/freezing point: Not determined

Boiling point or initial boiling point and

>300 °C boiling range · Flammability Not applicable.

· Lower and upper explosion limit

Not determined. Lower: · Upper: Not determined.

Flash point: >130 °C 430 °C Ignition temperature:

· Decomposition temperature: Not determined.

SADT

pН Not determined.

Viscosity:

Kinematic viscosity Not determined. Not determined. dynamic: Solubility

Water: Not miscible or difficult to mix

· Partition coefficient n-octanol/water (log

value) Not determined. Not determined. · Steam pressure:

· Density and/or relative density

Density at 20 °C 1.6 g/cm3 · Relative density Not determined. · Vapour density Not determined.

9.2 Other information No further relevant information available.

(Contd. on page 5)



Page 5/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 07.02.2023 Version number 6 (replaces version 5) Revision: 07.02.2023

Trade name: Flexitime Light Flow Base (1:1), Flexitime Medium Flow Base (1:1)

(Contd. of page 4)

· Appearance:

Form: Pasty

· Important information on protection of health and environment, and on safety.

· Self-inflammability: Product is not selfigniting. · Explosive properties: Product is not explosive. Not determined.

· Solvent content:

47.3 % Solids content:

Change in condition

Not determined. · Evaporation rate

· Information with regard to physical hazard

45565	
· Explosives	Void
· Flammable gases	Void
Aerosols	Void
· Oxidising gases	Void
· Gases under pressure	Void
Flammable liquids	Void
· Flammable solids	Void
· Self-reactive substances and mixtures	Void
· Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
· Substances and mixtures, which emit	
flammable gases in contact with water	Void
· Oxidising liquids	Void
· Oxidising solids	Void
· Organic peroxides	Void
· Corrosive to metals	Void
Desensitised explosives	Void

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
 - Conditions to be avoided: No decomposition if used and stored according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: None
 - Additional information: -

SECTION 11: Toxicological information

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

· Acute toxicity Based on available data, the classification criteria are not met.

(Contd. on page 6)



Page 6/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 07.02.2023 Version number 6 (replaces version 5) Revision: 07.02.2023

Trade name: Flexitime Light Flow Base (1:1), Flexitime Medium Flow **Base (1:1)**

				(Contd. of page 5)
ſ	· LD/	LC50 valu	es that are relevant for classification:	
ſ	68083-19-	2 Siloprer	n U 1 dental	
ſ	Oral	LD50	>5000 mg/kg (rat)	
ſ	556-67-2 octamethylcyclotetrasiloxane			
ſ	Oral	LD50	>4800 mg/kg (rat) (OECD 401)	
	Dermal	LD50	>2375 mg/kg (rat) (OECD 402)	
	Inhalative	LC50/4 h	36 mg/l (rat) (OECD 403)	

- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- **Serious eye damage/irritation** Based on available data, the classification criteria are not met. **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- Carcinogenicity Based on available data, the classification criteria are not met.

 Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.
- · 11.2 Information on other hazards

 - Endocrine disrupting properties
 List I: Substances identified as endocrine disruptors at EU level.
 - List II: Substances under evaluation for endocrine distruption under an EU legislation.

List III: Substances considered, by the evaluating National Authority, to have endocrine disrupting propertied.

556-67-2	octamethylcyclotetrasiloxane	List II, III
540-97-6	Dodecamethylcyclohexasiloxane	List II
541-02-6	Decamethylcyclopentasiloxane	List II

SECTION 12: Ecological information

	12.1 Toxicity	y
	· Aquatic t	oxicity:
	556-67-2 oc	tamethylcyclotetrasiloxane
	EC50/21d	>0.015 mg/L (daphnia) (EPA OTS 797.1330)
	EC50/48h	>0.015 mg/l (daphnia) (EPA OTS 797.1300)
	LC50/96h	>0.022 mg/l (fish) (EPA OTS 797.1400)
	NOEC / 91d	≥0.0044 mg/l (fish)
	NOEC / 21d	≥0.015 mg/l (daphnia) (EPA OTS 797.1330)
	NOEC / 96h	<0.022 mg/l (algae) (EPA OTS 797.1050)
		≥0.022 mg/l (fish) (EPA OTS 797.1400)
	NOEC / 48h	≥0.015 mg/l (daphnia) (EPA OTS 797.1300)
	ErC50/ 96h	>0.022 mg/L (algae) (EPA OTS 797.1050)
	12.2 Persist	ence and degradability
,	556-67-2 oc	tamethylcyclotetrasiloxane
	Biodegradati	on 3.7 % /29d (not defined) (OECD 310)
	12.3 Bioacc	umulative potential
	556-67-2 oc	tamethylcyclotetrasiloxane
	Bloconcentra	ation factor (BCF) 12400 (not defined)
		(Contd. on page 7)



Page 7/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 07.02.2023

Version number 6 (replaces version 5)

Revision: 07.02.2023

Trade name: Flexitime Light Flow Base (1:1), Flexitime Medium Flow Base (1:1)

(Contd. of page 6)

- · 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
 - · PRT

556-67-2 octamethylcyclotetrasiloxane

vPvB:

556-67-2 octamethylcyclotetrasiloxane

12.6 Endocrine disrupting properties

For information on endocrine disrupting properties see section 11.

- · 12.7 Other adverse effects
 - · Remark: Harmful to fish
 - · Additional ecological information:
 - · General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.

Harmful to aquatic organisms

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
 - · Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Disposal must be made according to official regulations.

- · Uncleaned packagings:
 - Recommendation:

Disposal must be made according to official regulations.

Non contaminated packagings can be used for recycling.

14.1 UN number or ID number · ADR, IMDG, IATA	Void	
14.2 UN proper shipping name · ADR, IMDG, IATA	Void	
14.3 Transport hazard class(es)		
· ADR, ADN, IMDG, IATA · Class	Void	
14.4 Packing group · ADR, IMDG, IATA	Void	
14.5 Environmental hazards: • Marine pollutant:	No	
14.6 Special precautions for user	Not applicable.	
14.7 Maritime transport in bulk according IMO instruments	ng to Not applicable.	

GR



Page 8/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 07.02.2023

Version number 6 (replaces version 5)

Revision: 07.02.2023

Trade name: Flexitime Light Flow Base (1:1), Flexitime Medium Flow **Base (1:1)**

(Contd. of page 7)

UN "Model Regulation":

Void

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
 - Directive 2012/18/EU
 - Named dangerous substances ANNEX I None of the ingredients is listed.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H226 Flammable liquid and vapour.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H361f Suspected of damaging fertility.

H372 Causes damage to organs through prolonged or repeated exposure.

H410 Very toxic to aquatic life with long lasting effects.

H411 Toxic to aquatic life with long lasting effects.

Abbreviations and acronyms:

SADT: Self Accelerating Decomposition Temperature

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement

Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (UK REACH)
PNEC: Predicted No-Effect Concentration (UK REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Liq. 3: Flammable liquids - Category 3

Acute Tox. 4: Acute toxicity – Category 4

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Repr. 2: Reproductive toxicity – Category 2

STOT RE 1: Specific target organ toxicity (repeated exposure) – Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2

* Data compared to the previous version altered.



Page 1/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 07.02.2023

Version number 6 (replaces version 5)

Revision: 07.02.2023

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

- · 1.1 Product identifier
 - Trade name: Flexitime Light Flow Cat. (1:1), Flexitime Medium Flow Cat. (1:1)
- 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
 - · Application of the substance / the mixture Dental impression material
- · 1.3 Details of the supplier of the safety data sheet
 - Manufacturer/Supplier:

Kulzer GmbH

Leipziger Straße 2, 63450 Hanau (Germany)

Tel.: +49 (0)800 4372522

- Informing department: E-Mail: msds@kulzer-dental.com
- · 1.4 Emergency telephone number: Emergency CONTACT (24-Hour-Number): +49 (0)6132-84463

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
 - Classification according to Regulation (EC) No 1272/2008
 The product is not classified, according to the GB CLP regulation.

Additional information:

Since the product is a medical device in the sense of Directive 93/42/EEC (MDD) or the Regulation (EU) 2017/745 (MDR), that is intended for the end user and is used invasively or with physical contact, it is exempted from the classification and labeling obligation according to Regulation (EC) 1272/2008.

- - Labelling according to Regulation (EC) No 1272/2008 Void
 - Hazard pictograms Void
 - · Signal word Void
 - · Hazard statements Void
 - · Additional information: see 2.1
- · 2.3 Other hazards -
 - · Results of PBT and vPvB assessment

· PB	T:
	octamethylcyclotetrasiloxane
540-97-6	Dodecamethylcyclohexasiloxane
· <i>vP</i> 1	vB:
	octamethylcyclotetrasiloxane
540-97-6	Dodecamethylcyclohexasiloxane

SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
 - Description: -

EINECS: 238-878-4 STOT RE 1, H372	Dangerous components:		
EINECS: 209-136-7 Flam. Liq. 3, H226 Reg.nr.: 01-2119529238-36-xxxx Repr. 2, H361f Aquatic Chronic 1, H410 (M=10)		L	25-50%
	EINECS: 209-136-7	Flam. Liq. 3, H226 Repr. 2, H361f Aquatic Chronic 1, H410 (M=10)	≥0.025-<0.25%



Page 2/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 07.02.2023 Version number 6 (replaces version 5) Revision: 07.02.2023

Trade name: Flexitime Light Flow Cat. (1:1), Flexitime Medium Flow Cat. (1:1)

CAS: 540- EINECS: 2 Reg.nr.: 0	208-762-8	Dodecamethylcyclohexasiloxane Non-classified vPvB substance. (Non-classified PBT substance. Substance identified as having endocrine disrupting properties (II).	(Contd. of page 1) ≥0-<1%
· SVHC			
556-67-2	octamethylcyclotetrasi	loxane	
540-97-6	Dodecamethylcyclohea	xasiloxane	
· Additio	onal information For t	he wording of the listed hazard phrases refer to sec	tion 16

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
 - After inhalation Supply fresh air; consult doctor in case of symptoms.
 - · After skin contact if skin irritation continues, consult a doctor.
 - After eye contact

Rinse opened eye for several minutes under running water. Then consult doctor.

After swallowing

Rinse out mouth and then drink plenty of water.

In case of persistent symptoms consult doctor.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

· 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
 - Suitable extinguishing agents

CO2, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam. Use fire fighting measures that suit the environment.

· 5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

- · 5.3 Advice for firefighters
 - Protective equipment: Put on breathing apparatus.
 - Additional information -

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation

Avoid contact with eyes and skin.

- 6.2 Environmental precautions: Prevent material from reaching sewage system, holes and cellars.
- 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (diatomite, universal binders, for small amounts tissues).

· 6.4 Reference to other sections

No dangerous materials are released.

See Section 7 for information on safe handling See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

(Contd. on page 3)



Page 3/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 07.02.2023

Version number 6 (replaces version 5)

Revision: 07.02.2023

Trade name: Flexitime Light Flow Cat. (1:1), Flexitime Medium Flow Cat. (1:1)

(Contd. of page 2)

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Keep containers tightly sealed.

Ensure good ventilation/exhaustion at the workplace.

- · Information about protection against explosions and fires: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
 - Storage
 - · Requirements to be met by storerooms and containers: No special requirements.
 - Information about storage in one common storage facility: Not required.
 - Further information about storage conditions: None.
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
 - · Components with critical values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

Not required.

· DNI	·DNELs			
556-67-2	octamethylcyclotetrasiloxane			
Oral	general population, long term, systemic	3.7 mg/Kg (not defined)		
Inhalative	worker industrial, long term, systemic	73 mg/m3 (not defined)		
	worker industrial, long term, local	73 mg/m3 (not defined)		
	general population, long term, systemic	13 mg/m3 (not defined)		
	general population, long term, local	13 mg/m3 (not defined)		
540-97-6 I	Dodecamethylcyclohexasiloxane			
Oral	general population, acute, systemic	1.7 mg/Kg (not defined)		
	general population, long term, systemic	1.7 mg/Kg (not defined)		
Inhalative	worker industrial, acute, local	6.1 mg/m3 (not defined)		
	worker industrial, long term, systemic	11 mg/m3 (not defined)		
	worker industrial, long term, local	1.22 mg/m3 (not defined)		
	general population, acute, local	1.5 mg/m3 (not defined)		
	general population, long term, systemic	2.7 mg/m3 (not defined)		
	general population, long term, local	0.3 mg/m3 (not defined)		

PNECs

556-67-2 octamethylcyclotetrasiloxane

freshwater 0.0015 mg/l (not defined)
marine water 0.00015 mg/l (not defined)
sewage treatment plant 10 mg/l (not defined)
sediment, dry weight, freshwater 3 mg/Kg (not defined)
sediment, dry weight, marine water 0.3 mg/Kg (not defined)

(Contd. on page 4)



Page 4/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 07.02.2023

Version number 6 (replaces version 5)

Trade name: Flexitime Light Flow Cat. (1:1), Flexitime Medium Flow Cat. (1:1)

(Contd. of page 3)

Revision: 07.02.2023

540-97-6 Dodecamethylcyclohexasiloxane

sewage treatment plant 1 mg/l (not defined) sediment, dry weight, freshwater 13 mg/Kg (not defined) sediment, dry weight, marine water 1.3 mg/Kg (not defined)

· Additional information: The lists that were valid during the compilation were used as basis.

· 8.2 Exposure controls

- Appropriate engineering controls No further data; see item 7.
- Individual protection measures, such as personal protective equipment
 - General protective and hygienic measures Keep away from foodstuffs, beverages and food.

Wash hands during breaks and at the end of the work.

Breathing equipment: Not required.

· Hand protection

Check protective gloves prior to each use for their proper condition.

recommended

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

For the permanent contact of a maximum of 15 minutes gloves made of the following materials are suitable:

Butyl rubber, BR

Nitrile rubber, NBR

- Eye/face protection Safety glasses
- · Body protection: Light weight protective clothing

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

General Information

Physical state · Colour:

· Smell: Odour threshold:

· Melting point/freezing point:

Boiling point or initial boiling point and

boiling range · Flammability

Lower and upper explosion limit

Lower: · Upper:

·pH

Flash point: Ignition temperature:

Decomposition temperature: SADT

Fluid

Light grey Characteristic

Not determined. Not determined

>300 °C

Not applicable.

Not determined. Not determined.

>130 °C 430 °C

Not determined.

Not determined.

(Contd. on page 5)



Page 5/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 07.02.2023 Version number 6 (replaces version 5) Revision: 07.02.2023

Trade name: Flexitime Light Flow Cat. (1:1), Flexitime Medium Flow Cat. (1:1)

(Contd. of page 4) Viscosity: Kinematic viscosity Not determined. dynamic: Not determined. Solubility Water: Not miscible or difficult to mix Partition coefficient n-octanol/water (log Not determined. Not determined. · Steam pressure: · Density and/or relative density Density at 20 °C 1.6 g/cm³ · Relative density Not determined. · Vapour density Not determined. · 9.2 Other information No further relevant information available. Appearance: Pasty Form: · Important information on protection of health and environment, and on safety. Self-inflammability: Product is not selfigniting. Product is not explosive. Explosive properties: Not determined. · Solvent content: Solids content: 47.3 % Change in condition Evaporation rate Not determined. · Information with regard to physical hazard classes **Explosives** Void Void · Flammable gases · Aerosols Void Oxidising gases
Gases under pressure Void Void · Flammable liquids Void Flammable solids Void · Self-reactive substances and mixtures Void · Pyrophoric liquids Void Pyrophoric solids Void · Self-heating substances and mixtures Void · Substances and mixtures, which emit Void flammable gases in contact with water Oxidising liquids Void · Oxidising solids Void · Organic peroxides Void · Corrosive to metals Void · Desensitised explosives Void

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability
 - · Conditions to be avoided: No decomposition if used and stored according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known

(Contd. on page 6)



Page 6/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 07.02.2023

Version number 6 (replaces version 5)

Revision: 07.02.2023

Trade name: Flexitime Light Flow Cat. (1:1), Flexitime Medium Flow Cat. (1:1)

(Contd. of page 5)

- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: None
 - Additional information: -

SECTION 11: Toxicological information

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008 Acute toxicity Based on available data, the classification criteria are not met.

· LD/	· LD/LC50 values that are relevant for classification:			
68083-19-	68083-19-2 Silopren U 1 dental			
Oral		>5000 mg/kg (rat)		
556-67-2	octamethy	/lcyclotetrasiloxane		
Oral	LD50	>4800 mg/kg (rat) (OECD 401)		
Dermal	LD50	>2375 mg/kg (rat) (OECD 402)		
Inhalative	LC50/4 h	36 mg/l (rat) (OECD 403)		
540-97-6 I	540-97-6 Dodecamethylcyclohexasiloxane			
Oral	LD50	>2000 mg/kg (rat) (OECD 423)		
Dermal	LD50	>2000 mg/kg (rat) (OECD 402)		

- Skin corrosion/irritation Based on available data, the classification criteria are not met.
- Serious eye damage/irritation Based on available data, the classification criteria are not met.
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- Germ cell mutagenicity Based on available data, the classification criteria are not met.

 Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity

540-97-6 Dodecamethylcyclohexasiloxane

Oral NOAEL(C) 1000 mg/kg (rat)

- STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.
- · 11.2 Information on other hazards
 - Endocrine disrupting properties
 - List I: Substances identified as endocrine disruptors at EU level.
 - List II: Substances under evaluation for endocrine distruption under an EU legislation.

List III: Substances considered, by the evaluating National Authority, to have endocrine disrupting propertied.

556-67-2	octamethylcyclotetrasiloxane	List II, III
540-97-6	Dodecamethylcyclohexasiloxane	List II
541-02-6	Decamethylcyclopentasiloxane	List II

SECTION 12: Ecological information

· 12.1 Toxicity

· Д	١qu	atic	tox	icity.	:			
		-			-	-	-	

556-67-2 octamethylcyclotetrasiloxane

EC50/21d >0.015 mg/L (daphnia) (EPA OTS 797.1330)

(Contd. on page 7)



Page 7/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 07.02.2023 Version number 6 (replaces version 5) Revision: 07.02.2023

Trade name: Flexitime Light Flow Cat. (1:1), Flexitime Medium Flow Cat. (1:1)

		(Contd. of page (
EC50/48h	>0.015 mg/l (daphnia) (EPA OTS 797.1300)	(south of s
LC50/96h	>0.022 mg/l (fish) (EPA OTS 797.1400)	
NOEC / 91	d ≥0.0044 mg/l (fish)	
NOEC / 21	d ≥0.015 mg/l (daphnia) (EPA OTS 797.1330)	
NOEC / 96	n <0.022 mg/l (algae) (EPA OTS 797.1050)	
	≥0.022 mg/l (fish) (EPA OTS 797.1400)	
NOEC / 48	h ≥0.015 mg/l (daphnia) (EPA OTS 797.1300)	
ErC50/ 96h	5	
	odecamethylcyclohexasiloxane	
	d ≥0.014 mg/l (fish) (OECD 210)	
	d 0.0046 mg/l (daphnia) (OECD 211)	
	h >0.002 mg/l (algae) (OECD 201)	
NOEC / 72	h ≥0.002 mg/l (algae) (OECD 201)	
	tence and degradability	
	ctamethylcyclotetrasiloxane	
	tion 3.7 % /29d (not defined) (OECD 310)	
	odecamethylcyclohexasiloxane	
Biodegrada	tion 4.47 % /28d (not defined) (OECD 310)	
· 12.3 Bioac	cumulative potential	
	ctamethylcyclotetrasiloxane	
	ration factor (BCF) 12400 (not defined)	
	odecamethylcyclohexasiloxane	
	ration factor (BCF) 1160 (not defined)	
· 12.4 Mobili	ty in soil No further relevant information available. ts of PBT and vPvB assessment	
· PBT:	is of FBT and VFVB assessment	
	ctamethylcyclotetrasiloxane	
	Podecamethylcyclohexasiloxane	
· vPvB:		
556-67-2 c	ctamethylcyclotetrasiloxane	
540-97-6 E	Podecamethylcyclohexasiloxane	

For information on endocrine disrupting properties see section 11.

- 12.7 Other adverse effects
 Additional ecological information:
 - General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 8)



Page 8/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 07.02.2023

Version number 6 (replaces version 5)

Revision: 07.02.2023

Trade name: Flexitime Light Flow Cat. (1:1), Flexitime Medium Flow Cat. (1:1)

(Contd. of page 7)

Disposal must be made according to official regulations.

- · Uncleaned packagings:
 - Recommendation:

Disposal must be made according to official regulations. Non contaminated packagings can be used for recycling.

SECTION 14: Transport informati	on	
14.1 UN number or ID number ADR, IMDG, IATA	Void	
14.2 UN proper shipping name ADR, IMDG, IATA	Void	
· 14.3 Transport hazard class(es)		
· ADR, ADN, IMDG, IATA · Class	Void	
14.4 Packing group ADR, IMDG, IATA	Void	
· 14.5 Environmental hazards: · Marine pollutant:	No	
· 14.6 Special precautions for user	Not applicable.	
· 14.7 Maritime transport in bulk accordin IMO instruments	g to Not applicable.	
· Transport/Additional information:	-	
UN "Model Regulation":	Void	

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
 - Directive 2012/18/EU
 - Named dangerous substances ANNEX I None of the ingredients is listed.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H226 Flammable liquid and vapour.

H361f Suspected of damaging fertility.

H372 Causes damage to organs through prolonged or repeated exposure.

H410 Very toxic to aquatic life with long lasting effects.

Abbreviations and acronyms:
SADT: Self Accelerating Decomposition Temperature
ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

(Contd. on page 9)



Page 9/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 07.02.2023

Version number 6 (replaces version 5)

Revision: 07.02.2023

Trade name: Flexitime Light Flow Cat. (1:1), Flexitime Medium Flow Cat.

(Contd. of page 8)

IMDG: International Maritime Code for Dangerous Goods

IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonised System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
DNEL: Derived No-Effect Level (UK REACH)
PNEC: Predicted No-Effect Concentration (UK REACH)
LC50: Lethal concentration, 50 percent

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic PVB: very Persistent and very Bioaccumulative
Flam. Liq. 3: Flammable liquids – Category 3
Repr. 2: Reproductive toxicity – Category 2
STOT RE 1: Specific target organ toxicity (repeated exposure) – Category 1
Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1

* Pata compared to the provious version altered

* Data compared to the previous version altered.



Page 1/11

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 03.08.2022 Version number 3 Revision: 03.08.2022

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

- · 1.1 Product identifier
 - · Trade name: Universal Adhesive
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
 - Application of the substance / the mixture Tray adhesive for use with silicone impression materials
- · 1.3 Details of the supplier of the safety data sheet
 - Manufacturer/Supplier:

Kulzer GmbH

Leipziger Straße 2, 63450 Hanau (Germany)

Tel.: +49 (0)800 4372522

· Informing department: E-Mail: msds@kulzer-dental.com

· 1.4 Emergency telephone number: Emergency CONTACT (24-Hour-Number): +49 (0)6132-84463

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
 - Classification according to Regulation (EC) No 1272/2008

Flam. Liq. 2 H225 Highly flammable liquid and vapour.

Skin Irrit. 2 H315 Causes skin irritation.

H318 Eve Dam. 1 Causes serious eye damage.

Aquatic Chronic 3 H412 (M=10) Harmful to aquatic life with long lasting effects.

· 2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation.

Hazard pictograms





GHS02 GHS05

- · Signal word Danger
- · Hazard-determining components of labelling:

tetra-n-butoxytitanium

· Hazard statements

H225 Highly flammable liquid and vapour.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition

sources. No smoking.

P241 Use explosion-proof [electrical/ventilating/lighting] equipment.
P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P321 Specific treatment (see on this label).

· 2.3 Other hazards -

(Contd. on page 2)



Page 2/11

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 03.08.2022 Version number 3 Revision: 03.08.2022

Trade name: Universal Adhesive

Results	of PBT	and	vPvB	assessment
	· · · — ·		• • • •	400000

(Contd. of page 1)

P	R.	T·

556-67-2 octamethylcyclotetrasiloxane

· vPvB:

556-67-2 octamethylcyclotetrasiloxane

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

· Description: -

Description		
· Dangerous components:		
EINECS: 205-500-4 Reg.nr.: 01-2119475103-46-xxxx	ethyl acetate Flam. Liq. 2, H225 Eye Irrit. 2, H319; STOT SE 3, H336 EUH066	≥10-<20%
EINECS: 215-535-7 Reg.nr.: 2119488216-32-xxxx	xylene, mixed isomers, pure Flam. Liq. 3, H226 Acute Tox. 4, H312; Acute Tox. 4, H332; Skin Irrit. 2, H315	≥0-<10%
EINECS: 227-006-8	tetra-n-butoxytitanium Flam. Liq. 3, H226 Eye Dam. 1, H318 Skin Irrit. 2, H315	≥3-<5%
EINECS: 202-849-4	ethylbenzene Flam. Liq. 2, H225 STOT RE 2, H373; Asp. Tox. 1, H304 Acute Tox. 4, H332	≥0-≤5%
EINECS: 209-136-7 Reg.nr.: 01-2119529238-36-xxxx	octamethylcyclotetrasiloxane Flam. Liq. 3, H226 Repr. 2, H361f Aquatic Chronic 1, H410 (M=10) PBT; vPvB	≥0.025-<0.25%

Additional information For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
 - · After inhalation Supply fresh air; consult doctor in case of symptoms.
 - · After skin contact If skin irritation continues, consult a doctor.
 - · After eye contact

Rinse opened eye for several minutes under running water. Then consult doctor.

After swallowing

Rinse out mouth and then drink plenty of water.

In case of persistent symptoms consult doctor.

- 4.2 Most important symptoms and effects, both acute and delayed
- No further relevant information available.
- · **4.3 Indication of any immediate medical attention and special treatment needed**No further relevant information available.

GB



Page 3/11

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 03.08.2022 Version number 3 Revision: 03.08.2022

Trade name: Universal Adhesive

(Contd. of page 2)

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
 - · Suitable extinguishing agents
 - CO2, extinguishing powder or water jet. Fight larger fire with alcohol-resistant foam.
 - For safety reasons unsuitable extinguishing agents Water with a full water jet.
- · 5.2 Special hazards arising from the substance or mixture

Can form explosive gas-air mixtures.

Formation of toxic gases is possible during heating or in case of fire.

- 5.3 Advice for firefighters
 - · Protective equipment: No special measures required.
 - Additional information -

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
- 6.2 Environmental precautions: Prevent material from reaching sewage system, holes and cellars.
- · 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (diatomite, universal binders, for small amounts tissues).

Do not flush with water or aqueous cleansing agents

6.4 Reference to other sections

No dangerous materials are released.

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

_

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Keep containers tightly sealed.

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

· Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

- 7.2 Conditions for safe storage, including any incompatibilities
 - · Storage
 - · Requirements to be met by storerooms and containers: Store in cool location.
 - · Information about storage in one common storage facility: Not required.
 - · Further information about storage conditions:
 - Store in cool, dry conditions in well sealed containers.
- · 7.3 Specific end use(s) No further relevant information available.

CD.

(Contd. on page 4)



Page 4/11

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 03.08.2022 Version number 3 Revision: 03.08.2022

Trade name: Universal Adhesive

(Contd. of page 3)

8.1 Contro	ol parameters				
· Compo	onents with cri	tical valu	es that require	monitoring at the workplace	
	ethyl acetate				
WEL (Gre	at Britain)			ng/m³, 400 ppm	
10511475		_	m value: 734 mg		
IOELV (El	uropean Union)		m value: 1468 r n value: 734 mg	ng/m³, 400 ppm	
1330-20-7	xylene, mixed			<i>ymi</i> , 200 ppm	
WEL (Gre			m value: 441 m	g/m³. 100 ppm	
7722 (0.0	at <i>Dinam</i>		m value: 220 mg		
IOELV (Ει	ıropean Union)		m value: 442 m		
		Long-terr Skin	m value: 221 mg	g/m³, 50 ppm	
100-41-4	ethylbenzene	JKII I			
WEL (Gre		Short-ter	m value: 552 m	g/m³. 125 ppm	
		Long-terr Sk	m value: 441 mg	g/m³, 100 ppm	
IOELV (Ει	ıropean Union)	Short-term value: 884 mg/m³, 200 ppm Long-term value: 442 mg/m³, 100 ppm			
		Skin			
· DNI					
	ethyl acetate				
Oral		_	-	4.5 mg/Kg (not defined)	
Dermal	worker industrial, long term, systemic		63 mg/Kg/d (not defined)		
		-	term, systemic	,	
Inhalative	worker industri			1,468 mg/m3 (not defined)	
	worker industri			1,468 mg/m3 (not defined)	
	worker industri	al, long te	rm, systemic	734 mg/m3 (not defined)	
	worker industri	lustrial, long term, local		734 mg/m3 (not defined)	
	general popula	ition, acute	e, systemic	734 mg/m3 (not defined)	
	general popula	tion, acute	e, local	734 mg/m3 (not defined)	
	general popula	population, long term, systemic		367 mg/m3 (not defined)	
	general popula	tion, long	term, local	367 mg/m3 (not defined)	
556-67-2 d	octamethylcyc				
Oral	general popula	tion, long	term, systemic	3.7 mg/Kg (not defined)	
Inhalative	worker industri	al, long te	rm, systemic	73 mg/m3 (not defined)	
	worker industri	al, long te	rm, local	73 mg/m3 (not defined)	
	general population, long term, systemic		13 mg/m3 (not defined)		
	general popula	eneral population, long term, local		13 mg/m3 (not defined)	
· PNE	ECs				
141-78-6 e	ethyl acetate				
freshwatei	r		0.24 mg/l (not	defined)	



Page 5/11

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 03.08.2022 Version number 3 Revision: 03.08.2022

Trade name: Universal Adhesive

_		(Contd. of page 4)
	sewage treatment plant	650 mg/l (not defined)
	sediment, dry weight, freshwater	1.15 mg/Kg (not defined)
	sediment, dry weight, marine water	0.115 mg/Kg (not defined)
	soil, dry weight	0.148 mg/Kg (not defined)
	556-67-2 octamethylcyclotetrasilo	oxane
	freshwater	0.0015 mg/l (not defined)
	marine water	0.00015 mg/l (not defined)
	sewage treatment plant	10 mg/l (not defined)
	sediment, dry weight, freshwater	3 mg/Kg (not defined)
	sediment, dry weight, marine water	0.3 mg/Kg (not defined)
	· Ingredients with biological	limit values:
	1330-20-7 xylene, mixed isomers,	pure
	BMGV (Great Britain) 650 mmol/mo	
	Medium: urin	~
	Sampling tim	e: post shift
	Parameter: n	neṫhyl hippuric acid

· Additional information: The lists that were valid during the compilation were used as basis.

· 8.2 Exposure controls

- · Appropriate engineering controls No further data; see item 7.
- · Individual protection measures, such as personal protective equipment

General protective and hygienic measures

Avoid contact with the eyes.

Keep away from foodstuffs, beverages and food.

Instantly remove any soiled and impregnated garments.

Wash hands during breaks and at the end of the work.

Avoid contact with the eyes and skin.

· Breathing equipment:

Not neccessary with efficient local exhaust. If exposition to vapours is possible, use breathing protective mask (filter A).

· Hand protection

Check protective gloves prior to each use for their proper condition.

recommended

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

For the permanent contact of a maximum of 15 minutes gloves made of the following materials are suitable:

Butyl rubber, BR Nitrile rubber, NBR

- Eye/face protection Tightly sealed safety glasses.
- · Body protection: Light weight protective clothing

- GF



Page 6/11

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 03.08.2022 Version number 3 Revision: 03.08.2022

Trade name: Universal Adhesive

(Contd. of page 5)

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

General Information

Physical state Fluid · Colour: Blue · Smell: Ester-like

Odour threshold: Not determined. · Melting point/freezing point: Not determined

· Boiling point or initial boiling point and

77 °C boiling range

· Flammability Not applicable.

· Lower and upper explosion limit

2.1 Vol % Lower: 11.5 Vol % Upper: 3°C Flash point:

460 °C Ignition temperature:

· Decomposition temperature: Not determined.

SADT

· pH · Viscosity: Not determined.

Kinematic viscosity Not determined. dynamic: Not determined.

Solubility

Not miscible or difficult to mix Water:

· Partition coefficient n-octanol/water (log

Not determined. value)

· Steam pressure at 20 °C: 102 hPa

Density and/or relative density

Density at 20 °C 1.20169 g/cm3 Relative density Not determined. · Vapour density Not determined.

· 9.2 Other information No further relevant information available.

Appearance:

Fluid Form:

· Important information on protection of health and environment, and on safety.

· Self-inflammability: Product is not selfigniting.

Explosive properties: Product is not explosive. However, formation of

explosive air/vapour mixtures is possible.

· Solvent content:

0.0 % Solids content:

Change in condition

· Evaporation rate Not determined.

· Information with regard to physical hazard

classes

Explosives Void · Flammable gases Void · Aerosols Void · Oxidising gases · Gases under pressure Void Void

· Flammable liquids Highly flammable liquid and vapour.

· Flammable solids Void · Self-reactive substances and mixtures Void

(Contd. on page 7)



Page 7/11

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 03.08.2022 Version number 3 Revision: 03.08.2022

Trade name: Universal Adhesive

		(Contd. of page 6)
· Pyrophoric liquids	Void	
· Pyrophoric solids	Void	
Self-heating substances and mixtures	Void	
· Substances and mixtures, which emit		
flammable gases in contact with water	Void	
· Oxidising liquids	Void	
· Oxidising solids	Void	
· Organic peroxides	Void	
· Corrosive to metals	Void	
· Desensitised explosives	Void	

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
 - · Conditions to be avoided: No decomposition if used and stored according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: None
 - · Additional information: -

SECTION 11: Toxicological information

• 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008 • Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values that are relevant for classification:				
141-78-6 ethyl acetate				
Dermal LD50 >20,000 mg/kg (rabbit)				
1330-20-7	xylene, n	nixed isomers, pure		
Oral	LD50	8,700 mg/kg (rat)		
Dermal	LD50	2,000 mg/kg (rabbit)		
Inhalative	LC50/4 h	6,350 mg/l (rat)		
100-41-4	ethylbenze	ene		
Oral	LD50	3,500 mg/kg (rat)		
Dermal	LD50	17,800 mg/kg (rabbit)		
556-67-2 c	octamethy	rlcyclotetrasiloxane		
Oral	LD50	>4,800 mg/kg (rat) (OECD 401)		
Dermal	LD50	>2,375 mg/kg (rat) (OECD 402)		
Inhalative	LC50/4 h	36 mg/l (rat) (OECD 403)		

- · Skin corrosion/irritation
- Causes skin irritation.
- Serious eye damage/irritation

Causes serious eye damage.

- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.

(Contd. on page 8)



Page 8/11

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 03.08.2022 Version number 3 Revision: 03.08.2022

Trade name: Universal Adhesive

(Contd. of page 7)

- · STOT-repeated exposure Based on available data, the classification criteria are not met. · Aspiration hazard Based on available data, the classification criteria are not met.
- · 11.2 Information on other hazards
 - · Endocrine disrupting properties

None of the ingredients is listed.

· vPvB:

556-67-2 octamethylcyclotetrasiloxane

	12: Ecological information
12.1 Toxicity	•
· Aquatic t	
141-78-6 eth	
	230 mg/l (fish)
	2.4 mg/l (daphnia) (OECD 211)
	>100 mg/l (algae) (OECD 201)
	ylene, mixed isomers, pure
LC50/96h	13.4 mg/l (fish)
EC50	165 mg/l (daphnia)
	tamethylcyclotetrasiloxane
EC50/21d	>0.015 mg/L (daphnia) (EPA OTS 797.1330)
EC50/48h	>0.015 mg/l (daphnia) (EPA OTS 797.1300)
_C50/96h	>0.022 mg/l (fish) (EPA OTS 797.1400)
	≥0.0044 mg/l (fish)
	≥0.015 mg/l (daphnia) (EPA OTS 797.1330)
NOEC / 96h	<0.022 mg/l (algae) (EPA OTS 797.1050)
	≥0.022 mg/l (fish) (EPA OTS 797.1400)
	≥0.015 mg/l (daphnia) (EPA OTS 797.1300)
	>0.022 mg/L (algae) (EPA OTS 797.1050)
	ence and degradability
141-78-6 eth	
•	ion 69 % /20d (not defined)
100-41-4 eth	
•	ion 68 % (not defined)
	tamethylcyclotetrasiloxane
Biodegradati	ion 3.7 % /29d (not defined) (OECD 310)
	umulative potential
141-78-6 eth	nyl acetate
	ation factor (BCF) 30 (not defined)
	tamethylcyclotetrasiloxane
	ation factor (BCF) 12,400 (not defined)
	y in soil No further relevant information available.
12.5 Results	s of PBT and vPvB assessment



Page 9/11

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 03.08.2022 Version number 3 Revision: 03.08.2022

Trade name: Universal Adhesive

(Contd. of page 8)

· 12.6 Endocrine disrupting properties

For information on endocrine disrupting properties see section 11.

- · 12.7 Other adverse effects
 - Additional ecological information:
 - · General notes:

Do not allow product to reach ground water, water bodies or sewage system.

Danger to drinking water if even small quantities leak into soil.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
 - Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Disposal must be made according to official regulations.

- · Uncleaned packagings:
 - Recommendation:

Disposal must be made according to official regulations.

Non contaminated packagings can be used for recycling.

14.1 UN number or ID number ADR, IMDG, IATA	UN1866
14.2 UN proper shipping name · ADR · IMDG, IATA	1866 RESIN SOLUTION, special provision 64 RESIN SOLUTION
14.3 Transport hazard class(es)	
· ADR	
· Class · Label	3 (F1) Flammable liquids. 3
· IMDG, IATA	
· Class · Label	3 Flammable liquids. 3
14.4 Packing group · ADR, IMDG, IATA	II
14.5 Environmental hazards: • Marine pollutant:	No



Page 10/11

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 03.08.2022 Version number 3 Revision: 03.08.2022

Trade name: Universal Adhesive

(Contd. of page 9) · Kemler Number:

F-E,S-E · EMS Number: Stowage Category В

· 14.7 Maritime transport in bulk according to

IMO instruments Not applicable.

· Transport/Additional information:

· Limited quantities (LQ)

Excepted quantities (ÉQ) Code: E2

Maximum net quantity per inner packaging:

Maximum net quantity per outer packaging:

500 ml

· Transport category Tunnel restriction code D/E

·IMDG

· Limited quantities (LQ) 5L Excepted quantities (ÉQ) Code: E2

Maximum net quantity per inner packaging:

30 ml

Maximum net quantity per outer packaging:

500 ml

UN "Model Regulation": UN 1866 RESIN SOLUTION, SPECIAL

PROVISION 640D, 3, II

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
 - Directive 2012/18/EU
 - · Named dangerous substances ANNEX I None of the ingredients is listed.
 - · Seveso category P5c FLAMMABLE LIQUIDS

 - Qualifying quantity (tonnes) for the application of lower-tier requirements 5.000 t Qualifying quantity (tonnes) for the application of upper-tier requirements 50.000 t
 - · Other regulations, limitations and prohibitive regulations
 - Substances of very high concern (SVHC) according to REACH, Article 57

556-67-2 octamethylcyclotetrasiloxane

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H225 Highly flammable liquid and vapour.

H226 Flammable liquid and vapour.

H304 May be fatal if swallowed and enters airways.

Harmful in contact with skin. H312

Causes skin irritation.

(Contd. on page 11)



Page 11/11

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 03.08.2022 Version number 3 Revision: 03.08.2022

Trade name: Universal Adhesive

* Data compared to the previous version altered.

(Contd. of page 10) Causes serious eye damage. H319 Causes serious eye irritation. H332 Harmful if inhaled. H336 May cause drowsiness or dizziness. H361f Suspected of damaging fertility. May cause damage to organs through prolonged or repeated exposure. H373 H410 Very toxic to aquatic life with long lasting effects. EUH066 Repeated exposure may cause skin dryness or cracking. Abbreviations and acronyms: SADT: Self Accelerating Decomposition Temperature ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods INDES: International Maritime Code to Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonised System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (UK REACH)
PNEC: Predicted No-Effect Concentration (UK REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
SVHC: Substances of Very High Concern
vPvB: very Persistent and very Bioaccumulative
Flam. Liq. 2: Flammable liquids – Category 2
Flam. Liq. 3: Flammable liquids – Category 3
Acute Tox. 4: Acute toxicity – Category 4
Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Dam. 1: Serious eye damage/eye irritation - Category 1 Eye Irrit. 2: Serious eye damage/eye irritation – Category ?

Repr. 2: Reproductive toxicity – Category 2

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2 Asp. Tox. 1: Aspiration hazard - Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

GB