

Printing date 07.02.2023

Version number 6 (replaces version 5)

Revision: 07.02.2023

Page 1/7

· 1.1 Product identifier		
	Heavy Tray Base (1:1)	
	f the substance or mixture and uses advised	against
• Application of the substan	ce / the mixture Dental impression material	
1.3 Details of the supplier of t Manufacturer/Supplier: Kulzer GmbH Leipziger Straße 2, 63450 Ha		: +49 (0)800 437252
Informing department: E-M	lail: msds@kulzer-dental.com nber: Emergency CONTACT (24-Hour-Number).	
SECTION 2: Hazards ide		
 Classification according to Regulation (EC) No 1272/2008 The product is not classified, according to the GB CLP regulation. Additional information: Since the product is a medical device in the sense of Directive 93/42/EEC (MDD) or the Regulation (EU) 2017/745 (MDR), that is intended for the end user and is used invasively or with physical contact, it is exempted from the classification and labeling obligation according to Regulation (EC) 1272/2008. 		
 2.2 Label elements Labelling according to Reg Hazard pictograms Void Signal word Void Hazard statements Void Additional information: see 2.3 Other hazards - Results of PBT and vPvB a PBT: Not applicable. vPvB: Not applicable. 	e 2.1	
SECTION 3: Composition	n/information on ingredients	
• 3.2 Mixtures • Description: -		
Dangerous components:		
CAS: 14464-46-1 Cristobalite 50-75%		
EINECS: 238-878-4	CAS: 78330-21-9 Alkohole, C11-14-iso-, C13-reich, ethoxyliert ≥1-<3%	
EINECS: 238-878-4	Alkohole, C11-14-iso-, C13-reich, ethoxyliert Eye Dam. 1, H318	

(Contd. on page 2)



Page 2/7

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 07.02.2023

Version number 6 (replaces version 5)

Revision: 07.02.2023

Trade name: Flexitime Heavy Tray Base (1:1)

(Contd. of page 1)

SECTION 4: First aid measures

[•] 4.1 Description of first aid measures

After inhalation Supply fresh air; consult doctor in case of symptoms.

- After skin contact if skin irritation continues, consult a doctor.
- · After eye contact

Rinse opened eye for several minutes under running water. Then consult doctor.

After swallowing

Rinse out mouth and then drink plenty of water.

In case of persistent symptoms consult doctor.

- 4.2 Most important symptoms and effects, both acute and delayed
- No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
 - · Suitable extinguishing agents

CO2, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam. Use fire fighting measures that suit the environment.

[•] 5.2 Special hazards arising from the substance or mixture

- Formation of toxic gases is possible during heating or in case of fire.
- 5.3 Advice for firefighters Protective equipment: Put on breathing apparatus.
 - · Additional information -

SECTION 6: Accidental release measures

• 6.1 Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation

Avoid contact with eyes and skin.

- 6.2 Environmental precautions: Prevent material from reaching sewage system, holes and cellars. • 6.3 Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (diatomite, universal binders, for small amounts tissues).
- 6.4 Reference to other sections
- No dangerous materials are released.
- See Section 7 for information on safe handling
- See Section 8 for information on personal protection equipment.
- See Section 13 for information on disposal.

SECTION 7: Handling and storage

[.] 7.1 Precautions for safe handling

- Keep containers tightly sealed.
- Ensure good ventilation/exhaustion at the workplace.

Information about protection against explosions and fires: No special measures required.

- 7.2 Conditions for safe storage, including any incompatibilities
 - Storage
 - · Requirements to be met by storerooms and containers: No special requirements.
 - Information about storage in one common storage facility: Not required. Further information about storage conditions: None.
 - (Contd. on page 3)
 - GB -



Page 3/7

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 07.02.2023

Version number 6 (replaces version 5)

Revision: 07.02.2023

(Contd. of page 2)

Trade name: Flexitime Heavy Tray Base (1:1)

· 7.3 Specific end use(s) No further relevant information available.

	sonal protection
8.1 Control parameters	
Components with critical values that re	guire monitoring at the workplace:
The product does not contain any relevan	t quantities of materials with critical values that have
be monitored at the workplace.	,
Not required.	
	were valid during the compilation were used as basis.
8.2 Exposure controls	
Appropriate engineering controls No fu	rther data; see item 7.
Individual protection measures, such a	s personal protective equipment
General protective and hygienic mea	sures
Keep away from foodstuffs, beverages	and food.
Wash hands during breaks and at the e	end of the work.
• Breathing equipment: Not required.	
Hand protection	
Check protective gloves prior to each u	se for their proper condition.
recommended	
 Material of gloves 	
	es does not only depend on the material, but also
further marks of quality and varies	from manufacturer to manufacturer. As the product is
	es, the resistance of the glove material can not .
	fore to be checked prior to the application.
 Penetration time of glove materia 	
The exact break trough time has to be found out by the manufacturer of the protectiv	
	to be found out by the manufacturer of the protecti
gloves and has to be observed.	
gloves and has to be observed. • For the permanent contact of a m	
gloves and has to be observed. • For the permanent contact of a m materials are suitable:	
gloves and has to be observed. • For the permanent contact of a m materials are suitable: Butyl rubber, BR	
gloves and has to be observed. • For the permanent contact of a m materials are suitable: Butyl rubber, BR Nitrile rubber, NBR	aximum of 15 minutes gloves made of the following the foll
gloves and has to be observed. • For the permanent contact of a m materials are suitable: Butyl rubber, BR Nitrile rubber, NBR • Eye/face protection Tightly sealed sat	aximum of 15 minutes gloves made of the followi fety glasses.
gloves and has to be observed. • For the permanent contact of a m materials are suitable: Butyl rubber, BR Nitrile rubber, NBR	aximum of 15 minutes gloves made of the followi fety glasses.
gloves and has to be observed. • For the permanent contact of a m materials are suitable: Butyl rubber, BR Nitrile rubber, NBR • Eye/face protection Tightly sealed saf • Body protection: Light weight protecti	naximum of 15 minutes gloves made of the following fety glasses. Ve clothing
gloves and has to be observed. • For the permanent contact of a m materials are suitable: Butyl rubber, BR Nitrile rubber, NBR • Eye/face protection Tightly sealed sat	aximum of 15 minutes gloves made of the followi fety glasses. ve clothing
gloves and has to be observed. • For the permanent contact of a m materials are suitable: Butyl rubber, BR Nitrile rubber, NBR • Eye/face protection Tightly sealed sat • Body protection: Light weight protection SECTION 9: Physical and chemical 9.1 Information on basic physical and chemical	aximum of 15 minutes gloves made of the following tety glasses. Ve clothing properties
gloves and has to be observed. For the permanent contact of a m materials are suitable: Butyl rubber, BR Nitrile rubber, NBR Eye/face protection Tightly sealed sal Body protection: Light weight protection SECTION 9: Physical and chemical 9.1 Information on basic physical and chemical General Information	aximum of 15 minutes gloves made of the followin fety glasses. ve clothing properties mical properties
gloves and has to be observed. • For the permanent contact of a m materials are suitable: Butyl rubber, BR Nitrile rubber, NBR • Eye/face protection Tightly sealed saf • Body protection: Light weight protection SECTION 9: Physical and chemical 9.1 Information on basic physical and chemical • General Information • Physical state	aximum of 15 minutes gloves made of the following properties mical properties Fluid
gloves and has to be observed. For the permanent contact of a m materials are suitable: Butyl rubber, BR Nitrile rubber, NBR Eye/face protection Tightly sealed saf Body protection: Light weight protection SECTION 9: Physical and chemical 9.1 Information on basic physical and chemical General Information Physical state Colour:	aximum of 15 minutes gloves made of the following properties mical properties Fluid Violet
gloves and has to be observed. For the permanent contact of a m materials are suitable: Butyl rubber, BR Nitrile rubber, NBR Eye/face protection Tightly sealed sat Body protection: Light weight protection SECTION 9: Physical and chemical 9.1 Information on basic physical and chemical General Information Physical state Colour: Smell:	aximum of 15 minutes gloves made of the following properties mical properties Fluid Violet Characteristic
gloves and has to be observed. For the permanent contact of a m materials are suitable: Butyl rubber, BR Nitrile rubber, NBR Eye/face protection Tightly sealed sal Body protection: Light weight protection SECTION 9: Physical and chemical 9.1 Information on basic physical and chemical General Information Physical state Colour: Smell: Odour threshold:	aximum of 15 minutes gloves made of the following properties mical properties Fluid Violet Characteristic Not determined.
gloves and has to be observed. For the permanent contact of a m materials are suitable: Butyl rubber, BR Nitrile rubber, NBR Eye/face protection Tightly sealed saf Body protection: Light weight protecti SECTION 9: Physical and chemical 9.1 Information on basic physical and chemical General Information Physical state Colour: Smell: Odour threshold: Melting point/freezing point:	aximum of 15 minutes gloves made of the following fety glasses. ve clothing properties mical properties Fluid Violet Characteristic Not determined. Not determined
gloves and has to be observed. For the permanent contact of a m materials are suitable: Butyl rubber, BR Nitrile rubber, NBR Eye/face protection Tightly sealed saf Body protection: Light weight protecti SECTION 9: Physical and chemical 9.1 Information on basic physical and chemical General Information Physical state Colour: Smell: Odour threshold: Melting point/freezing point: Boiling point or initial boiling point a	aximum of 15 minutes gloves made of the following fety glasses. ve clothing properties mical properties Fluid Violet Characteristic Not determined. Not determined and
gloves and has to be observed. For the permanent contact of a m materials are suitable: Butyl rubber, BR Nitrile rubber, NBR Eye/face protection Tightly sealed sal Body protection: Light weight protecti SECTION 9: Physical and chemical 9.1 Information on basic physical and chemical General Information Physical state Colour: Smell: Odour threshold: Melting point/freezing point: Boiling point or initial boiling point a boiling range	aximum of 15 minutes gloves made of the following properties mical properties Fluid Violet Characteristic Not determined. Not determined and >300 °C
gloves and has to be observed. For the permanent contact of a m materials are suitable: Butyl rubber, BR Nitrile rubber, NBR Eye/face protection Tightly sealed sal Body protection: Light weight protection SECTION 9: Physical and chemical 9.1 Information on basic physical and chemical General Information Physical state Colour: Smell: Odour threshold: Melting point/freezing point: Boiling point or initial boiling point a boiling range Flammability	aximum of 15 minutes gloves made of the following fety glasses. ve clothing properties mical properties Fluid Violet Characteristic Not determined. Not determined and
gloves and has to be observed. For the permanent contact of a m materials are suitable: Butyl rubber, BR Nitrile rubber, NBR Eye/face protection Tightly sealed sal Body protection: Light weight protecti SECTION 9: Physical and chemical 9.1 Information on basic physical and chemical General Information Physical state Colour: Smell: Odour threshold: Melting point/freezing point: Boiling point or initial boiling point a boiling range	aximum of 15 minutes gloves made of the following properties mical properties Fluid Violet Characteristic Not determined. Not determined and >300 °C
gloves and has to be observed. For the permanent contact of a m materials are suitable: Butyl rubber, BR Nitrile rubber, NBR Eye/face protection Tightly sealed saf Body protection: Light weight protecti SECTION 9: Physical and chemical 9.1 Information on basic physical and chemical General Information Physical state Colour: Smell: Odour threshold: Melting point/freezing point: Boiling point or initial boiling point a boiling range Flammability Lower and upper explosion limit Lower:	aximum of 15 minutes gloves made of the following properties mical properties Fluid Violet Characteristic Not determined. Not determined and >300 °C Not applicable. Not determined.
gloves and has to be observed. For the permanent contact of a m materials are suitable: Butyl rubber, BR Nitrile rubber, NBR Eye/face protection Tightly sealed saf Body protection: Light weight protecti SECTION 9: Physical and chemical 9.1 Information on basic physical and chemical General Information Physical state Colour: Smell: Odour threshold: Melting point/freezing point: Boiling range Flammability Lower and upper explosion limit Lower: Upper:	aximum of 15 minutes gloves made of the following fety glasses. ve clothing properties mical properties Fluid Violet Characteristic Not determined. Not determined and >300 °C Not applicable. Not determined. Not determined.
gloves and has to be observed. For the permanent contact of a m materials are suitable: Butyl rubber, BR Nitrile rubber, NBR Eye/face protection Tightly sealed saf Body protection: Light weight protecti SECTION 9: Physical and chemical 9.1 Information on basic physical and chemical 9.1 Information on basic physical and chemical General Information Physical state Colour: Smell: Odour threshold: Melting point/freezing point: Boiling point or initial boiling point a boiling range Flammability Lower and upper explosion limit Lower: Upper: Flash point:	aximum of 15 minutes gloves made of the following Fety glasses. ve clothing properties mical properties Fluid Violet Characteristic Not determined. Not determined and >300 °C Not applicable. Not determined. Not determined. >130 °C
gloves and has to be observed. For the permanent contact of a m materials are suitable: Butyl rubber, BR Nitrile rubber, NBR Eye/face protection Tightly sealed saf Body protection: Light weight protecti SECTION 9: Physical and chemical 9.1 Information on basic physical and chemical General Information Physical state Colour: Smell: Odour threshold: Melting point/freezing point: Boiling range Flammability Lower and upper explosion limit Lower: Upper:	aximum of 15 minutes gloves made of the following fety glasses. ve clothing properties mical properties Fluid Violet Characteristic Not determined. Not determined and >300 °C Not applicable. Not determined. Not determined.



Page 4/7

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 07.02.2023

Version number 6 (replaces version 5)

Revision: 07.02.2023

Trade name: Flexitime Heavy Tray Base (1:1)

	(Contd. of page 3
· Decomposition temperature: · SADT	Not determined.
· pH	Not determined.
· Viscosity:	Not dotominod.
· Kinematic viscosity	Not determined.
· dynamic:	Not determined.
· Solubility	Not determined.
· Water:	Not miscible or difficult to mix
Partition coefficient n-octanol/water (
value)	Not determined.
Steam pressure:	Not determined.
Density and/or relative density	
Density at 20 °C	1.6 g/cm ³
Relative density	Not determined.
Vapour density	Not determined.
· 9.2 Other information	No further relevant information available.
· Appearance:	
· Form:	Pasty
Important information on protection	
health and environment, and on safety.	•
· Self-inflammability:	Product is not selfigniting.
• Explosive properties:	Product is not explosive.
	Not determined.
· Change in condition	Not dotominod.
· Evaporation rate	Not determined.
Information with regard to physical haza	rd
classes	
· Explosives	Void
· Flammable gases	Void
· Aerosols	Void
· Oxidising gases	Void
Cases under pressure	Void
Gases under pressure	Void
Flammable liquids	
· Flammable solids	Void
Self-reactive substances and mixture	
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	s Void
 Substances and mixtures, which emit 	
	e r Void
flammable gases in contact with wate	
flammable gases in contact with wate Oxidising liquids	Void
flammable gases in contact with wate Oxidising liquids Oxidising solids	
flammable gases in contact with wate Oxidising liquids Oxidising solids Organic peroxides	Void
flammable gases in contact with wate Oxidising liquids Oxidising solids	Void Void

SECTION 10: Stability and reactivity

10.1 Reactivity No further relevant information available.
 10.2 Chemical stability
 Conditions to be avoided: No decomposition if used and stored according to specifications.

• 10.3 Possibility of hazardous reactions No dangerous reactions known

(Contd. on page 5)

ĠВ



Printing date 07.02.2023

Version number 6 (replaces version 5)

Revision: 07.02.2023

Trade name: Flexitime Heavy Tray Base (1:1)

- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.

10.6 Hazardous decomposition products: None Additional information: -

SECTION 11: Toxicological information

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008 Acute toxicity Based on available data, the classification criteria are not met.

LD/LC50 values that are relevant for classification:

78330-21-9 Alkohole, C11-14-iso-, C13-reich, ethoxyliert

Oral LD50 7,400 mg/kg (rat)

Skin corrosion/irritation Based on available data, the classification criteria are not met.

- Serious eye damage/irritation Based on available data, the classification criteria are not met.
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met. Germ cell mutagenicity Based on available data, the classification criteria are not met.
- Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met. • STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.

11.2 Information on other hazards

Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic toxicity:

78330-21-9 Alkohole, C11-14-iso-, C13-reich, ethoxyliert

EC50/72h 2-10 mg/l (algae)

EC50/48h 2-10 mg/l (daphnia)

- LC50/96h 5.6 mg/l (fish)
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
 - PBT: Not applicable.
 - vPvB: Not applicable.
- 12.6 Endocrine disrupting properties
- For information on endocrine disrupting properties see section 11.
- 12.7 Other adverse effects
 - Additional ecological information:
 - General notes:
 - Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.

(Contd. on page 6)

(Contd. of page 4)

Page 5/7



Page 6/7

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 07.02.2023

Version number 6 (replaces version 5)

Revision: 07.02.2023

Trade name: Flexitime Heavy Tray Base (1:1)

(Contd. of page 5)

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Disposal must be made according to official regulations.

Uncleaned packagings:

Recommendation: Disposal must be made according to official regulations. Non contaminated packagings can be used for recycling.

SECTION 14: Transport informat	ion	
• 14.1 UN number or ID number • ADR, IMDG, IATA	Void	
14.2 UN proper shipping name ADR, IMDG, IATA	Void	
 14.3 Transport hazard class(es) 		
· ADR, ADN, IMDG, IATA · Class	Void	
· 14.4 Packing group · ADR, IMDG, IATA	Void	
· 14.5 Environmental hazards: · Marine pollutant:	No	
[.] 14.6 Special precautions for user	Not applicable.	
 14.7 Maritime transport in bulk according IMO instruments 	n g to Not applicable.	
· Transport/Additional information:	-	
UN "Model Regulation":	Void	

SECTION 15: Regulatory information

 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H226 Flammable liquid and vapour.

H318 Causes serious eye damage.

(Contd. on page 7)

GB



Page 7/7

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 07.02.2023

Version number 6 (replaces version 5)

Revision: 07.02.2023

Trade name: Flexitime Heavy Tray Base (1:1)

H361f Suspected of damaging fertility.	(Contd. of page 6	6)
H372 Causes damage to organs through prolonged or repeated exposure. H410 Very toxic to aquatic life with long lasting effects.		
 Abbreviations and acronyms: SADT: Self Accelerating Decomposition Temperature ADR: Accord relatif au transport international des marchandises dangereuses par route (l Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent 	European Agreemei	nt
LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Liq. 3: Flammable liquids – Category 3 Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Repr. 2: Reproductive toxicity – Category 2 STOT RE 1: Specific target organ toxicity (repeated exposure) – Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1 * Data compared to the previous version altered.		GB —



Printing date 07.02.2023

Version number 6 (replaces version 5)

Revision: 07.02.2023

Page 1/8

P1		
· Trade name: Flexitime	Heavy Tray Cat (1:1)	
	the substance or mixture and uses a	advised against
• Application of the substand	ce / the mixture Dental impression mat	erial
• 1.3 Details of the supplier of the supplier of the supplier: • Manufacturer/Supplier: Kulzer GmbH Leipziger Straße 2, 63450 Ha		Tel.: +49 (0)800 43725
Informing department: E-M		
SECTION 2: Hazards ider	ntification	
The product is not classified, • Additional information: Since the product is a me	ance or mixture Regulation (EC) No 1272/2008 according to the GB CLP regulation. dical device in the sense of Directiv IDR), that is intended for the end user of	ve 93/42/EEC (MDD) or t
physical contact, it is exer Regulation (EC) 1272/2008.	ppted from the classification and labe	eling obligation according
· Hazard pictograms Void	ulation (EC) No 1272/2008 Void	
Hazard pictograms Void Signal word Void Hazard statements Void Additional information: see 2.3 Other hazards -	2.1	
Hazard pictograms Void Signal word Void Hazard statements Void Additional information: see	2.1	
Hazard pictograms Void Signal word Void Hazard statements Void Additional information: see 2.3 Other hazards - Results of PBT and vPvB a	2.1 ssessment	
Hazard pictograms Void Signal word Void Hazard statements Void Additional information: see 2.3 Other hazards - Results of PBT and vPvB a PBT: 556-67-2 octamethylcyclotetras vPvB:	2.1 ssessment iloxane	
Hazard pictograms Void Signal word Void Hazard statements Void Additional information: see 2.3 Other hazards - Results of PBT and vPvB a PBT: 556-67-2 octamethylcyclotetras	2.1 ssessment iloxane	
Hazard pictograms Void Signal word Void Hazard statements Void Additional information: see 2.3 Other hazards - Results of PBT and vPvB a PBT: 556-67-2 octamethylcyclotetras vPvB: 556-67-2 octamethylcyclotetras	2.1 ssessment iloxane	
Hazard pictograms Void Signal word Void Hazard statements Void Additional information: see 2.3 Other hazards - Results of PBT and vPvB a PBT: 556-67-2 octamethylcyclotetras vPvB: 556-67-2 octamethylcyclotetras SECTION 3: Composition 3.2 Mixtures	2.1 ssessment iloxane	
Hazard pictograms Void Signal word Void Hazard statements Void Additional information: see 2.3 Other hazards - Results of PBT and vPvB a PBT: 556-67-2 octamethylcyclotetras vPvB: 556-67-2 octamethylcyclotetras SECTION 3: Composition	2.1 ssessment iloxane	
 Hazard pictograms Void Signal word Void Hazard statements Void Additional information: see 2.3 Other hazards - Results of PBT and vPvB a PBT: 556-67-2 octamethylcyclotetras vPvB: 556-67-2 octamethylcyclotetras SECTION 3: Composition 3.2 Mixtures Description: - 	2.1 ssessment iloxane	50-75%
 Hazard pictograms Void Signal word Void Hazard statements Void Additional information: see 2.3 Other hazards - Results of PBT and vPvB a PBT: 556-67-2 octamethylcyclotetras: vPvB: 556-67-2 octamethylcyclotetras: vSecTION 3: Composition 3.2 Mixtures Description: - Dangerous components: CAS: 14464-46-1 	2.1 ssessment iloxane iloxane Cristobalite STOT RE 1, H372 octamethylcyclotetrasiloxane	50-75% ≥0.025-<0.25



Printing date 07.02.2023


Version number 6 (replaces version 5)

Revision: 07.02.2023

Page 2/8

Trade name: Flexitime Heavy Tray Cat (1:1)

(Contd. of page 1) • Additional information For the wording of the listed hazard phrases refer to section 16.



SECTION 7: Handling and storage

· 7.1 Precautions for safe handling Keep containers tightly sealed.

Ensure good ventilation/exhaustion at the workplace.

Information about protection against explosions and fires: No special measures required.

(Contd. on page 3) ĠВ



Printing date 07.02.2023

Version number 6 (replaces version 5)

Revision: 07.02.2023

(Contd. of page 2)

Page 3/8

Trade name: Flexitime Heavy Tray Cat (1:1)

- 7.2 Conditions for safe storage, including any incompatibilities • Storage
 - **Requirements to be met by storerooms and containers:** No special requirements.
 - · Information about storage in one common storage facility: Not required.
 - Further information about storage conditions: None.
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

Components with critical values that require monitoring at the workplace: The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace. Not required.

DNELs

EE0 07 0 (()	
555-67-2 OCTAMOTO	ylcyclotetrasiloxane
	y loy civic li usilo kulic

	000-07-2	Jetametry ley croten asnoxane	
ſ	Oral	general population, long term, systemic	3.7 mg/Kg (not defined)
	Inhalative	worker industrial, long term, systemic	73 mg/m3 (not defined)
		worker industrial, long term, local	73 mg/m3 (not defined)
		general population, long term, systemic	13 mg/m3 (not defined)
		general population, long term, local	13 mg/m3 (not defined)
ſ	· PN	ECs	
ſ	556-67-2	octamethylcyclotetrasiloxane	
Ŀ			

freshwater	0.0015 mg/l (not defined)
marine water	0.00015 mg/l (not defined)
sewage treatment plant	10 mg/l (not defined)
sediment, dry weight, freshwater	3 mg/Kg (not defined)
sediment. drv weight. marine water	

Additional information: The lists that were valid during the compilation were used as basis.

· 8.2 Exposure controls

Appropriate engineering controls No further data; see item 7.

- Individual protection measures, such as personal protective equipment
 - General protective and hygienic measures
 - Keep away from foodstuffs, beverages and food.
 - Wash hands during breaks and at the end of the work.
 - · Breathing equipment: Not required.
 - · Hand protection

Check protective gloves prior to each use for their proper condition.

- recommended
 - Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. **Penetration time of glove material**

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 4)



Printing date 07.02.2023

Version number 6 (replaces version 5)

Revision: 07.02.2023

Page 4/8

Trade name: Flexitime Heavy Tray Cat (1:1)

Partition coefficient n-octanol/water (log

· Density and/or relative density

value)

Steam pressure:

Density at 20 °C

Relative densitv

(Contd. of page 3) For the permanent contact of a maximum of 15 minutes gloves made of the following materials are suitable: Butyl rubber, BR Nitrile rubber, NBR · Eye/face protection Safety glasses · Body protection: Light weight protective clothing SECTION 9: Physical and chemical properties · 9.1 Information on basic physical and chemical properties **General Information** · Physical state Fluid · Colour: Light grey · Smell: Characteristic Odour threshold: Not determined. Melting point/freezing point:
 Boiling point or initial boiling point and Not determined >300 °C boiling range · Flammability Not applicable. · Lower and upper explosion limit · Lower: Not determined. · Upper: Not determined. >130 °C · Flash point: >500 °C · Ignition temperature: · Decomposition temperature: Not determined. SADT · pH Not determined. · Viscosity: Kinematic viscosity Not determined. · dynamic: Not determined. Solubility Water: Not miscible or difficult to mix

> Not determined. Not determined.

> > 1.6 g/cm³ Not determined. Not determined.

· Vapour density · 9.2 Other information No further relevant information available. Appearance: Form: Pasty Important information on protection of health and environment, and on safety. · Self-inflammability: Product is not selfigniting. • Explosive properties: Product is not explosive. Not determined. Change in condition Evaporation rate Not determined. · Information with regard to physical hazard classes · Explosives Void

(Contd. on page 5)

GB



Page 5/8

GB

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 07.02.2023

Version number 6 (replaces version 5)

Revision: 07.02.2023

Trade name: Flexitime Heavy Tray Cat (1:1)

		(Contd. of pag
· Flammable gases	Void	
Aerosols	Void	
· Oxidising gases	Void	
· Gases under pressure	Void	
· Flammable liquids	Void	
· Flammable solids	Void	
• Self-reactive substances and mixtures	Void	
· Pyrophoric liquids	Void	
· Pyrophoric solids	Void	
• Self-heating substances and mixtures	Void	
[·] Substances and mixtures, which emit		
flammable gases in contact with water	Void	
· Oxidising liquids	Void	
• Oxidising solids	Void	
· Organic peroxides	Void	
· Corrosive to metals	Void	
· Desensitised explosives	Void	

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

- · 10.2 Chemical stability
- **Conditions to be avoided:** No decomposition if used and stored according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: None

· Additional information: -

SECTION 11: Toxicological information

• 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008 • Acute toxicity Based on available data, the classification criteria are not met.

LD/LC50 values that are relevant for classification:

556-67-2 octamethylcyclotetrasiloxane LD50 >4800 mg/kg (rat) (OECD 401) Oral LD50 >2375 mg/kg (rat) (OECD 402) Dermal Inhalative LC50/4 h 36 mg/l (rat) (OECD 403) Skin corrosion/irritation Based on available data, the classification criteria are not met. • Serious eye damage/irritation Based on available data, the classification criteria are not met. • Respiratory or skin sensitisation Based on available data, the classification criteria are not met. Germ cell mutagenicity Based on available data, the classification criteria are not met. Carcinogenicity Based on available data, the classification criteria are not met. Reproductive toxicity Based on available data, the classification criteria are not met. STOT-single exposure Based on available data, the classification criteria are not met. STOT-repeated exposure Based on available data, the classification criteria are not met. • Aspiration hazard Based on available data, the classification criteria are not met. (Contd. on page 6)



Page 6/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 07.02.2023

Version number 6 (replaces version 5)

Revision: 07.02.2023

Trade name: Flexitime Heavy Tray Cat (1:1)

· 11.2 Information on other hazards

· Endocrine disrupting properties

None of the ingredients is listed.

	12: Ecological information		
12.1 Toxicit			
· Aquatic			
	tamethylcyclotetrasiloxane		
EC50/21d	>0.015 mg/L (daphnia) (EPA OTS 797.1330)		
EC50/48h	5 () () (
LC50/96h >0.022 mg/l (fish) (EPA OTS 797.1400)			
	NOEC / 91d ≥0.0044 mg/l (fish) NOEC / 21d ≥0.015 mg/l (daphnia) (EPA OTS 797.1330)		
NOEC / 96h	<0.022 mg/l (algae) (EPA OTS 797.1050)		
	≥0.022 mg/l (fish) (EPA OTS 797.1400)		
	≥0.015 mg/l (daphnia) (EPA OTS 797.1300)		
ErC50/ 96h	>0.022 mg/L (algae) (EPA OTS 797.1050)		
	ence and degradability		
	tamethylcyclotetrasiloxane		
Biodegradat	ion 3.7 % /29d (not defined) (OECD 310)		
	umulative potential		
	tamethylcyclotetrasiloxane		
	ation factor (BCF) 12400 (not defined)		
12.5 Result	y in soil No further relevant information available. s of PBT and vPvB assessment		
· PBT:			
556-67-2 00	556-67-2 octamethylcyclotetrasiloxane		
· vPvB:			
	tamethylcyclotetrasiloxane		
For informat 12.7 Other a Addition Gene	rine disrupting properties ion on endocrine disrupting properties see section 11. adverse effects al ecological information: ral notes:		
	t allow undiluted product or large quantities of it to reach ground water, water bodies or ge system.		
SECTION	13: Disposal considerations		
· 13.1 Waste	treatment methods		

Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. Disposal must be made according to official regulations.

(Contd. on page 7) ĠВ

(Contd. of page 5)



Printing date 07.02.2023

Version number 6 (replaces version 5)

Revision: 07.02.2023

(Contd. of page 6)

Page 7/8

Trade name: Flexitime Heavy Tray Cat (1:1)

· Uncleaned packagings:

· Recommendation:

Disposal must be made according to official regulations. Non contaminated packagings can be used for recycling.

SECTION 14: Transport informat	tion	
14.1 UN number or ID number · ADR, IMDG, IATA	Void	
14.2 UN proper shipping name · ADR, IMDG, IATA	Void	
14.3 Transport hazard class(es)		
ADR, ADN, IMDG, IATA Class	Void	
14.4 Packing group · ADR, IMDG, IATA	Void	
14.5 Environmental hazards: • Marine pollutant:	No	
14.6 Special precautions for user	Not applicable.	
14.7 Maritime transport in bulk accordi IMO instruments	ng to Not applicable.	
· Transport/Additional information:	-	
UN "Model Regulation":	Void	

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed.

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H226 Flammable liquid and vapour.

H361f Suspected of damaging fertility.

H372 Causes damage to organs through prolonged or repeated exposure. H410 Very toxic to aquatic life with long lasting effects.

Abbreviations and acronyms:

SADT: Self Accelerating Decomposition Temperature ADR: Accord relating Decomposition Temperature ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IMTA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals

(Contd. on page 8)

GB



Page 8/8

Printing date 07.02.2023

Version number 6 (replaces version 5)

Revision: 07.02.2023

Trade name: Flexitime Heavy Tray Cat (1:1)

(C EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (UK REACH) PNEC: Predicted No-Effect Concentration (UK REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Liq. 3: Flammable liquids – Category 3 Repr. 2: Reproductive toxicity – Category 2 STOT RE 1: Specific target organ toxicity (repeated exposure) – Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1 * * Data compared to the previous version altered.

(Contd. of page 7)

GB