

Page 1/8

Revision: 07.02.2023

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 07.02.2023

undertaking

Version number 6 (replaces version 5)

SECTION 1: Identification of the substance/mixture and of the company/

- · 1.1 Product identifier
 - Trade name: Flexitime Light Flow Base (1:1), Flexitime Medium Flow **Base (1:1)**
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
 - Application of the substance / the mixture Dental impression material
- · 1.3 Details of the supplier of the safety data sheet
- Manufacturer/Supplier:

Kulzer GmbH

Leipziger Straße 2, 63450 Hanau (Germany)

Tel.: +49 (0)800 4372522

- Informing department: E-Mail: msds@kulzer-dental.com
- · 1.4 Emergency telephone number: Emergency CONTACT (24-Hour-Number): +49 (0)6132-84463

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
 - Classification according to Regulation (EC) No 1272/2008
 The product is not classified, according to the GB CLP regulation.

Additional information:

Since the product is a medical device in the sense of Directive 93/42/EEC (MDD) or the Regulation (EU) 2017/745 (MDR), that is intended for the end user and is used invasively or with physical contact, it is exempted from the classification and labeling obligation according to Regulation (EC) 1272/2008.

- - Labelling according to Regulation (EC) No 1272/2008 Void
 - · Hazard pictograms Void
 - · Signal word Void
 - · Hazard statements Void
 - · Additional information: see 2.1
- · 2.3 Other hazards -

Results of PBT and VPVB assessment			
· PBT:			
	556-67-2 octamethyl	cyclotetrasiloxane	
· vPvB:			
ı	556-67-2 octamethyl	cyclotetrasiloxane	

SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
 - · Description: -

· Dangerous compon	ents:	
CAS: 14464-46-1	Cristobalite	25-50%
EINECS: 238-878-4	STOT RE 1, H372	
	·	(Contd. on page 2)

(Contd. on page $\overline{2}$)



Page 2/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 07.02.2023 Version number 6 (replaces version 5) Revision: 07.02.2023

Trade name: Flexitime Light Flow Base (1:1), Flexitime Medium Flow Base (1:1)

	modified heptamethyltrisiloxane with polyalkylene oxide Aquatic Chronic 2, H411 Acute Tox. 4, H332; Eye Irrit. 2, H319	(Contd. of page 1 ≥2.5-≤5%
CAS: 556-67-2 EINECS: 209-136-7 Reg.nr.: 01-2119529238-36-xxxx	octamethylcyclotetrasiloxane Flam, Lig. 3, H226	<i>≥</i> 0.025-<0.25%
· SVHC 556-67-2 octamethylcyclotetrasil	ovana	

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
 - · After inhalation Supply fresh air; consult doctor in case of symptoms.
 - · After skin contact if skin irritation continues, consult a doctor.
 - · After eye contact
 - Rinse opened eye for several minutes under running water. Then consult doctor.
 - · After swallowing

Rinse out mouth and then drink plenty of water.

In case of persistent symptoms consult doctor.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

· 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
 - · Suitable extinguishing agents

CO2, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam. Use fire fighting measures that suit the environment.

· 5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

- 5.3 Advice for firefighters
 - · Protective equipment: Put on breathing apparatus.
 - · Additional information -

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation

Avoid contact with eyes and skin.

- · 6.2 Environmental precautions: Prevent material from reaching sewage system, holes and cellars.
- · 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (diatomite, universal binders, for small amounts tissues).

6.4 Reference to other sections

No dangerous materials are released.

See Section 7 for information on safe handling

(Contd. on page 3)



Page 3/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 07.02.2023

Version number 6 (replaces version 5)

Trade name: Flexitime Light Flow Base (1:1), Flexitime Medium Flow Base (1:1)

(Contd. of page 2)

Revision: 07.02.2023

See Section 8 for information on personal protection equipment. See Section 13 for information on disposal.

_

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Please observe the additional instructions in the product's instructions for use.

Keep containers tightly sealed.

Ensure good ventilation/exhaustion at the workplace.

- Information about protection against explosions and fires: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
 - · Storage
 - · Requirements to be met by storerooms and containers: No special requirements.
 - Information about storage in one common storage facility: Not required.
 - · Further information about storage conditions: None.
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
 - Components with critical values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

Not required.

	DNEL	.s
--	------	----

556-67-2 octamethylcyclotetrasiloxane

Oral	general population, long term, systemic	3.7 mg/Kg (not defined)
Inhalative	worker industrial, long term, systemic	73 mg/m3 (not defined)
	worker industrial, long term, local	73 mg/m3 (not defined)
	general population, long term, systemic	13 mg/m3 (not defined)
	general population, long term, local	13 mg/m3 (not defined)
	Inhalative	Inhalative worker industrial, long term, systemic worker industrial, long term, local general population, long term, systemic

PNECs

556-67-2 octamethylcyclotetrasiloxane

freshwater 0.0015 mg/l (not defined)
marine water 0.00015 mg/l (not defined)
sewage treatment plant 10 mg/l (not defined)
sediment, dry weight, freshwater 3 mg/Kg (not defined)
sediment, dry weight, marine water 0.3 mg/Kg (not defined)

- · Additional information: The lists that were valid during the compilation were used as basis.
- 8.2 Exposure controls
 - · Appropriate engineering controls No further data; see item 7.
 - Individual protection measures, such as personal protective equipment
 - General protective and hygienic measures
 Keep away from foodstuffs, beverages and food.
 Wash hands during breaks and at the end of the work.
 - · Breathing equipment: Not required.

(Contd. on page 4)



Page 4/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 07.02.2023 Version number 6 (replaces version 5) Revision: 07.02.2023

Trade name: Flexitime Light Flow Base (1:1), Flexitime Medium Flow **Base (1:1)**

(Contd. of page 3)

· Hand protection

Check protective gloves prior to each use for their proper condition. recommended

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

For the permanent contact of a maximum of 15 minutes gloves made of the following materials are suitable:

Butyl rubber, BR Nitrile rubber, NBR

Eye/face protection Safety glasses

Body protection: Light weight protective clothing

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

General Information

· Physical state Fluid · Colour: Green · Smell: Characteristic Odour threshold: Not determined. • Melting point/freezing point: Not determined

Boiling point or initial boiling point and

>300 °C boiling range · Flammability Not applicable.

· Lower and upper explosion limit

Not determined. Lower: · Upper: Not determined.

Flash point: >130 °C 430 °C Ignition temperature:

· Decomposition temperature: Not determined.

SADT

pН Not determined.

Viscosity:

Kinematic viscosity Not determined. Not determined. dynamic: Solubility

Water:

Not miscible or difficult to mix

· Partition coefficient n-octanol/water (log

value) Not determined. Not determined. · Steam pressure:

· Density and/or relative density

Density at 20 °C 1.6 g/cm3 · Relative density Not determined. · Vapour density Not determined.

9.2 Other information No further relevant information available.

(Contd. on page 5)



Page 5/8

(Contd. of page 4)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 07.02.2023 Version number 6 (replaces version 5) Revision: 07.02.2023

Trade name: Flexitime Light Flow Base (1:1), Flexitime Medium Flow Base (1:1)

· Appearance: · Form:	Pastv
Important information on protection of health and environment, and on safety.	
Self-inflammability:	Product is not selfigniting.
Explosive properties:	Product is not explosive. Not determined.
· Solvent content:	
Solids content:	47.3 %
· Change in condition · Evaporation rate	Not determined.
Information with regard to physical hazard	not dotonimod.
classes	
· Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Void
Flammable solids	Void
Self-reactive substances and mixtures	Void
· Pyrophoric liquids	Void

Void

Void

Void

Void

Void

Void

Void

Void

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

Self-heating substances and mixtures

· Substances and mixtures, which emit

flammable gases in contact with water

- · 10.2 Chemical stability
 - · Conditions to be avoided: No decomposition if used and stored according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: None
 - · Additional information: -

Pyrophoric solids

Oxidising liquids

· Organic peroxides

· Corrosive to metals

· Desensitised explosives

Oxidising solids

SECTION 11: Toxicological information

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

· Acute toxicity Based on available data, the classification criteria are not met.

(Contd. on page 6)



Page 6/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 07.02.2023 Version number 6 (replaces version 5) Revision: 07.02.2023

Trade name: Flexitime Light Flow Base (1:1), Flexitime Medium Flow **Base (1:1)**

			(Contd. of page 5)
· LD/	· LD/LC50 values that are relevant for classification:		
68083-19-	2 Siloprer	n U 1 dental	
Oral	LD50	>5000 mg/kg (rat)	
556-67-2	556-67-2 octamethylcyclotetrasiloxane		
Oral	LD50	>4800 mg/kg (rat) (OECD 401)	
Dermal	LD50	>2375 mg/kg (rat) (OECD 402)	
Inhalative	LC50/4 h	36 mg/l (rat) (OECD 403)	

- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- Serious eye damage/irritation Based on available data, the classification criteria are not met. Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- Germ cell mutagenicity Based on available data, the classification criteria are not met.

 Carcinogenicity Based on available data, the classification criteria are not met.

 Reproductive toxicity Based on available data, the classification criteria are not met.

- STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.
- · 11.2 Information on other hazards

 - Endocrine disrupting properties
 List I: Substances identified as endocrine disruptors at EU level.
 - List II: Substances under evaluation for endocrine distruption under an EU legislation.

List III: Substances considered, by the evaluating National Authority, to have endocrine disrupting propertied.

556-67-2	octamethylcyclotetrasiloxane	List II, III
540-97-6	Dodecamethylcyclohexasiloxane	List II
541-02-6	Decamethylcyclopentasiloxane	List II

SECTION 12: Ecological information

12.1 Toxicit	y			
· Aquatic toxicity:				
556-67-2 octamethylcyclotetrasiloxane				
EC50/21d	>0.015 mg/L (daphnia) (EPA OTS 797.1330)			
EC50/48h	>0.015 mg/l (daphnia) (EPA OTS 797.1300)			
LC50/96h	>0.022 mg/l (fish) (EPA OTS 797.1400)			
NOEC / 91d	≥0.0044 mg/l (fish)			
NOEC / 21d	≥0.015 mg/l (daphnia) (EPA OTS 797.1330)			
NOEC / 96h	<0.022 mg/l (algae) (EPA OTS 797.1050)			
	≥0.022 mg/l (fish) (EPA OTS 797.1400)			
NOEC / 48h	≥0.015 mg/l (daphnia) (EPA OTS 797.1300)			
ErC50/ 96h	>0.022 mg/L (algae) (EPA OTS 797.1050)			
· 12.2 Persist	ence and degradability			
556-67-2 oc	tamethylcyclotetrasiloxane			
Biodegradati	on 3.7 % /29d (not defined) (OECD 310)			
· 12.3 Bioacc	· 12.3 Bioaccumulative potential			
556-67-2 oc	tamethylcyclotetrasiloxane			
Bloconcentra	ation factor (BCF) 12400 (not defined)			
	(Contd. on page 7)			



Page 7/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 07.02.2023

Version number 6 (replaces version 5)

Trade name: Flexitime Light Flow Base (1:1), Flexitime Medium Flow

(Contd. of page 6)

Revision: 07.02.2023

- · 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
 - PRT

556-67-2 octamethylcyclotetrasiloxane

Base (1:1)

vPvB:

556-67-2 octamethylcyclotetrasiloxane

12.6 Endocrine disrupting properties

For information on endocrine disrupting properties see section 11.

- · 12.7 Other adverse effects
 - · Remark: Harmful to fish
 - · Additional ecological information:
 - · General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.

Harmful to aquatic organisms

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
 - · Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Disposal must be made according to official regulations.

- · Uncleaned packagings:
 - Recommendation:

Disposal must be made according to official regulations.

Non contaminated packagings can be used for recycling.

14.1 UN number or ID number · ADR, IMDG, IATA	Void	
14.2 UN proper shipping name · ADR, IMDG, IATA	Void	
14.3 Transport hazard class(es)		
· ADR, ADN, IMDG, IATA · Class	Void	
14.4 Packing group · ADR, IMDG, IATA	Void	
14.5 Environmental hazards: • Marine pollutant:	No	
14.6 Special precautions for user	Not applicable.	
14.7 Maritime transport in bulk according IMO instruments	g to Not applicable.	



Page 8/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 07.02.2023

Version number 6 (replaces version 5)

Trade name: Flexitime Light Flow Base (1:1), Flexitime Medium Flow **Base (1:1)**

(Contd. of page 7)

Revision: 07.02.2023

UN "Model Regulation":

Void

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
 - Directive 2012/18/EU
 - Named dangerous substances ANNEX I None of the ingredients is listed.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H226 Flammable liquid and vapour.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H361f Suspected of damaging fertility.

H372 Causes damage to organs through prolonged or repeated exposure.

H410 Very toxic to aquatic life with long lasting effects.

H411 Toxic to aquatic life with long lasting effects.

Abbreviations and acronyms:

SADT: Self Accelerating Decomposition Temperature

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement

Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (UK REACH)
PNEC: Predicted No-Effect Concentration (UK REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Liq. 3: Flammable liquids - Category 3

Acute Tox. 4: Acute toxicity – Category 4

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Repr. 2: Reproductive toxicity – Category 2

STOT RE 1: Specific target organ toxicity (repeated exposure) – Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2

* Data compared to the previous version altered.



Page 1/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 07.02.2023

undertaking

Version number 6 (replaces version 5)

SECTION 1: Identification of the substance/mixture and of the company/

Revision: 07.02.2023

· 1.1 Product identifier

Trade name: Flexitime Light Flow Cat. (1:1), Flexitime Medium Flow Cat. (1:1)

- 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
 - · Application of the substance / the mixture Dental impression material
- · 1.3 Details of the supplier of the safety data sheet
 - Manufacturer/Supplier:

Kulzer GmbH

Leipziger Straße 2, 63450 Hanau (Germany)

Tel.: +49 (0)800 4372522

- Informing department: E-Mail: msds@kulzer-dental.com
- · 1.4 Emergency telephone number: Emergency CONTACT (24-Hour-Number): +49 (0)6132-84463

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
 - Classification according to Regulation (EC) No 1272/2008
 The product is not classified, according to the GB CLP regulation.

Additional information:

Since the product is a medical device in the sense of Directive 93/42/EEC (MDD) or the Regulation (EU) 2017/745 (MDR), that is intended for the end user and is used invasively or with physical contact, it is exempted from the classification and labeling obligation according to Regulation (EC) 1272/2008.

- - Labelling according to Regulation (EC) No 1272/2008 Void
 - Hazard pictograms Void
 - · Signal word Void
 - · Hazard statements Void
 - · Additional information: see 2.1
- · 2.3 Other hazards -
 - · Results of PBT and vPvB assessment

· PB	T:
556-67-2 octamethylcyclotetrasiloxane	
540-97-6 Dodecamethylcyclohexasiloxane	
· vP	vB:
	octamethylcyclotetrasiloxane
540-97-6	Dodecamethylcyclohexasiloxane

SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
 - Description: -

· Dangerous components:		
CAS: 14464-46-1	Cristobalite	25-50%
EINECS: 238-878-4	STOT RE 1, H372	
CAS: 556-67-2 EINECS: 209-136-7 Reg.nr.: 01-2119529238-36-xxx	octamethylcyclotetrasiloxane Flam. Liq. 3, H226 Repr. 2, H361f Aquatic Chronic 1, H410 (M=10) PBT; vPvB	≥0.025-<0.25%
		(Contd. on page 2)



Page 2/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 07.02.2023 Version number 6 (replaces version 5) Revision: 07.02.2023

Trade name: Flexitime Light Flow Cat. (1:1), Flexitime Medium Flow Cat. (1:1)

	208-762-8	Dodecamethylcyclohexasiloxane Non-classified vPvB substance. (Non-classified PBT substance. Substance identified as having endocrine disrupting properties (II).	(Contd. of page 1) ≥0-<1%
·SVHC			
556-67-2	556-67-2 octamethylcyclotetrasiloxane		
540-97-6	Dodecamethylcyclohe	xasiloxane	
· Additi	onal information For t	the wording of the listed hazard phrases refer to sec	tion 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
 - After inhalation Supply fresh air; consult doctor in case of symptoms.
 - · After skin contact if skin irritation continues, consult a doctor.
 - After eye contact

Rinse opened eye for several minutes under running water. Then consult doctor.

After swallowing

Rinse out mouth and then drink plenty of water.

In case of persistent symptoms consult doctor.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

· 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
 - Suitable extinguishing agents

CO2, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam. Use fire fighting measures that suit the environment.

· 5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

- · 5.3 Advice for firefighters
 - Protective equipment: Put on breathing apparatus.
 - Additional information -

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation

Avoid contact with eyes and skin.

- 6.2 Environmental precautions: Prevent material from reaching sewage system, holes and cellars.
- 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (diatomite, universal binders, for small amounts tissues).

· 6.4 Reference to other sections

No dangerous materials are released.

See Section 7 for information on safe handling See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

(Contd. on page 3)



Page 3/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 07.02.2023

Version number 6 (replaces version 5)

Trade name: Flexitime Light Flow Cat. (1:1), Flexitime Medium Flow Cat.

(1:1)

(Contd. of page 2)

Revision: 07.02.2023

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Keep containers tightly sealed.

Ensure good ventilation/exhaustion at the workplace.

- · Information about protection against explosions and fires: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
 - · Storage
 - · Requirements to be met by storerooms and containers: No special requirements.
 - Information about storage in one common storage facility: Not required.
 - Further information about storage conditions: None.
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
 - · Components with critical values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

Not required.

· DNELs			
556-67-2	556-67-2 octamethylcyclotetrasiloxane		
Oral	Oral general population, long term, systemic 3.7 mg/Kg (not defined)		
Inhalative	worker industrial, long term, systemic	73 mg/m3 (not defined)	
	worker industrial, long term, local	73 mg/m3 (not defined)	
	general population, long term, systemic	13 mg/m3 (not defined)	
	general population, long term, local	13 mg/m3 (not defined)	
540-97-6 I	540-97-6 Dodecamethylcyclohexasiloxane		
Oral	general population, acute, systemic	1.7 mg/Kg (not defined)	
	general population, long term, systemic	1.7 mg/Kg (not defined)	
Inhalative	worker industrial, acute, local	6.1 mg/m3 (not defined)	
	worker industrial, long term, systemic	11 mg/m3 (not defined)	
	worker industrial, long term, local	1.22 mg/m3 (not defined)	
	general population, acute, local	1.5 mg/m3 (not defined)	
	general population, long term, systemic	2.7 mg/m3 (not defined)	
	general population, long term, local	0.3 mg/m3 (not defined)	

PNECs

556-67-2 octamethylcyclotetrasiloxane

freshwater 0.0015 mg/l (not defined)
marine water 0.00015 mg/l (not defined)
sewage treatment plant 10 mg/l (not defined)
sediment, dry weight, freshwater 3 mg/Kg (not defined)
sediment, dry weight, marine water 0.3 mg/Kg (not defined)

(Contd. on page 4)



Page 4/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 07.02.2023

Version number 6 (replaces version 5)

Trade name: Flexitime Light Flow Cat. (1:1), Flexitime Medium Flow Cat.

(Contd. of page 3)

Revision: 07.02.2023

540-97-6 Dodecamethylcyclohexasiloxane

sewage treatment plant 1 mg/l (not defined) sediment, dry weight, freshwater 13 mg/Kg (not defined) sediment, dry weight, marine water 1.3 mg/Kg (not defined)

· Additional information: The lists that were valid during the compilation were used as basis.

· 8.2 Exposure controls

(1:1)

- Appropriate engineering controls No further data; see item 7.
- Individual protection measures, such as personal protective equipment
 - General protective and hygienic measures

Keep away from foodstuffs, beverages and food.

Wash hands during breaks and at the end of the work.

Breathing equipment: Not required.

· Hand protection

Check protective gloves prior to each use for their proper condition.

recommended

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

For the permanent contact of a maximum of 15 minutes gloves made of the following materials are suitable:

Butyl rubber, BR

Nitrile rubber, NBR

- Eye/face protection Safety glasses
- · Body protection: Light weight protective clothing

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

General Information

Physical state · Colour:

· Smell:

Odour threshold:

· Melting point/freezing point: Boiling point or initial boiling point and

boiling range · Flammability

Lower and upper explosion limit

Lower:

Flash point:

· pH

Ignition temperature: Decomposition temperature:

· Upper:

SADT

Fluid Light grey

Characteristic Not determined. Not determined

>300 °C Not applicable.

> Not determined. Not determined.

>130 °C 430 °C

Not determined.

Not determined.

(Contd. on page 5)



Page 5/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 07.02.2023 Version number 6 (replaces version 5) Revision: 07.02.2023

Trade name: Flexitime Light Flow Cat. (1:1), Flexitime Medium Flow Cat. (1:1)

(Contd. of page 4) Viscosity: Kinematic viscosity Not determined. dynamic: Not determined. Solubility Water: Not miscible or difficult to mix Partition coefficient n-octanol/water (log Not determined. Not determined. · Steam pressure: · Density and/or relative density Density at 20 °C 1.6 g/cm³ · Relative density Not determined. · Vapour density Not determined. · 9.2 Other information No further relevant information available. Appearance: Pasty Form: · Important information on protection of health and environment, and on safety. Self-inflammability: Product is not selfigniting. Product is not explosive. · Explosive properties: Not determined. · Solvent content: Solids content: 47.3 % Change in condition Evaporation rate Not determined. · Information with regard to physical hazard classes **Explosives** Void Void · Flammable gases · Aerosols Void Oxidising gases
Gases under pressure Void Void · Flammable liquids Void Flammable solids Void · Self-reactive substances and mixtures Void · Pyrophoric liquids Void Pyrophoric solids Void · Self-heating substances and mixtures Void · Substances and mixtures, which emit Void flammable gases in contact with water Oxidising liquids Void · Oxidising solids Void · Organic peroxides Void · Corrosive to metals Void · Desensitised explosives Void

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability
 - · Conditions to be avoided: No decomposition if used and stored according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known

(Contd. on page 6)



Page 6/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 07.02.2023

Version number 6 (replaces version 5)

Revision: 07.02.2023

Trade name: Flexitime Light Flow Cat. (1:1), Flexitime Medium Flow Cat. (1:1)

(Contd. of page 5)

- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: None
 - Additional information: -

SECTION 11: Toxicological information

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008 Acute toxicity Based on available data, the classification criteria are not met.

· LD/	· LD/LC50 values that are relevant for classification:		
68083-19-	68083-19-2 Silopren U 1 dental		
Oral	LD50	>5000 mg/kg (rat)	
556-67-2	556-67-2 octamethylcyclotetrasiloxane		
Oral	LD50	>4800 mg/kg (rat) (OECD 401)	
Dermal	LD50	>2375 mg/kg (rat) (OECD 402)	
Inhalative	LC50/4 h	36 mg/l (rat) (OECD 403)	
540-97-6 I	540-97-6 Dodecamethylcyclohexasiloxane		
Oral	Oral LD50 >2000 mg/kg (rat) (OECD 423)		
Dermal	LD50	>2000 mg/kg (rat) (OECD 402)	

- Skin corrosion/irritation Based on available data, the classification criteria are not met.
- Serious eye damage/irritation Based on available data, the classification criteria are not met.
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- Germ cell mutagenicity Based on available data, the classification criteria are not met.

 Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity

540-97-6 Dodecamethylcyclohexasiloxane

Oral NOAEL(C) 1000 mg/kg (rat)

- STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.
- · 11.2 Information on other hazards
 - Endocrine disrupting properties
 - List I: Substances identified as endocrine disruptors at EU level.
 - List II: Substances under evaluation for endocrine distruption under an EU legislation.

List III: Substances considered, by the evaluating National Authority, to have endocrine disrupting propertied.

556-67-2	octamethylcyclotetrasiloxane	List II, III
540-97-6	Dodecamethylcyclohexasiloxane	List II
541-02-6	Decamethylcyclopentasiloxane	List II

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic toxicity:	
---------------------	--

556-67-2 octamethylcyclotetrasiloxane

EC50/21d >0.015 mg/L (daphnia) (EPA OTS 797.1330)

(Contd. on page 7)



Page 7/9

Revision: 07.02.2023

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 07.02.2023

(1:1)

Version number 6 (replaces version 5)

Trade name: Flexitime Light Flow Cat. (1:1), Flexitime Medium Flow Cat.

_			(Contd. of page 6)	
	EC50/48h	>0.015 mg/l (daphnia) (EPA OTS 797.1300)		
	LC50/96h	>0.022 mg/l (fish) (EPA OTS 797.1400)		
	NOEC / 91d	≥0.0044 mg/l (fish)		
		≥0.015 mg/l (daphnia) (EPA OTS 797.1330)		
	NOEC / 96h	<0.022 mg/l (algae) (EPA OTS 797.1050)		
		≥0.022 mg/l (fish) (EPA OTS 797.1400)		
		≥0.015 mg/l (daphnia) (EPA OTS 797.1300)		
	ErC50/ 96h	>0.022 mg/L (algae) (EPA OTS 797.1050)		
		decamethylcyclohexasiloxane		
		≥0.014 mg/l (fish) (OECD 210)		
		0.0046 mg/l (daphnia) (OECD 211)		
		>0.002 mg/l (algae) (OECD 201)		
	NOEC / 72h	≥0.002 mg/l (algae) (OECD 201)		
		ence and degradability		
	556-67-2 octamethylcyclotetrasiloxane			
	Biodegradation 3.7 % /29d (not defined) (OECD 310)			
	540-97-6 Dodecamethylcyclohexasiloxane			
	Biodegradation	on 4.47 % /28d (not defined) (OECD 310)		
		umulative potential		
	556-67-2 oct	amethylcyclotetrasiloxane		
		tion factor (BCF) 12400 (not defined)		
		decamethylcyclohexasiloxane		
		tion factor (BCF) 1160 (not defined)		
	· 12.4 Mobility · 12.5 Results	vin soil No further relevant information available. of PBT and vPvB assessment		
	· PBT:			
	556-67-2 oct	tamethylcyclotetrasiloxane		
	540-97-6 Do	decamethylcyclohexasiloxane		
	· vPvB:			
	556-67-2 oct	tamethylcyclotetrasiloxane		
	540-97-6 Do	decamethylcyclohexasiloxane		
_	42.6 Fradeou	ino disruptina proportios		

· 12.6 Endocrine disrupting properties

For information on endocrine disrupting properties see section 11.

- 12.7 Other adverse effects
 - · Additional ecological information:
 - · General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 8)



Page 8/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 07.02.2023

Version number 6 (replaces version 5)

Trade name: Flexitime Light Flow Cat. (1:1), Flexitime Medium Flow Cat.

(Contd. of page 7)

Revision: 07.02.2023

Disposal must be made according to official regulations.

· Uncleaned packagings:

(1:1)

Recommendation:

Disposal must be made according to official regulations. Non contaminated packagings can be used for recycling.

SECTION 14: Transport information	on	
14.1 UN number or ID number ADR, IMDG, IATA	Void	
· 14.2 UN proper shipping name · ADR, IMDG, IATA	Void	
· 14.3 Transport hazard class(es)		
· ADR, ADN, IMDG, IATA · Class	Void	
· 14.4 Packing group · ADR, IMDG, IATA	Void	
· 14.5 Environmental hazards: · Marine pollutant:	No	
· 14.6 Special precautions for user	Not applicable.	
· 14.7 Maritime transport in bulk according IMO instruments	g to Not applicable.	
· Transport/Additional information:	-	
UN "Model Regulation":	Void	

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
 - Directive 2012/18/EU
 - Named dangerous substances ANNEX I None of the ingredients is listed.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H226 Flammable liquid and vapour.

H361f Suspected of damaging fertility.

H372 Causes damage to organs through prolonged or repeated exposure.

H410 Very toxic to aquatic life with long lasting effects.

Abbreviations and acronyms:
SADT: Self Accelerating Decomposition Temperature
ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

(Contd. on page 9)



Page 9/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 07.02.2023

Version number 6 (replaces version 5)

Revision: 07.02.2023

Trade name: Flexitime Light Flow Cat. (1:1), Flexitime Medium Flow Cat.

(Contd. of page 8)

IMDG: International Maritime Code for Dangerous Goods

IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonised System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
DNEL: Derived No-Effect Level (UK REACH)
PNEC: Predicted No-Effect Concentration (UK REACH)
LC50: Lethal concentration, 50 percent

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic PVB: very Persistent and very Bioaccumulative
Flam. Liq. 3: Flammable liquids – Category 3
Repr. 2: Reproductive toxicity – Category 2
STOT RE 1: Specific target organ toxicity (repeated exposure) – Category 1
Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1

* Data compared to the provious version altered

* Data compared to the previous version altered.