

according to Regulation (EC) No 1907/2006

# **Lab Putty Activator**

Revision date: 11.10.2018 Print date: 19.06.2019 Page 1 of 6

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Lab Putty Activator

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Activator.

## 1.3. Details of the supplier of the safety data sheet

Company name: COLTENE/Whaledent AG Street: Feldwiesenstrasse 20 Place: CH-9450 Altstätten Telephone: +41 (71) 75 75 300 Telefax: +41 (71) 75 75 301 e-mail: info.ch@coltene.com www.coltene.com Internet: Responsible Department: Regulatory Affairs msds@coltene.com

1.4. Emergency telephone

+41 (0) 44 251 51 51 - Tox Info Suisse (24 h)

number:

#### **Further Information**

Only supplied to dentists and dental laboratories or upon their instructions The product is intended for professional use.

#### **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

### Regulation (EC) No. 1272/2008

Hazard categories:

Acute toxicity: Acute Tox. 4 Skin corrosion/irritation: Skin Irrit. 2

Serious eye damage/eye irritation: Eye Irrit. 2

Specific target organ toxicity - repeated exposure: STOT RE 2

Hazard Statements:
Harmful if inhaled.
Causes skin irritation.
Causes serious eye irritation.

May cause damage to organs through prolonged or repeated exposure.

. . . . . . . .

# 2.2. Label elements

## Regulation (EC) No. 1272/2008

# Hazard components for labelling

Alkyl silicates

Signal word: Warning

Pictograms:





# **Hazard statements**

H315 Causes skin irritation.



according to Regulation (EC) No 1907/2006

	Lab Putty Activator	
Revision date: 11.10.2018	Print date: 19.06.2019	Page 2 of 6

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H373 May cause damage to organs through prolonged or repeated exposure.

#### **Precautionary statements**

P202 Do not handle until all safety precautions have been read and understood.
P280 Wear protective gloves/protective clothing/eye protection/face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

P302+P352 IF ON SKIN: Wash with plenty of water.

P332+P313 If skin irritation occurs: Get medical advice/attention.
P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P314 Get medical advice/attention if you feel unwell.

### **SECTION 3: Composition/information on ingredients**

### 3.2. Mixtures

## **Hazardous components**

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	GHS Classification	•		
	Alkyl silicates			
	Flam. Liq. 3, Acute Tox. 3, Skin Irrit. 2, Eye Irrit. 2, STOT SE 3, STOT RE 2, Aquatic Chronic 4; H226 H331 H315 H319 H335 H373 H413			
68299-15-0	Dioctyltindineodecanoate			5 - < 10 %
	269-595-4			
	STOT SE 2; H371			

Full text of H and EUH statements: see section 16.

## **Further Information**

,

### **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

#### After inhalation

Provide fresh air. When in doubt or if symptoms are observed, get medical advice.

#### After contact with skin

After contact with skin, wash immediately with: Water and soap.

# After contact with eyes

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

### After ingestion

Seek medical attention if problems persist.

### **SECTION 5: Firefighting measures**

# 5.1. Extinguishing media

### Suitable extinguishing media

Water. Foam. Extinguishing powder. Carbon dioxide (CO2). Sand.



according to Regulation (EC) No 1907/2006

### **Lab Putty Activator**

Revision date: 11.10.2018 Print date: 19.06.2019 Page 3 of 6

#### Additional information

Co-ordinate fire-fighting measures to the fire surroundings.

#### **SECTION 6: Accidental release measures**

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

#### 6.3. Methods and material for containment and cleaning up

Wipe up with absorbent material (eg. cloth, fleece). Clear contaminated areas thoroughly.

# **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

#### Advice on safe handling

The product is intended for professional use.

Avoid contact with skin and eyes.

Observe instructions for use.

#### Further information on handling

After use replace the closing cap immediately.

### 7.2. Conditions for safe storage, including any incompatibilities

#### Further information on storage conditions

Keep the packing dry and well sealed to prevent contamination and absorbtion of humidity.

Recommended storage temperature: 15 - 23 °C

### **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

### 8.2. Exposure controls

# Protective and hygiene measures

When using do not eat, drink or smoke.

# Eye/face protection

Eye glasses with side protection

# Hand protection

Suitable material: When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Disposable gloves - Suitable material: NBR (Nitrile rubber).

#### Skin protection

Wear suitable protective clothing.

### **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Physical state: Paste Colour: blue

Odour: characteristic

Test method

# Changes in the physical state

Initial boiling point and boiling range: >150 °C



according to Regulation (EC) No 1907/2006

### **Lab Putty Activator**

Revision date: 11.10.2018 Print date: 19.06.2019 Page 4 of 6

Density (at 23 °C): 1.0 g/cm³ Water solubility: insoluble

(at 23 °C)

#### Solubility in other solvents

ketone.

# **SECTION 10: Stability and reactivity**

### 10.2. Chemical stability

The product is chemically stable under recommended conditions of storage, use and temperature.

### 10.4. Conditions to avoid

Air, humid.

#### **Further information**

Keep the packing dry and well sealed to prevent contamination and absorbtion of humidity.

# **SECTION 11: Toxicological information**

#### 11.1. Information on toxicological effects

#### **Acute toxicity**

Harmful if inhaled.

LD50: >2000 mg/kg (Rat)

The statement is derived from products of similar composition.

### **ATEmix** calculated

ATE (inhalation vapour) 15.38 mg/l; ATE (inhalation aerosol) 2.564 mg/l

CAS No	Chemical name							
	Exposure route	Dose		Species	Source	Method		
	Alkyl silicates							
	inhalation vapour	ATE	3 mg/l					
	inhalation aerosol	ATE	0,5 mg/l					

### Irritation and corrosivity

Causes serious eye irritation.

Irritant effect on the skin: (Rabbit)

Not an irritant.

The statement is derived from products of similar composition.

### Sensitising effects

Guinea-pig.

no danger of sensitization.

The statement is derived from products of similar composition.

# Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

## STOT-single exposure

Based on available data, the classification criteria are not met.

#### STOT-repeated exposure

May cause damage to organs through prolonged or repeated exposure.

### **Aspiration hazard**

Based on available data, the classification criteria are not met.

### **SECTION 12: Ecological information**



according to Regulation (EC) No 1907/2006

# **Lab Putty Activator**

Revision date: 11.10.2018 Print date: 19.06.2019 Page 5 of 6

#### **Further information**

Avoid release to the environment.

#### **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

#### Advice on disposal

Dispose of waste according to applicable legislation.

# **SECTION 14: Transport information**

### Land transport (ADR/RID)

14.1. UN number:

## Other applicable information (land transport)

No dangerous good in sense of these transport regulations.

#### Marine transport (IMDG)

<u>14.1. UN number:</u> -----

## Other applicable information (marine transport)

No dangerous good in sense of these transport regulations.

#### Air transport (ICAO-TI/IATA-DGR)

<u>14.1. UN number:</u> -----

### Other applicable information (air transport)

No dangerous good in sense of these transport regulations.

## Other applicable information

Not a hazardous material with respect to these transportation regulations.

### **SECTION 15: Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### National regulatory information

**Additional information** 

-----

### **SECTION 16: Other information**

#### Changes

\* Data changed compared with the previous version

### Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service

LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

# Relevant H and EUH statements (number and full text)

H226 Flammable liquid and vapour.

H315 Causes skin irritation.



according to Regulation (EC) No 1907/2006

tevision date: 11.10.2018	Print date: 19.06.2019	Page 6 of
H319	Causes serious eye irritation.	
H331	Toxic if inhaled.	
H332	Harmful if inhaled.	
H335	May cause respiratory irritation.	
H371	May cause damage to organs (immune system) if swallowed.	
H373	May cause damage to organs through prolonged or repeated exposure.	
H413	May cause long lasting harmful effects to aquatic life.	
Further Information		
	on describes exclusively the safety requirements of the product and is based on our lge. The information is intended to give you advice about the safe handling of the product	

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)

named in this safety data sheet, for storage, processing, transport and disposal.



according to Regulation (EC) No 1907/2006

# **Lab Putty Base**

Revision date: 20.04.2015 Print date: 22.02.2018 Page 1 of 3

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Lab Putty Base

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

for dental use only

#### 1.3. Details of the supplier of the safety data sheet

Company name: COLTENE/Whaledent AG Street: Feldwiesenstrasse 20 Place: CH-9450 Altstätten +41 (71) 75 75 300 Telephone: Telefax: +41 (71) 75 75 301 e-mail: info.ch@coltene.com www.coltene.com Internet: Responsible Department: Regulatory Affairs msds@coltene.com

1.4. Emergency telephone

+41 (0) 44 251 51 51 - Tox Info Suisse (24 h)

number:

#### **Further Information**

Only supplied to dentists and dental laboratories or upon their instructions

### **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

This mixture is classified as not hazardous according to Regulation (EC) 1272/2008 [GHS]. The mixture is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP]. Preparation/mixture without hazards for human health or environment

### 2.2. Label elements

## **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

### **Chemical characterization**

Polymer preparations and compounds

#### **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

#### **General information**

No special measures are necessary.

#### After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water.

### **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

#### Suitable extinguishing media

Water. Foam. Extinguishing powder. Carbon dioxide (CO2). Sand.

#### **Additional information**

Co-ordinate fire-fighting measures to the fire surroundings.



according to Regulation (EC) No 1907/2006

# **Lab Putty Base**

Revision date: 20.04.2015 Print date: 22.02.2018 Page 2 of 3

#### **SECTION 6: Accidental release measures**

# 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

#### 6.3. Methods and material for containment and cleaning up

Wipe up with absorbent material (eg. cloth, fleece). Clear contaminated areas thoroughly.

### **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

#### Advice on safe handling

No special precautionary measures are necessary.

Observe instructions for use.

### 7.2. Conditions for safe storage, including any incompatibilities

#### Further information on storage conditions

Keep the packing dry and well sealed to prevent contamination and absorbtion of humidity.

Recommended storage temperature: 15 - 23 °C

## **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

### 8.2. Exposure controls

#### Protective and hygiene measures

When using do not eat, drink or smoke.

#### Hand protection

Single-use gloves.

Unsuitable material: NR (Natural rubber (Caoutchouc), Natural latex).

### **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Physical state: Paste

Colour:

Test method

#### Changes in the physical state

Initial boiling point and boiling range: >150 °C

Water solubility: insoluble
(at 23 °C)

Solubility in other solvents

ketone.

# **SECTION 10: Stability and reactivity**

#### **Further information**

No special measures are necessary.

#### **SECTION 11: Toxicological information**

#### 11.1. Information on toxicological effects

**Acute toxicity** 



according to Regulation (EC) No 1907/2006

# **Lab Putty Base**

Revision date: 20.04.2015 Print date: 22.02.2018 Page 3 of 3

LD50: >2000 mg/kg (Rat)

The statement is derived from products of similar composition.

#### Irritation and corrosivity

Irritant effect on the skin: (Rabbit)

Not an irritant.

The statement is derived from products of similar composition.

### Sensitising effects

Guinea-pig.

no danger of sensitization.

The statement is derived from products of similar composition.

### **SECTION 12: Ecological information**

#### **Further information**

No special environmental measures are necessary.

#### **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

### Advice on disposal

Can be burnt together with household waste in compliance with official regulations in contact with approved waste disposal companies and with authorities in charge.

## **SECTION 14: Transport information**

### Other applicable information

Not a hazardous material with respect to these transportation regulations.

# **SECTION 15: Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

**National regulatory information** 

**Additional information** 

-----

### **SECTION 16: Other information**

#### **Further Information**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)