

Printing date 08.07.2022 Version number 1 Revision: 08.07.2022

I Identification of the substance/mixture and of the company/undertaking

- · Product identifier
- · Trade name: VALOTM X Rechargeable Lithium-Ion Battery Contained in Equipment
- · Article number: SDS 477-001.01, 5437
- Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Ultradent Products Inc.

505 W. Ultradent Drive (10200 S)

South Jordan, UT 84095-3942

USA

onlineordersupport@ultradent.com

EC Responsible Person

Ultradent Products GmbH

Am Westhover Berg 30

51149 Cologne Germany

Email: infoDE@ultradent.com

Emergency Phone: +49(0)2203-35-92-0

- · Further information obtainable from: Customer Service
- · Emergency telephone number:

CHEMTREC (NORTH AMERICA) : (800) 424-9300 (INTERNATIONAL) : +(703) 527-3887

2 Hazards identification

- · Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

- · Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation.

- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements

H412 Harmful to aquatic life with long lasting effects.

· Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read carefully and follow all instructions.

P273 Avoid release to the environment.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

GB

Printing date 08.07.2022 Version number 1 Revision: 08.07.2022

Trade name: VALOTM X Rechargeable Lithium-Ion Battery Contained in Equipment

(Contd. of page 1)

3 Composition/information on ingredients

- · Mixtures
- · **Description:** Mixture of substances listed below with nonhazardous additions.

Dangerous components:		
	Lithium Hexaflurophosphate	>10- ≤ 25%
EINECS: 244-334-7	♦ Acute Tox. 3, H311; ♦ Acute Tox. 4, H302	
CAS: 7440-50-8	Copper Foil	≥2.5-<10%
EINECS: 231-159-6	♦ Aquatic Chronic 2, H411	
CAS: 7440-02-0	nickel	≥0.1-<1%
EINECS: 231-111-4	🕸 Carc. 2, H351; STOT RE 1, H372; 아 Skin Sens. 1, H317	

[·] Additional information: For the wording of the listed hazard phrases refer to section 16.

4 First aid measures

- · Description of first aid measures
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Firefighting measures

- Extinguishing media
- · Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters:
- · Protective equipment: No special measures required.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- · Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/surface or ground water.

· Methods and material for containment and cleaning up:

Dispose contaminated material as waste according to item 13.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

· Precautions for safe handling: See product labeling.

(Contd. on page 3)

Printing date 08.07.2022 Version number 1 Revision: 08.07.2022

Trade name: VALOTM X Rechargeable Lithium-Ion Battery Contained in Equipment

(Contd. of page 2)

- · Information about fire and explosion protection: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

· Control parameters

Ingredients with limit values that require monitoring at the workplace:

7440-50-8 Copper Foil

WEL Short-term value: 2** mg/m³

Long-term value: 0.2* 1** mg/m³
*fume **dusts and mists (as Cu)

7440-02-0 nickel

WEL Long-term value: 0.5 mg/m³

as Ni; Sk; Carc

- · Additional information: The lists valid during the making were used as basis.
- · Exposure controls
- · Appropriate engineering controls No further data; see item 7.
- · Individual protection measures, such as personal protective equipment
- General protective and hygienic measures: Wash hands before breaks and at the end of work.
- · Respiratory protection: Not required.
- · Hand protection

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact breakthrough time has to be found out by the manufacturer of the protective gloves and has to be observed.

- · Eye/face protection Not required.
- · Body protection: Protective work clothing

9 Physical and chemical properties

- · Information on basic physical and chemical properties
- · General Information

· Physical state Solid

· Colour: According to product specification

Odour: Not Applicable

Odour threshold:

Not determined.

· Melting point/freezing point: Undetermined.

(Contd. on page 4)

Printing date 08.07.2022 Version number 1 Revision: 08.07.2022

Trade name: VALOTM X Rechargeable Lithium-Ion Battery Contained in Equipment

(Contd. of page 3) Boiling point or initial boiling point and boiling range 2,597 °C (7440-50-8 Copper Foil) · Flammability Not determined. · Lower and upper explosion limit · Lower: Not determined. · Upper: Not determined. · Flash point: *Not applicable.* Decomposition temperature: Not determined. Not applicable. $\cdot pH$ · Viscosity: · Kinematic viscosity Not applicable. · Dynamic: Not applicable. · Solubility Soluble. · water: · Partition coefficient n-octanol/water (log value) Not determined. · Vapour pressure: Not applicable. · Density and/or relative density · Density: Not determined. · Relative density Not determined. · Vapour density Not applicable. · Other information · Appearance: · Form: Solid · Important information on protection of health and environment, and on safety. · Auto-ignition temperature: Product is not selfigniting. Explosive properties: Product does not present an explosion hazard. · Solvent content: · Solids content: 100.0 % · Change in condition · Evaporation rate Not applicable. · Information with regard to physical hazard classes · Explosives Void · Flammable gases Void · Aerosols Void · Oxidising gases Void · Gases under pressure Void · Flammable liquids Void · Flammable solids Void · Self-reactive substances and mixtures Void · Pyrophoric liquids Void · Pyrophoric solids Void · Self-heating substances and mixtures Void · Substances and mixtures, which emit flammable gases Void in contact with water · Oxidising liquids Void Oxidising solids Void · Organic peroxides Void · Corrosive to metals Void · Desensitised explosives Void

Printing date 08.07.2022 Version number 1 Revision: 08.07.2022

Trade name: VALO™ X Rechargeable Lithium-Ion Battery Contained in Equipment

(Contd. of page 4)

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions: No dangerous reactions known.
- · Conditions to avoid: No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity
- · LD/LC50 values relevant for classification:

ATE (Acute Toxicity Estimates)

Oral LD50 >2,500 mg/kg
Dermal LD50 >1,500 mg/kg

- Information on other hazards
- · Endocrine disrupting properties

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Endocrine disrupting properties The product does not contain substances with endocrine disrupting properties.
- · Other adverse effects
- · Remark: Harmful to fish
- · Additional ecological information:
- · General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

Harmful to aquatic organisms

13 Disposal considerations

- · Waste treatment methods
- · Recommendation

Dispose of contents/container in accordance with international, federal, state, and local regulations.

(Contd. on page 6)

Printing date 08.07.2022 Version number 1 Revision: 08.07.2022

Trade name: VALOTM X Rechargeable Lithium-Ion Battery Contained in Equipment

(Contd. of page 5)

- · Uncleaned packaging:
- Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agents: Water, if necessary together with cleansing agents.

UN number or ID number	
ADR, IMDG, IATA	UN3481
UN proper shipping name	
ADR	3481 LITHIUM ION BATTERIES CONTAINED IN EQUIPMENT
IMDG, IATA	LITHIUM ION BATTERIES CONTAINED IN EQUIPMENT
Transport hazard class(es)	
ADR, IMDG, IATA	
A	
9/	
Class	9 Miscellaneous dangerous substances and articles.
Label	9A
Packing group	
ADR, IMDG, IATA	not regulated
Environmental hazards:	Not applicable.
Special precautions for user	Warning: Miscellaneous dangerous substances and articles.
Hazard identification number (Kemler code	
EMS Number:	F- A , S - I
Stowage Category	A SHIP F I WAS A SHIP AT COMMAND
Stowage Code	SW19 For batteries transported in accordance with SP 376 or S
	377 Category C, unless transported on a short internation
	voyage.
Maritime transport in bulk according to IM	
instruments	Not applicable.
Transport/Additional information:	
ADR	
Limited quantities (LQ)	0
Excepted quantities (EQ)	Code: E0
T	Not permitted as Excepted Quantity
Transport category	2
Tunnel restriction code	E
IMDG	
Limited quantities (LQ)	0
Excepted quantities (EQ)	Code: E0
	Not permitted as Excepted Quantity

Printing date 08.07.2022 Version number 1 Revision: 08.07.2022

Trade name: VALOTM X Rechargeable Lithium-Ion Battery Contained in Equipment

(Contd. of page 6)

· UN "Model Regulation": UN 3481 LITHIUM ION BATTERIES CONTAINED IN

EQUIPMENT

15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Chemical safety assessment: A chemical safety assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases from Section 3

H302 Harmful if swallowed.

H311 Toxic in contact with skin.

H317 May cause an allergic skin reaction.

H351 Suspected of causing cancer.

H372 Causes damage to organs through prolonged or repeated exposure.

H411 Toxic to aquatic life with long lasting effects.

- · Department issuing SDS: Environmental, Health, and Safety
- · Contact: Customer Service
- · Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Acute Tox. 4: Acute toxicity - Category 4

Acute Tox. 3: Acute toxicity – Category 3

Skin Sens. 1: Skin sensitisation – Category 1

Carc. 2: Carcinogenicity - Category 2

STOT RE 1: Specific target organ toxicity (repeated exposure) – Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

* Data compared to the previous version altered.