# according to Regulation (EC) No 1907/2006



Trade name: WL-cid

Issue/Revision: 20.05.2021 Version: 2.4 Print date: 17.09.2021 Replaces version: 2.3

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name: WL-cid

UFI: RS68-RAA4-M00F-G2Y1

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Disinfecting agent

Intended purpose: Solution ready for use for the disinfection (internal and

external surfaces) of medical and dental hollow part

instruments.

Uses advised against: None at intended use.

The product is intended for professional users.

1.3. Details of the supplier of the safety data sheet

Manufacturer/Supplier: ALPRO MEDICAL GMBH

Mooswiesenstraße 9

D-78112 St. Georgen (Germany) Telephone: +49 7725 9392-0 Telefax: +49 7725 9392-91 E-mail: alpro@alpro-medical.de Internet: www.alpro-medical.com

E-mail address for the competent person

responsible for the safety data sheet: doku@alpro-medical.de

1.4. Emergency telephone number

In-house emergency telephone number: +49 7725 9392-0

> Monday - Friday from 08:00 am to 04:30 pm (UTC+1); for chemical information and legal information on

hazardous substances only

Poison centre: +49 761 19240

Poisoning information centre, Freiburg, Germany

(24 h / 7 d), English is spoken

#### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

# Classification in accordance with Regulation (EC) No 1272/2008 [CLP]

| Classification       | Classification procedure                       |  |
|----------------------|--|--|
| Aerosol 2; H223+H229 | On basis of test data (Ignition distance test) |  |
| Eye Irrit. 2; H319   | Calculation method                             |  |

Full text of hazard classes as well as H-phrases: see under SECTION 16.1.

#### 2.2. Label elements

Label elements in accordance with Regulation (EC) No 1272/2008 [CLP]

Hazard pictograms:



# according to Regulation (EC) No 1907/2006



Version: 2.4

Trade name: **WL-cid**Issue/Revision: 20.05.2021
Print date: 17.09.2021

7.09.2021 Replaces version: 2.3

Signal word: Warning

Hazard components

for labelling: -

H-phrases: H223 Flammable aerosol.

H229 Pressurised container: May burst if heated.

H319 Causes serious eye irritation.

P-phrases: P210 Keep away from heat, hot surfaces, sparks, open flames and other

ignition sources. No smoking.

P211 Do not spray on an open flame or other ignition source.

P251 Do not pierce or burn, even after use.
P280 Wear eye protection/face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P410+P412 Protect from sunlight. Do not expose to temperatures exceeding

50 °C/122 °F.

#### 2.3. Other hazards

The substances in the mixture do not meet the PBT/vPvB criteria according to Regulation (EC) No 1907/2006, Annex XIII.

No further hazards known.

### **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

Chemical characterisation: Mixture of substances listed below with non-hazardous additions in

aqueous solution and propellant.

### **Hazardous ingredients**

| Chemical name                     | Identification numbers        | Classification in accordance with Regulation (EC) No 1272/2008 | Weight %    |
|-----------------------------------|-------------------------------|--|-------------|
| Ethanol                           | CAS No: 64-17-5               | Flam. Liq. 2; H225   | ≥ 50 - < 70 |
|                                   | EC No: 200-578-6              | Eye Irrit. 2; H319   |             |
|                                   | Index No: 603-002-00-5        |  |             |
|                                   | <b>REACH Registration No:</b> |  |             |
|                                   | 01-2119457610-43-XXXX         |  |             |
| Carbon dioxide                    | CAS No: 124-38-9              | Press. Gas L; H280   | ≥ 1 - < 5   |
|                                   | EC No: 204-696-9              |  |             |
| Propan-2-ol                       | CAS No: 67-63-0               | Flam. Liq. 2; H225   | ≥ 0.2 - < 1 |
|                                   | EC No: 200-661-7              | Eye Irrit. 2; H319   |             |
|                                   | Index No: 603-117-00-0        | STOT SE 3; H336  |             |
|                                   | <b>REACH Registration No:</b> |  |             |
|                                   | 01-2119457558-25-XXXX         |  |             |
| Phosphoric acid CAS No: 7664-38-2 |                               | Met. Corr. 1; H290   | ≥ 0.2 - < 1 |
|                                   | EC No: 231-633-2              | Acute Tox. 4; H302   |             |
| Index No: 015-011-00-6            |                               | Skin Corr. 1B; H314  |             |
|                                   | <b>REACH Registration No:</b> |  |             |
|                                   | 01-2119485924-24-XXXX         |  |             |

# according to Regulation (EC) No 1907/2006



Trade name: **WL-cid** 

Issue/Revision: 20.05.2021 Version: 2.4 Print date: 17.09.2021 Replaces version: 2.3

| Methanol                | CAS No: 67-56-1        | Flam. Liq. 2; H225                   | ≥ 0.2 - < 1 |
|-------------------------|------------------------|--------------------------------------|-------------|
|                         | EC No: 200-659-6       | Acute Tox. 3; H301                   |             |
|                         | Index No: 603-001-00-X | Acute Tox. 3; H311                   |             |
|                         | REACH Registration No: | Acute Tox. 3; H331                   |             |
|                         | 01-2119433307-44-XXXX  | STOT SE 1; H370                      |             |
|                         |                        | Specific concentration limits:       |             |
|                         |                        | STOT SE 1; H370: C ≥ 10 %            |             |
|                         |                        | STOT SE 2; H371: 3 % ≤ C < 10 %      |             |
| D-gluconic acid,        | CAS No: 18472-51-0     | Eye Dam. 1; H318                     | < 0.2       |
| compound with N,N"-     | EC No: 242-354-0       | Aquatic Acute 1; H400                |             |
| bis(4-chlorophenyl)-    | REACH Registration No: | Aquatic Chronic 1; H410              |             |
| 3,12-diimino-2,4,11,13- | 01-2119946568-22-XXXX  | M-Factor acute: 10                   |             |
| tetraazatetradecane-    |                        | M-Factor chronic: 1                  |             |
| diamidine (2:1)         |                        | W ractor emorne. 1                   |             |
| N,N-Didecyl-N-methyl-   | CAS No: 94667-33-1     | Acute Tox. 4; H302                   | < 0.2       |
| poly(oxyethyl)ammoni-   | EC No: 619-057-3       | Skin Corr. 1B; H314                  |             |
| um propionate           | REACH Registration No: | Aquatic Acute 1; H400                |             |
|                         | 01-2119950327-36-XXXX  | Aquatic Chronic 1; H410              |             |
|                         |                        | M-Factor acute: 10                   |             |
|                         |                        | M-Factor chronic: 1                  |             |
| N-(3-aminopropyl)-N-    | CAS No: 2372-82-9      | Acute Tox. 3; H301                   | < 0.2       |
| dodecylpropane-1,3-     | EC No: 219-145-8       | Skin Corr. 1B; H314                  |             |
| diamine                 | REACH Registration No: | STOT RE 2; H373                      |             |
|                         | 01-2119980592-29-XXXX  | Aquatic Acute 1; H400                |             |
|                         |                        | Aquatic Chronic 1; H410              |             |
|                         |                        | M-Factor acute: 10                   |             |
| Formic acid             | CAS No: 64-18-6        | Flam. Liq. 3; H226                   | < 0.1       |
|                         | EC No: 200-579-1       | Acute Tox. 3; H331                   |             |
|                         | Index No: 607-001-00-0 | Acute Tox. 4; H302                   |             |
|                         | REACH Registration No: | Skin Corr. 1A; H314                  |             |
|                         | 01-2119491174-37-XXXX  | Specific concentration limits:       |             |
|                         |                        | Skin Corr. 1A; H314: C ≥ 90 %        |             |
|                         |                        | Skin Corr. 1B; H314: 10 % ≤ C < 90 % |             |
|                         |                        | Skin Irrit. 2; H315: 2 % ≤ C < 10 %  |             |
|                         |                        | Eye Irrit. 2; H319: 2 % ≤ C < 10 %   |             |

Full text of hazard classes and H-phrases: see SECTION 16.1.

### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

General information: First aider: Pay attention to self-protection!

Following inhalation: Move affected person into fresh air and keep still and warm. In case of

continued complaints seek medical advice.

Following skin contact: Wash skin immediately with plenty of water and soap. In case of skin

reactions, consult a physician.

Flush eyes immediately with flowing water for 10 to 15 minutes holding Following eye contact:

eyelids apart. Remove contact lenses, if present and easy to do. Consult an

ophthalmologist.

# according to Regulation (EC) No 1907/2006



Trade name: **WL-cid**Issue/Revision: 20.05.2021 Version: 2.4
Print date: 17.09.2021 Replaces version: 2.3

Following ingestion: Rinse mouth with water. Let drink plenty of water. Do not induce vomiting.

Consult a physician immediately.

#### 4.2. Most important symptoms and effects, both acute and delayed

Causes serious eye irritation.

### 4.3. Indication of any immediate medical attention and special treatment needed

No information available.

### **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

Suitable extinguishing media: Water spray jet, alcohol resistant foam, extinguishing powder,

carbon dioxide (CO<sub>2</sub>)

Unsuitable extinguishing media: Full water jet

#### 5.2. Special hazards arising from the substance or mixture

Hazardous combustion products: Carbon monoxide (CO), carbon dioxide (CO<sub>2</sub>)

5.3. Advice for firefighters

Special protective equipment: Wear self-contained breathing apparatus.

Further information: Cool endangered containers with water spray jet.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

#### For non-emergency personnel

Use personal protective equipment. See SECTION 8.2.

Avoid skin and eye contact. Do not breathe vapours. Remove all sources of ignition. Provide adequate ventilation. Special danger of slipping by leaked/spilled product. Evacuate danger area. Observe emergency plans. Consult experts.

### For emergency responders

Use personal protective equipment. See SECTION 8.2.

### 6.2. Environmental precautions

Do not discharge into drains or rivers.

#### 6.3. Methods and material for containment and cleaning up

#### Containment

For large spills, dyke spilled material or otherwise contain material to ensure runoff does not reach a waterway. Cover or seal drains.

#### Cleaning up

Wipe up small amounts with absorbent material (e.g. cloth, fleece). Absorb large amounts with liquid-binding material (sand, diatomaceous earth, universal binder, sawdust). Collect in suitable, closed containers for disposal. Clean contaminated surfaces thoroughly.

#### Other information

Inappropriate containment and cleaning methods are not known.

# according to Regulation (EC) No 1907/2006



Trade name: **WL-cid** 

Issue/Revision: 20.05.2021 Version: 2.4
Print date: 17.09.2021 Replaces version: 2.3

#### 6.4. Reference to other sections

Information on safe handling see SECTION 7.1. Information on personal protective equipment see SECTION 8.2. Information on disposal see SECTION 13.

### **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

#### **Precautions**

Avoid contact with skin and eyes. Avoid breathing aerosols and vapours. Keep away from sources of ignition. Provide adequate ventilation. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use. Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

#### Advice on general occupational hygiene

When using do not eat, drink or smoke. Wash hands before breaks and at end of work. Keep away from food and drink.

#### 7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels: The official regulations regarding the storage of

pressurized containers have to be considered. Keep

container in a cool, well-ventilated place.

Advice on common storage: Not necessary

Further information on storage conditions: Recommended storage temperature: 0 °C – 25 °C

Storage class ([DE] TRGS 510): LGK 2B Aerosol dispensers and lighters

#### 7.3. Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific end uses are stipulated.

### Industry and sector specific guidance

[DE] TRGS 525 – Hazardous substances in medical care facilities (Section 7 Activities with disinfectants); Issue: September 2014;

Source: GMBI 2014 page 1294-1307 of 13.10.2014 [No 63]; www.baua.de

[DE] DGUV rules 107-002 (former BGR 206) - Disinfection works in health service

Issue: July 1999; Source: www.dguv.de/publikationen

### **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

### Occupational exposure limits

| Limit values |                           |             |     |                  |                |                          |  |
|--------------|---------------------------|-------------|-----|------------------|----------------|--------------------------|--|
| Country      | Long term                 | n (8 hours) |     | erm (15<br>utes) | Legal<br>basis | Remarks                  |  |
|              | ppm                       | mg/m³       | ppm | mg/m³            |                |                          |  |
| Ethanol (CAS | Ethanol (CAS No: 64-17-5) |             |     |                  |                |                          |  |
| EU           |                           |             |     |                  |                | no limit value specified |  |
| UK           | 1000                      | 1920        | -   | -                | EH40           |                          |  |

# according to Regulation (EC) No 1907/2006



Trade name: **WL-cid**Issue/Revision: 20.05.20

Issue/Revision: 20.05.2021 Version: 2.4
Print date: 17.09.2021 Replaces version: 2.3

| Carbon dioxide (CAS No: 124-38-9)   |              |       |       |       |            |                          |  |
|-------------------------------------|--------------|-------|-------|-------|------------|--------------------------|--|
| EU                                  | 5000         | 9000  | -     | -     | 2006/15/EG | -                        |  |
| UK                                  | 5000         | 9150  | 15000 | 27400 | EH40       |                          |  |
| Propan-2-ol (                       | CAS No: 67-6 | 53-0) |       |       |            |                          |  |
| EU                                  |              |       |       |       |            | no limit value specified |  |
| UK                                  | 400          | 999   | 500   | 1250  | EH40       |                          |  |
| Methanol (CA                        | S No: 67-56  | -1)   |       |       |            |                          |  |
| EU                                  | 200          | 260   | -     | -     | 2006/15/EG | Skin                     |  |
| UK                                  | 200          | 266   | 250   | 333   | EH40       | Sk                       |  |
| Formic acid (0                      | CAS No: 64-1 | .8-6) |       |       |            |                          |  |
| EU                                  | 5            | 9     | -     | -     | 2006/15/EG | -                        |  |
| UK                                  | 5            | 9.6   | -     | -     | EH40       |                          |  |
| Phosphoric acid (CAS No: 7664-38-2) |              |       |       |       |            |                          |  |
| EU                                  | -            | 1     | -     | 2     | 2006/15/EG | -                        |  |
| UK                                  | -            | 1     | -     | 2     | EH40       |                          |  |

#### Used abbreviations, symbols, numerals and explanations in column "Remarks"

- Sk Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity.
- Skin A significant uptake of the substance through the skin is possible.

### **Biological limit values**

| Country       | Parameter                     | Limit value | Test<br>material | Sampling time   | Legal<br>basis |  |  |  |
|---------------|-------------------------------|-------------|------------------|---|----------------|--|--|--|
| Propan-2-ol ( | Propan-2-ol (CAS No: 67-63-0) |             |                  |   |                |  |  |  |
| Germany       | Acetone                       | 25 mg/l     | Whole<br>blood   | End of exposition, resp. end of shift   | TRGS 903       |  |  |  |
|               | Acetone                       | 25 mg/l     | Urine            | End of exposition, resp. end of shift   | TRGS 903       |  |  |  |
| Methanol (CA  | AS No: 67-56-1)               |             |                  |   |                |  |  |  |
| Germany       | Methanol                      | 15 mg/l     | Urine            | End of exposition, resp. end of shift;<br>for long-term exposure: after several<br>preceding shifts | TRGS 903       |  |  |  |

### Information on monitoring procedures

BS EN 482:2012-04-30; Title: Workplace exposure - General requirements for the performance of procedures for the measurement of chemical agents;

British version of EN 482:2012

BS EN 689:1996-04-15; Title: Workplace atmospheres - Guidance for the assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy; British version of EN 689:1995

BS EN 14042:2003-04-24; Title: Workplace atmospheres - Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents; British version of EN 14042:2003

### 8.2. Exposure controls

### **Appropriate engineering controls**

#### Technical and organisational protective measures

The eyewash station (or eyewash bottle) must be located near the workplace.

#### Personal protective equipment

Eye/face protection: Safety glasses with side protection according to EN 166

# according to Regulation (EC) No 1907/2006



Trade name: **WL-cid** Issue/Revision: 20.05.2021

Issue/Revision: 20.05.2021 Version: 2.4
Print date: 17.09.2021 Replaces version: 2.3

Skin protection:

Hand protection: Protective gloves according to EN 374 are recommended

Splash guard:

Disposable gloves made of nitrile rubber (thickness 0.11 mm)

Permanent contact (> 480 min):

Protective gloves made of nitrile rubber (thickness 0.40 mm)

Other skin protection: Not necessary when used as intended.

Respiratory protection: Not necessary when used as intended.

Thermal hazards: No special protective measures necessary.

**Environmental exposure controls** 

Do not discharge into drains.

### **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Appearance: clear, colourless aerosol

Odour: alcoholic

Odour threshold: no data available

pH (undiluted): 3.0 – 3.5 (20 °C)

Melting point/freezing point: no data available Initial boiling point and boiling range: no data available

Flash point: 23 °C

Evaporation rate: no data available Flammability (solid, gas): not applicable

Lower explosive limit: Ethanol: 3 vol%
Upper explosive limit: Ethanol: 15 vol%

Vapour pressure: no data available (... °C)

Vapour density: no data available

Relative density: 0.880 - 0.890 (20 °C)

Solubility in water: completely soluble Partition coefficient: not applicable

n-octanol/water

Auto-ignition temperature: not applicable

Decomposition temperature: no data available

Viscosity: no data available

Explosive properties: The product is not explosive. However, formation of explosive

vapour/air mixtures is possible.

Oxidising properties: none

9.2. Other information

Refractive index nD: 1.3625 - 1.3645 (20 °C) Electrical conductivity (undiluted):  $130 - 170 \mu \text{S/cm}$  (20 °C)

# according to Regulation (EC) No 1907/2006



Trade name: **WL-cid** Issue/Revision: 20.05.2021

Issue/Revision: 20.05.2021Version: 2.4Print date: 17.09.2021Replaces version: 2.3

#### **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

No hazardous reactions when handled and stored as intended.

#### 10.2. Chemical stability

The product is stable when handled and stored as intended.

#### 10.3. Possibility of hazardous reactions

Vapours may form explosive mixtures with air.

#### 10.4. Conditions to avoid

Keep away from heat and sources of ignition.

#### 10.5. Incompatible materials

None known

#### 10.6. Hazardous decomposition products

Does not decompose when used as intended.

### **SECTION 11: Toxicological information**

#### 11.1. Information on toxicological effects

#### **Acute toxicity**

**Product** 

Acute toxicity - oral: Acute Toxicity Estimate ATE<sub>mix</sub> > 2000 mg/kg

=> no classification

Acute toxicity - dermal: Acute Toxicity Estimate ATE<sub>mix</sub> > 2000 mg/kg

=> no classification

Acute toxicity - inhalation: Acute Toxicity Estimate  $ATE_{mix} > 20 \text{ mg/l}$ 

=> no classification

Ingredients

Methanol (CAS No: 67-56-1):

Acute toxicity - oral: LD $_{50}$ : 5628 mg/kg; species: rat LD $_{L0}$ : 143 mg/kg; species: human Acute toxicity - inhalation: LC $_{50}$ : 128 mg/l; species: rat; 4 h LD $_{50}$ : 15800 mg/kg; species: rabbit

Formic acid (CAS No: 64-18-6):

Acute toxicity - oral: LD<sub>50</sub>: 730 mg/kg; species: rat; method: OECD 401

Acute toxicity - inhalation: LC<sub>50</sub>: 7.85 mg/l; species: rat; 4 h; vapour; method: OECD 403

N,N-Didecyl-N-methylpoly(oxyethyl)ammonium propionate (CAS No: 94667-33-1): Acute toxicity - oral: LD<sub>50</sub>: 1157 mg/kg; species: rat; method: OECD 401

N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine (CAS No: 2372-82-9):

Acute toxicity - oral: LD<sub>50</sub>: 261 mg/kg; species: rat; method: OECD 401 Acute toxicity - dermal: LD<sub>50</sub>: > 600 mg/kg; species: rat; method: OECD 402

Phosphoric acid (CAS No: 7664-38-2):

Acute toxicity - oral: LD<sub>50</sub>: 300 - 2000 mg/kg; species: rat; method: OECD 423

# according to Regulation (EC) No 1907/2006



Trade name: **WL-cid** 

Issue/Revision: 20.05.2021 Version: 2.4
Print date: 17.09.2021 Replaces version: 2.3

#### Skin corrosion/irritation

Product

No classification. [calculation method]

### Serious eye damage/irritation

**Product** 

Causes serious eye irritation. [calculation method]

#### Respiratory or skin sensitisation

**Product** 

No classification. [calculation method]

### Germ cell mutagenicity

Product

No data available.

### Carcinogenicity

**Product** 

No data available.

#### Reproductive toxicity

**Product** 

No data available.

### STOT-single exposure

**Product** 

No classification. [calculation method]

Ingredients

<u>Propan-2-ol (CAS No: 67-63-0):</u> May cause drowsiness or dizziness.

Methanol (CAS No: 67-56-1):

Causes damage to organs: optic nerve, central nervous system

#### STOT-repeated exposure

Product

No classification. [calculation method]

Ingredients

N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine (CAS No: 2372-82-9):

NOAEL: 9 mg/kg; Application Route: Oral; Exposure period: 90 d; species: rat NOAEL: 20 mg/kg; Application Route: Food; Exposure period: 90 d; species: dog NOAEL: 15 mg/kg; Application Route: Skin; Exposure period: 90 d; species: rat

#### **Aspiration hazard**

Product

No data available.

# according to Regulation (EC) No 1907/2006



Trade name: **WL-cid**Issue/Revision: 20.05.20

Issue/Revision: 20.05.2021 Version: 2.4
Print date: 17.09.2021 Replaces version: 2.3

### **SECTION 12: Ecological information**

#### 12.1. Toxicity

No classification. [calculation method]

#### 12.2. Persistence and degradability

Biodegradability:

The product is biodegradable according to OECD criteria. The statement has been derived from the properties of the ingredients.

#### 12.3. Bioaccumulative potential

No data available.

#### 12.4. Mobility in soil

No data available.

### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to Regulation (EC) No 1907/2006, Annex XIII.

#### 12.6. Other adverse effects

No data available.

### **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

#### Disposal of the product

Product residues must be disposed of as hazardous waste in compliance with the Directive 2008/98/EC on waste as well as national and regional regulations. Do not dispose of via the waste water. Leave product in the original container as possible. Do not mix with other waste materials.

Waste codes / waste designations according to EWC

Product residues: 16 05 04\* gases in pressure containers (including halons) containing

hazardous substances

#### Disposal of the packaging

Packaging contaminated with product is considered as hazardous waste and must be disposed of accordingly.

Waste codes / waste designations according to EWC

Contaminated packaging: 15 01 10\* packaging containing residues of or contaminated by

hazardous substances

Recommendation

Contaminated pressurized containers must be emptied optimally and can be recycled.

#### **SECTION 14: Transport information**

### 14.0. Transport classification

Dangerous good in sense of the transport regulations in road traffic (ADR), railway traffic (RID), inland waterway traffic (ADN), maritime traffic (IMDG-Code) and air traffic (ICAO-TI/IATA-DGR).

# according to Regulation (EC) No 1907/2006



Trade name: WL-cid

Issue/Revision: 20.05.2021 Version: 2.4 Print date: 17.09.2021 Replaces version: 2.3

#### 14.1.UN number

UN 1950

### 14.2. UN proper shipping name

### ADR/RID/ADN

AEROSOLS, flammable

### **IMDG-Code**

**AEROSOLS** 

#### ICAO-TI/IATA-DGR

Aerosols, flammable

### 14.3. Transport hazard class(es)

Class: 2.1 Subsidiary risk(s):

### 14.4. Packing group

### 14.5. Environmental hazards

#### ADR/RID/ADN

**Environmentally Hazardous:** No

#### **IMDG-Code**

Marine Pollutant: No

#### 14.6. Special precautions for user

Not necessary.

### 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### 14.8. Further information

Transport category according to ADR section 1.1.3.6: 2

Maximum total quantity per transport unit

according to ADR section 1.1.3.6: 333 L

Limited quantity (Maximum quantity per inner

packaging) according to ADR/RID/ADN/IMDG-Code: 1 L 5F

Classification code according to ADR/RID/ADN:

Hazard identification number according to

ADR/RID:

Tunnel restriction code according to ADR/RID: D

Segregation group according to IMDG-Code

section 5.4.1.5.11.1:

EmS codes: F-D, S-U

# according to Regulation (EC) No 1907/2006



Trade name: **WL-cid**Issue/Revision: 20.05.20

Issue/Revision: 20.05.2021 Version: 2.4
Print date: 17.09.2021 Replaces version: 2.3

### **SECTION 15: Regulatory information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **EU-Regulations**

REGULATION (EC) No 1005/2009 on substances that deplete the ozone layer

not applicable

REGULATION (EC) No 850/2004 on persistent organic pollutants and amending Directive 79/117/EEC not applicable

REGULATION (EU) No 649/2012 concerning the export and import of hazardous chemicals not applicable

DIRECTIVE 2012/18/EU (Seveso III Directive) on the control of major-accident hazards involving dangerous substances, amending and subsequently repealing Council Directive 96/82/EC

| Hazard category        | Qualifying quantity (tonnes) | Qualifying quantity (tonnes) |
|------------------------|------------------------------|------------------------------|
|                        | (lower-tier establishment)   | (upper-tier establishment)   |
| P3b FLAMMABLE AEROSOLS | 5.000 (net)                  | 50.000 (net)                 |

DIRECTIVE 2010/75/EU on industrial emissions (integrated pollution prevention and control)

not applicable

REACH – List of substances subject to authorisation (Annex XIV)

not applicable

REACH – Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)

not applicable

COUNCIL DIRECTIVE 94/33/EC on the protection of young people at work

not applicable

COUNCIL DIRECTIVE 92/85/EEC on the introduction of measures to encourage improvements in the safety and health at work of pregnant workers and workers who have recently given birth or are breastfeeding

not applicable

### 15.2. Chemical safety assessment

For this mixture no chemical safety assessment has been carried out.

#### **SECTION 16: Other information**

#### 16.1. Full text of hazard classes and H-phrases

#### **Hazard classes**

Acute Tox. Acute toxicity
Aerosol Aerosol

Aquatic Acute Acute aquatic hazard
Aquatic Chronic Long-term aquatic hazard
Eye Dam. Serious eye damage
Eye Irrit. Eye irritation
Flam. Liq. Flammable liquid
Met. Corr. Corrosive to metals

Press. Gas L Gases under pressure (Liquefied gas)

# according to Regulation (EC) No 1907/2006



Trade name: **WL-cid**Issue/Revision: 20.05.2021 Version: 2.4
Print date: 17.09.2021 Replaces version: 2.3

Skin Corr. Skin corrosion
Skin Irrit. Skin irritation

STOT RE Specific target organ toxicity (repeated exposure)
STOT SE Specific target organ toxicity (single exposure)

### H-phrases (Hazard statements)

| Н-р | hrases (Hazard s | itatements)  |
|-----|------------------|--|
|     | H223             | Flammable aerosol.   |
|     | H225             | Highly flammable liquid and vapour.  |
|     | H226             | Flammable liquid and vapour.   |
|     | H229             | Pressurised container: May burst if heated.  |
|     | H280             | Contains gas under pressure; may explode if heated.  |
|     | H290             | May be corrosive to metals.  |
|     | H301             | Toxic if swallowed.  |
|     | H302             | Harmful if swallowed.  |
|     | H311             | Toxic in contact with skin.  |
|     | H314             | Causes severe skin burns and eye damage.   |
|     | H315             | Causes skin irritation.  |
|     | H318             | Causes serious eye damage.   |
|     | H319             | Causes serious eye irritation.   |
|     | H331             | Toxic if inhaled.  |
|     | H336             | May cause drowsiness or dizziness.   |
|     | H370             | Causes damage to organs <or affected,="" all="" if="" known="" organs="" state=""> <state cause="" conclusively="" exposure="" hazard="" if="" is="" it="" no="" of="" other="" proven="" route="" routes="" that="" the="">.</state></or>   |
|     | H371             | May cause damage to organs <or affected,="" all="" if="" known="" organs="" state=""> <state cause="" conclusively="" exposure="" hazard="" if="" is="" it="" no="" of="" other="" proven="" route="" routes="" that="" the="">.</state></or>  |
|     | H373             | May cause damage to organs <or affected,="" all="" if="" known="" organs="" state=""> through prolonged or repeated exposure <state cause="" conclusively="" exposure="" hazard="" if="" is="" it="" no="" of="" other="" proven="" route="" routes="" that="" the="">.</state></or> |
|     | H400             | Very toxic to aquatic life.  |
|     | H410             | Very toxic to aquatic life with long lasting effects.  |
|     |                  |  |

### 16.2. Abbreviations and acronyms

| ADN      | Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure (European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways) |
|----------|---|
| ADR      | Accord européen relatif au transport international des marchandises <u>d</u> angereuses par <u>r</u> oute (European Agreement concerning the International Carriage of Dangerous Goods by Road)                     |
| BGR      | Berufsgenossenschaftliche Regeln (English: Employers' liability insurance association rules)  |
| BS       | <u>B</u> ritish <u>S</u> tandards   |
| CAS      | <u>C</u> hemical <u>A</u> bstracts <u>S</u> ervice  |
| CLP      | Regulation on Classification, Labelling and Packaging of Substances and Mixtures  |
| [DE]     | National German regulations   |
| DGUV     | <u>Deutsche Gesetzliche Unfallversicherung</u> (English: German statutory accident insurance)   |
| EC       | <u>European Community</u>   |
| EEC      | <u>European Economic Community</u>  |
| EmS      | Emergency Schedules (Emergency response procedures for ships carrying dangerous goods)  |
| EN       | European Standard   |
| EU       | <u>E</u> uropean <u>U</u> nion  |
| EWC      | <u>European Waste Catalogue</u>   |
| GHS      | Globally Harmonized System of Classification, Labelling and Packaging of Chemicals  |
| GMBI     | Gemeinsames Ministerial blatt (English: Joint Ministerial Gazette)  |
| IATA-DGR | <u>International Air Transport Association - Dangerous Goods Regulations</u>  |

# according to Regulation (EC) No 1907/2006



Trade name: WL-cid Issue/Revision: 20.05.2021

Version: 2.4 Print date: 17.09.2021 Replaces version: 2.3

IBC-Code International Code for the Construction and Equipment of Ships carrying Dangerous

Chemicals in Bulk

ICAO-TI Technical Instructions For The Safe Transport of Dangerous Goods by Air

IMDG-Code International Maritime Code for Dangerous Goods

 $LD_{50}$ Median lethal dose

 $LD_{LO}$ Lowest (known) lethal dose LGK <u>Lagerklasse</u> (English: Storage class)

MARPOL International Convention for the Prevention of Marine Pollution from Ships NOAEL No Observed Adverse Effect Level (dose at which no adverse effect is found)

OECD Organization for Economic Co-operation and Development

PBT Persistent, bioaccumulative and toxic

ppm Parts per million

Registration, Evaluation, Authorisation and Restriction of Chemicals REACH

RID Règlement concernant le transport International ferroviaire de marchandises Dangereuses

(Regulations Concerning the International Carriage of Dangerous Goods by Rail)

**TRGS** <u>T</u>echnische <u>R</u>egeln für <u>G</u>efahr<u>s</u>toffe (English: Technical Rules for Hazardous Substances)

UN **United Nations** 

UTC Coordinated Universal Time (French: Temps Universel Coordonné)

vPvB Very persistent and very bioaccumulative

#### 16.3. Key literature references and sources for data

- Regulation (EC) No 1907/2006 (REACH), Annex II
- European Chemicals Agency (ECHA) Guidance on the compilation of safety data sheets; Version 2.1 (February 2014); <a href="http://echa.europa.eu/documents/10162/13643/sds\_en.pdf">http://echa.europa.eu/documents/10162/13643/sds\_en.pdf</a>
- GISBAU (Hazardous substances information system of the BG BAU) course "safety data sheet"; http://www.bgbau.de/gisbau/SDB/lehrgang/lehrgang.htm
- Regulation (EC) No 1272/2008 (CLP regulation)
- European Chemicals Agency (ECHA) Guidance on Labelling and Packaging in accordance with Regulation (EC) No 1272/2008 (04/2011);
  - http://echa.europa.eu/documents/10162/13562/clp labelling en.pdf
- European Chemicals Agency (ECHA), Registered substances; http://echa.europa.eu/information-on-chemicals/registered-substances
- European Chemicals Agency (ECHA), C&L Classification and Labelling Inventory; http://echa.europa.eu/information-on-chemicals/cl-inventory-database
- Institute for Occupational Safety and Health of the German Social Accident Insurance (IFA): GESTIS database on hazardous substances and GESTIS - International limit values for chemical agents; http://www.dguv.de/dguv/ifa/index.jsp
- German Environmental Agency (Umweltbundesamt), Section IV 2.4: Office of Documentation and Information on Substances Hazardous to Waters RIGOLETTO (catalogue of Substances Hazardous to Waters); <a href="http://webrigoletto.uba.de/rigoletto">http://webrigoletto.uba.de/rigoletto</a>

#### 16.4. Training advice

Provide adequate information, instructions and training for users.

### 16.5. Indication of changes

A dash in the left hand margin indicates an amendment from the previous version.

The information given in the safety data sheet only applies to the described product in connection with its intended use. This information is based on the latest state of our knowledge at the time of revision. In particular, it describes our product under the aspect of its hazards and safety measures to be taken. It does not constitute any guarantee of product properties and quality features.

# according to Regulation (EC) No 1907/2006



Trade name: WL-dry

Issue/Revision: 12.05.2020 Version: 4.0
Print date: 23.10.2020 Replaces version: 3.0

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name: WL-dry

Substance name: 1,3,3,3-Tetrafluoroprop-1-ene

CAS No: 29118-24-9 EC No: 471-480-0

REACH Registration No: 01-0000019758-54-XXXX

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Drying spray

Intended purpose: Medically pure drying spray to support the cleaning after

the cleaning and/or disinfection of the inner surfaces of medical and dental hollow part instruments (turbines, hand pieces and contra-angles, internally cooled

instruments and endoscopes).

Uses advised against: None at intended use.

Note: The product is intended for professional users.

1.3. Details of the supplier of the safety data sheet

Manufacturer/Supplier: ALPRO MEDICAL GMBH

Mooswiesenstraße 9

D-78112 St. Georgen (Germany) Telephone: +49 7725 9392-0 Telefax: +49 7725 9392-91 E-mail: alpro@alpro-medical.de Internet: www.alpro-medical.com

E-mail address for the competent person

responsible for the safety data sheet: doku@alpro-medical.de

1.4. Emergency telephone number

In-house emergency telephone number: +49 7725 9392-0

Monday – Friday from 08:00 am to 04:30 pm (UTC+1); for chemical information and legal information on

hazardous substances only

Poison centre: +49 761 19240

Poisoning information centre, Freiburg, Germany

(24 h / 7 d), English is spoken

#### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

#### Classification in accordance with Regulation (EC) No 1272/2008 [CLP]

| Classification  | Classification procedure                    |  |  |
|-----------------|---|--|--|
| Aerosol 3; H229 | Aerosol contains ≤ 1 % flammable components |  |  |
|                 | and its heat of combustion is < 20 kJ/g     |  |  |

Full text of hazard classes as well as H-phrases: see under SECTION 16.1.

# according to Regulation (EC) No 1907/2006



Trade name: **WL-dry**Issue/Revision: 12.05.20

Issue/Revision: 12.05.2020 Version: 4.0
Print date: 23.10.2020 Replaces version: 3.0

#### 2.2. Label elements

#### Label elements in accordance with Regulation (EC) No 1272/2008 [CLP]

Hazard pictograms: -

Signal word: Warning

Hazard components

for labelling: -

H-phrases: H229 Pressurised container: May burst if heated.

P-phrases: P210 Keep away from heat, hot surfaces, sparks, open flames and other

ignition sources. No smoking.

P251 Do not pierce or burn, even after use.

P410+P412 Protect from sunlight. Do not expose to temperatures exceeding

50 °C/122 °F.

Additional labelling in accordance with Regulation (EU) No 517/2014 and Implementing Regulation (EU) 2015/2068

Not necessary.

(HFC-1234ze does not fall within the definition of "fluorinated greenhouse gases" according to Regulation (EU) No 517/2014 Article 2 (1), as HFC-1234ze is not listed in Annex I.)

#### 2.3. Other hazards

The substance does not meet the PBT/vPvB criteria according to Regulation (EC) No 1907/2006, Annex VIII

Contact with the liquid may cause cold burns respectively frostbite.

### **SECTION 3: Composition/information on ingredients**

#### 3.1. Substances

Chemical characterisation: Liquefied gas under pressure.

# **Hazardous ingredients**

| Chemical name             |   | Classification in accordance with Regulation (EC) No 1272/2008 | Weight % |
|---------------------------|---|--|----------|
| prop-1-ene;<br>(R1234ze); | CAS No: 29118-24-9<br>EC No: 471-480-0<br>REACH Registration No:<br>01-0000019758-54-XXXX | Press. Gas L; H280   | 100      |

Full text of hazard classes and H-phrases: see SECTION 16.1.

#### **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

General information: First aider: Pay attention to self-protection!

Following inhalation: Move affected person into fresh air and keep still and warm. In case of

continued complaints seek medical advice.

# according to Regulation (EC) No 1907/2006



Trade name: **WL-dry**Issue/Revision: 12.05.2020

Print date: 23.10.2020

Replaces version: 3.0

Following skin contact: In case of frostbite, rinse with warm water. In case of skin reactions, consult

a physician.

Following eye contact: Flush eyes immediately with flowing water for 10 to 15 minutes holding

eyelids apart. Remove contact lenses, if present and easy to do. Consult an

ophthalmologist.

Following ingestion: There is no risk of swallowing if used as intended.

4.2. Most important symptoms and effects, both acute and delayed

Frostbite.

4.3. Indication of any immediate medical attention and special treatment needed

No information available.

#### **SECTION 5: Firefighting measures**

5.1. Extinguishing media

Suitable extinguishing media: Water spray jet, alcohol resistant foam, extinguishing powder,

carbon dioxide (CO<sub>2</sub>)

Unsuitable extinguishing media: Full water jet

5.2. Special hazards arising from the substance or mixture

Hazardous combustion products: Carbon monoxide (CO), carbon dioxide (CO<sub>2</sub>), hydrogen fluoride

(HF), fluorophosgene (CF<sub>2</sub>O)

5.3. Advice for firefighters

Special protective equipment: Wear self-contained breathing apparatus.

Further information: Cool endangered containers with water spray jet.

### **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

#### For non-emergency personnel

Use personal protective equipment. See SECTION 8.2.

Avoid skin and eye contact. Do not breathe gas. Provide adequate ventilation. Evacuate danger area. Observe emergency plans. Consult experts.

#### For emergency responders

Use personal protective equipment. See SECTION 8.2.

### 6.2. Environmental precautions

Not necessary

#### 6.3. Methods and material for containment and cleaning up

#### Containment

Not necessary

### Cleaning up

Let evaporate.

#### Other information

Inappropriate containment and cleaning methods are not known.

# according to Regulation (EC) No 1907/2006



Trade name: WL-dry

Issue/Revision: 12.05.2020 Version: 4.0
Print date: 23.10.2020 Replaces version: 3.0

#### 6.4. Reference to other sections

Information on safe handling see SECTION 7.1. Information on personal protective equipment see SECTION 8.2. Information on disposal see SECTION 13.

### **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

#### **Precautions**

Provide adequate ventilation. Do not breathe gas. Do not pierce or burn, even after use. Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F. Always completely push through spray head. Do not use spray can upside down, because liquid propellant is discharging (R1234ze). Avoid decomposition of product vapours on hot surfaces.

#### Advice on general occupational hygiene

When using do not eat, drink or smoke. Wash hands before breaks and at end of work. Keep away from food and drink.

#### 7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels: The official regulations regarding the storage of

pressurized containers have to be considered. Keep

container in a cool, well-ventilated place.

Advice on common storage: Not necessary

Further information on storage conditions: Recommended storage temperature: 5 °C – 25 °C

Storage class ([DE] TRGS 510): LGK 2B Aerosol dispensers and lighters

#### 7.3. Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific end uses are stipulated.

### Industry and sector specific guidance

[DE] TRGS 525 – Hazardous substances in medical care facilities (Section 7 Activities with disinfectants); Issue: September 2014;

Source: GMBI 2014 page 1294-1307 of 13.10.2014 [No 63]; www.baua.de

[DE] DGUV rules 107-002 (former BGR 206) - Disinfection works in health service

Issue: July 1999; Source: www.dguv.de/publikationen

### **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

#### Occupational exposure limits

|                | Limit values                                       |       |          |       |         |                          |  |
|----------------|--|-------|----------|-------|---------|--------------------------|--|
| Country        | Long term (8 hours) Short term (15                 |       | erm (15  | Legal | Domarks |                          |  |
| Country        |  |       | minutes) |       | basis   | Remarks                  |  |
|                | ррт  | mg/m³ | ppm      | mg/m³ |         |                          |  |
| 1,3,3,3-Tetraf | 1,3,3,3-Tetrafluoroprop-1-ene (CAS No: 29118-24-9) |       |          |       |         |                          |  |
| EU             |  | •     |          |       |         | no limit value specified |  |
| UK             |  |       |          |       |         | no limit value specified |  |

Used abbreviations, symbols, numerals and explanations in column "Remarks"

-

# according to Regulation (EC) No 1907/2006



Trade name: WL-dry

Issue/Revision: 12.05.2020 Version: 4.0
Print date: 23.10.2020 Replaces version: 3.0

#### **Biological limit values**

Does not contain substances above concentration limits fixing a biological limit value.

#### Information on monitoring procedures

BS EN 482:2012-04-30; Title: Workplace exposure - General requirements for the performance of procedures for the measurement of chemical agents;

British version of EN 482:2012

BS EN 689:1996-04-15; Title: Workplace atmospheres - Guidance for the assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy; British version of EN 689:1995

BS EN 14042:2003-04-24; Title: Workplace atmospheres - Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents; British version of EN 14042:2003

#### 8.2. Exposure controls

#### **Appropriate engineering controls**

#### Technical and organisational protective measures

No special protective measures necessary.

### Personal protective equipment

Eye/face protection: Safety glasses with side protection according to EN 166 are

recommended

Skin protection:

Hand protection: Protective gloves according to EN 374 are recommended

Splash guard:

Disposable gloves made of nitrile rubber (thickness 0.11 mm)

Permanent contact (> 480 min):

Protective gloves made of nitrile rubber (thickness 0.40 mm)

Other skin protection: Not necessary when used as intended.

Respiratory protection: Not necessary in case of good room ventilation.

Thermal hazards: To protect against cold burns or frostbite, it is recommended to

wear safety glasses and protective gloves.

### **Environmental exposure controls**

Not necessary

# **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Appearance: colourless aerosol

Odour: of ether

Odour threshold: no data available

pH (undiluted): not applicable (20 °C)

Melting point/freezing point: not applicable

Initial boiling point and boiling range: - 19 °C

Flash point: not applicable

# according to Regulation (EC) No 1907/2006



Trade name: WL-dry Issue/Revision: 12.05.2020

Version: 4.0 Print date: 23.10.2020 Replaces version: 3.0

Evaporation rate: no data available no data available Flammability (solid, gas): Lower explosive limit: not applicable Upper explosive limit: not applicable

Vapour pressure: 4271 hPa (20 °C)

> 10800 hPa (50 °C)

Vapour density: not determined

1.19 Relative density: (20 °C)

Solubility in water: insoluble

Partition coefficient: 1.6

n-octanol/water

Auto-ignition temperature: 368 °C

Decomposition temperature: no data available Viscosity: no data available

Explosive properties: none Oxidising properties: none

9.2. Other information

Refractive index nD: no data available (20 °C) Electrical conductivity (undiluted): no data available (20 °C)

### **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

No hazardous reactions when handled and stored as intended.

### 10.2. Chemical stability

The product is stable when handled and stored as intended.

### 10.3. Possibility of hazardous reactions

None known

### 10.4. Conditions to avoid

Keep away from heat.

### 10.5. Incompatible materials

None known

#### 10.6. Hazardous decomposition products

Does not decompose when used as intended.

### **SECTION 11: Toxicological information**

### 11.1. Information on toxicological effects

# according to Regulation (EC) No 1907/2006



Trade name: WL-dry

Issue/Revision: 12.05.2020 Version: 4.0 Print date: 23.10.2020 Replaces version: 3.0

### **Acute toxicity**

**Product** 

Acute toxicity - oral: Acute Toxicity Estimate  $ATE_{mix} > 2000 \text{ mg/kg}$ 

=> no classification

Acute toxicity - dermal: Acute Toxicity Estimate  $ATE_{mix} > 2000 \text{ mg/kg}$ 

=> no classification

Acute toxicity - inhalation: Acute Toxicity Estimate ATE<sub>mix</sub> > 20 mg/l

=> no classification

Note: The gas has in high concentrations a narcotic and a suffocating effect.

Ingredients

1,3,3,3-Tetrafluoroprop-1-ene (CAS No: 29118-24-9):

Acute toxicity - inhalation:  $LC_{50}$ : > 965 mg/l; species: rat; 4 h; vapour; method: OECD 403

Skin corrosion/irritation

**Product** 

No data available.

Note: Contact with fast expanding gas or vaporising liquid may cause cold burns/ frostbite.

Serious eye damage/irritation

**Product** 

No data available.

Note: Contact with liquefied gas will cause severe eye irritation, tears, redness and swelling

of the eyelids. May cause frostbite or damage to the eye tissue.

Respiratory or skin sensitisation

Product

No data available.

Germ cell mutagenicity

Product

No data available.

Carcinogenicity

**Product** 

No data available.

Reproductive toxicity

Product

No data available.

STOT-single exposure

**Product** 

No data available.

STOT-repeated exposure

**Product** 

No data available.

# according to Regulation (EC) No 1907/2006



Trade name: WL-dry

Issue/Revision: 12.05.2020 Version: 4.0
Print date: 23.10.2020 Replaces version: 3.0

### **Aspiration hazard**

**Product** 

No data available.

### **SECTION 12: Ecological information**

### 12.1. Toxicity

No data available.

### 12.2. Persistence and degradability

Biodegradability:

No data available.

#### 12.3. Bioaccumulative potential

No data available.

#### 12.4. Mobility in soil

No data available.

#### 12.5. Results of PBT and vPvB assessment

The substance does not meet the PBT/vPvB criteria according to Regulation (EC) No 1907/2006, Annex XIII.

#### 12.6. Other adverse effects

Global warming potential: GWP = 6

### **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

#### Disposal of the product

Product residues must be disposed of as non-hazardous waste in compliance with the Directive 2008/98/EC on waste as well as national and regional regulations. Do not mix with other waste materials.

Waste codes / waste designations according to EWC

Product residues: 16 05 05 gases in pressure containers other than those mentioned

in 16 05 04

#### Disposal of the packaging

Waste codes / waste designations according to EWC

Contaminated packaging: 15 01 04 metallic packaging

Recommendation

Contaminated pressurized containers must be emptied optimally and can be recycled.

# according to Regulation (EC) No 1907/2006



Trade name: WL-dry

Issue/Revision: 12.05.2020 Version: 4.0
Print date: 23.10.2020 Replaces version: 3.0

### **SECTION 14: Transport information**

#### 14.0. Transport classification

Dangerous good in sense of the transport regulations in road traffic (ADR), railway traffic (RID), inland waterway traffic (ADN), maritime traffic (IMDG-Code) and air traffic (ICAO-TI/IATA-DGR).

#### 14.1. UN number

UN 1950

### 14.2. UN proper shipping name

#### ADR/RID/ADN

AEROSOLS, asphyxiant

#### **IMDG-Code**

**AEROSOLS** 

#### ICAO-TI/IATA-DGR

Aerosols, non-flammable

### 14.3. Transport hazard class(es)

Class: 2.2

Subsidiary risk(s):

#### 14.4. Packing group

\_

#### 14.5. Environmental hazards

#### ADR/RID/ADN

Environmentally Hazardous: No

#### **IMDG-Code**

Marine Pollutant: No

### 14.6. Special precautions for user

Not necessary.

#### 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

#### 14.8. Further information

Transport category according to ADR section 1.1.3.6: 3

Maximum total quantity per transport unit

according to ADR section 1.1.3.6: 1000 L

Limited quantity (Maximum quantity per inner

packaging) according to ADR/RID/ADN/IMDG-Code: 1 L Classification code according to ADR/RID/ADN: 5A

Hazard identification number according to

ADR/RID: -

Tunnel restriction code according to ADR/RID: E

Segregation group according to IMDG-Code

section 5.4.1.5.11.1:

# according to Regulation (EC) No 1907/2006



Trade name: **WL-dry**Issue/Revision: 12.05.2020

Issue/Revision: 12.05.2020 Version: 4.0
Print date: 23.10.2020 Replaces version: 3.0

EmS codes: F-D, S-U

### **SECTION 15: Regulatory information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture EU-Regulations

not applicable

REGULATION (EC) No 850/2004 on persistent organic pollutants and amending Directive 79/117/EEC not applicable

REGULATION (EU) No 649/2012 concerning the export and import of hazardous chemicals not applicable

DIRECTIVE 2012/18/EU (Seveso III Directive) on the control of major-accident hazards involving dangerous substances, amending and subsequently repealing Council Directive 96/82/EC

not applicable

DIRECTIVE 2010/75/EU on industrial emissions (integrated pollution prevention and control)

not applicable

REACH – List of substances subject to authorisation (Annex XIV)

not applicable

REACH – Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)

not applicable

COUNCIL DIRECTIVE 94/33/EC on the protection of young people at work

not applicable

COUNCIL DIRECTIVE 92/85/EEC on the introduction of measures to encourage improvements in the safety and health at work of pregnant workers and workers who have recently given birth or are breastfeeding

not applicable

#### 15.2. Chemical safety assessment

For this substance no chemical safety assessment has been carried out.

### **SECTION 16: Other information**

### 16.1. Full text of hazard classes and H-phrases

#### **Hazard classes**

Aerosol Aerosol

Press. Gas L Gases under pressure (Liquefied gas)

### H-phrases (Hazard statements)

H229 Pressurised container: May burst if heated.

# according to Regulation (EC) No 1907/2006



Trade name: WL-dry

Issue/Revision: 12.05.2020 Version: 4.0
Print date: 23.10.2020 Replaces version: 3.0

H280 Contains gas under pressure; may explode if heated.

### 16.2. Abbreviations and acronyms

| . Abbreviations and acronyms                              |  |
|---|--|
| ADN   | Accord européen relatif au transport international des marchandises <u>d</u> angereuses par voie de <u>n</u> avigation intérieure (European Agreement concerning the International Carriage of |
| 400   | Dangerous Goods by Inland Waterways)   |
| ADR   | Accord européen relatif au transport international des marchandises dangereuses par route  |
|   | (European Agreement concerning the International Carriage of Dangerous Goods by Road)  |
| BGR   | Berufsgenossenschaftliche Regeln (English: Employers' liability insurance association rules)   |
| BS  | <u>B</u> ritish <u>S</u> tandards  |
| CAS   | <u>C</u> hemical <u>A</u> bstracts <u>S</u> ervice   |
| CLP   | Regulation on Classification, Labelling and Packaging of Substances and Mixtures   |
| [DE]  | National German regulations  |
| DGUV  | <u>D</u> eutsche <u>G</u> esetzliche <u>U</u> nfall <u>v</u> ersicherung (English: German statutory accident insurance)  |
| EC  | <u>European Community</u>  |
| EEC   | <u>European Economic Community</u>   |
| EmS   | Emergency Schedules (Emergency response procedures for ships carrying dangerous goods)   |
| EN  | European Standard  |
| EU  | <u>E</u> uropean <u>U</u> nion   |
| EWC   | <u>E</u> uropean <u>W</u> aste <u>C</u> atalogue   |
| GHS   | Globally Harmonized System of Classification, Labelling and Packaging of Chemicals   |
| GMBI  | <u>G</u> emeinsames <u>M</u> inisterial <u>bl</u> att (English: Joint Ministerial Gazette)   |
| GWP   | <u>G</u> lobal <u>W</u> arming <u>P</u> otential   |
| IATA-DGR  | <u>International Air Transport Association - Dangerous Goods Regulations</u>   |
| IBC-Code  | International Code for the Construction and Equipment of Ships carrying Dangerous  |
|   | Chemicals in Bulk  |
| ICAO-TI   | Technical Instructions For The Safe Transport of Dangerous Goods by Air  |
| IMDG-Code International Maritime Code for Dangerous Goods |  |
| LGK   | <u>Lagerk</u> lasse (English: Storage class)   |
| MARPOL  | International Convention for the Prevention of Marine Pollution from Ships   |
| PBT   | Persistent, bioaccumulative and toxic  |
| ppm   | Parts per million  |
| REACH   | Registration, Evaluation, Authorisation and Restriction of Chemicals   |
| RID   | <u>Règlement concernant le transport International ferroviaire de marchandises Dangereuses</u>   |
|   | (Regulations Concerning the International Carriage of Dangerous Goods by Rail)   |
| TRGS  | <u>Technische Regeln für Gefahrs</u> toffe (English: Technical Rules for Hazardous Substances)   |
| UN  | <u>U</u> nited <u>N</u> ations   |
| UTC   | Coordinated Universal Time (French: Temps Universel Coordonné)   |
|   |  |

### 16.3. Key literature references and sources for data

vPvB

- Regulation (EC) No 1907/2006 (REACH), Annex II

Very persistent and very bioaccumulative

- European Chemicals Agency (ECHA) Guidance on the compilation of safety data sheets; Version 2.1 (February 2014); <a href="http://echa.europa.eu/documents/10162/13643/sds\_en.pdf">http://echa.europa.eu/documents/10162/13643/sds\_en.pdf</a>
- GISBAU (Hazardous substances information system of the BG BAU) course "safety data sheet";
   <a href="http://www.bgbau.de/gisbau/SDB/lehrgang/lehrgang.htm">http://www.bgbau.de/gisbau/SDB/lehrgang/lehrgang.htm</a>
- Regulation (EC) No 1272/2008 (CLP regulation)
- European Chemicals Agency (ECHA) Guidance on Labelling and Packaging in accordance with Regulation (EC) No 1272/2008 (04/2011);
  - http://echa.europa.eu/documents/10162/13562/clp\_labelling\_en.pdf
- European Chemicals Agency (ECHA), Registered substances; http://echa.europa.eu/information-on-chemicals/registered-substances

# according to Regulation (EC) No 1907/2006



Trade name: WL-dry Issue/Revision: 12.05.2020

Version: 4.0 Print date: 23.10.2020 Replaces version: 3.0

- European Chemicals Agency (ECHA), C&L Classification and Labelling Inventory; http://echa.europa.eu/information-on-chemicals/cl-inventory-database
- Institute for Occupational Safety and Health of the German Social Accident Insurance (IFA): GESTIS database on hazardous substances and GESTIS - International limit values for chemical agents; http://www.dguv.de/dguv/ifa/index.jsp
- German Environmental Agency (Umweltbundesamt), Section IV 2.4: Office of Documentation and Information on Substances Hazardous to Waters RIGOLETTO (catalogue of Substances Hazardous to Waters); <a href="http://webrigoletto.uba.de/rigoletto">http://webrigoletto.uba.de/rigoletto</a>

#### 16.4. Training advice

Provide adequate information, instructions and training for users.

### 16.5. Indication of changes

A dash in the left hand margin indicates an amendment from the previous version.

The information given in the safety data sheet only applies to the described product in connection with its intended use. This information is based on the latest state of our knowledge at the time of revision. In particular, it describes our product under the aspect of its hazards and safety measures to be taken. It does not constitute any guarantee of product properties and quality features.