

Route of exposure: oral

Route of exposure: inhalative

neodisher Septo Fin

Version: 4 / GB Replaces Version: 3 / GB Date revised: 26.11.2021 Print date: 16.05.22

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

neodisher Septo Fin

1.2. Relevant identified uses of the substance or mixture and uses advised against Identified Uses

PC8 Biocidal products (e.g. Disinfectants, pest control)

1.3. Details of the supplier of the safety data sheet

Address:

Chemische Fabrik Dr. Weigert GmbH & Co. KG

Mühlenhagen 85 D-20539 Hamburg

Telephone no. +49 40 789 60 0 Fax no. +49 40 789 60 120

www.drweigert.com

E-mail address of person responsible for this SDS:

sida@drweigert.de

1.4. Emergency telephone number

Emergency telephone number: 112

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (Regulation (EC) No. 1272/2008)

Classification (Regulation (EC) No. 1272/2008)

Acute Tox. 4 H302 Acute Tox. 4 H332 Skin Sens. 1 H317 Resp. Sens. 1 H334 Skin Corr. 1B H314 Eye Dam. 1 H318 STOT SE 3 H335 Aquatic Chronic 3 H412

The product is classified and labelled in accordance with Regulation (EC) No 1272/2008

2.2. Label elements

Labelling according to regulation (EC) No 1272/2008

Hazard pictograms



Signal word

Danger

Hazard statements



Print date: 16.05.22 Replaces Version: 3 / GB Date revised: 26.11.2021 Version: 4 / GB

H302+H332 Harmful if swallowed or if inhaled.

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

May cause allergy or asthma symptoms or breathing difficulties if inhaled. H334

Harmful to aquatic life with long lasting effects. H412

Corrosive to the respiratory tract. EUH071

Precautionary statements

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin

with water [or shower].

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact P305+P351+P338

lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER or doctor.

Dispose only when container is empty and closed. For disposal of product

residues, refer to safety data sheet.

Hazardous component(s) to be indicated on label (Regulation (EC) No. 1272/2008)

contains alutaral

2.3. Other hazards

No special hazards have to be mentioned. The product contains no PBT or vPvB substances.

SECTION 3: Composition/information on ingredients ***

3.2. Mixtures

Hazardous ingredients ***

alkylether carboxylic acid

CAS No. 53563-70-5

Concentration 10 % >=

Classification (Regulation (EC) No. 1272/2008)

Eye Dam. 1 H318

glutaral

CAS No. 111-30-8 EINECS no. 203-856-5

01-2119455549-26 Registration no.

Concentration 25 % 10

Classification (Regulation (EC) No. 1272/2008)

Acute Tox. 2 H330 Route of exposure: inhalative Route of exposure: oral

Acute Tox. 3 H301 Skin Corr. 1B H314 Resp. Sens. 1 H334 Skin Sens. 1A H317 H335 STOT SE 3 H400 Aquatic Acute 1 Aquatic Chronic 2 H411

Concentration limits (Regulation (EC) No. 1272/2008)

STOT SE 3 >= 0.5 < 5 H335 Aquatic Acute 1 M = 1Aquatic Chronic 1 M = 1

Other information



Version: 4 / GB Replaces Version: 3 / GB Date revised: 26.11.2021 Print date: 16.05.22

Complete text of hazard statements in chapter 16

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Remove contaminated, soaked clothing immediately and dispose of safely. Adhere to personal protective measures when giving first aid. Clean body thoroughly (bath, shower). In any case show the physician the Safety Data Sheet.

After inhalation

Ensure supply of fresh air. Remove affected person from danger area. Seek medical advice immediately.

After skin contact

Wash off immediately with soap and water. Seek medical advice immediately.

After eye contact

Separate eyelids, wash the eyes thoroughly with water (15 min.). Take medical treatment.

After ingestion

Call in a physician immediately and show him the Safety Data Sheet. Rinse mouth thoroughly with water. Let plenty of water be drunk in small gulps. Do not induce vomiting.

Adhere to personal protective measures when giving first aid

First aider: Pay attention to self-protection!

4.2. Most important symptoms and effects, both acute and delayed

Until now no symptoms known so far.

4.3. Indication of any immediate medical attention and special treatment needed

Hints for the physician / hazards

In the case of swallowing with subsequent vomiting, aspiration of the lungs can occur which can lead to chemical pneumonia or asphyxiation.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Dry powder, Foam, Water spray jet

Non suitable extinguishing media

Full water jet

5.2. Special hazards arising from the substance or mixture

In case of combustion evolution of dangerous gases possible.

5.3. Advice for firefighters

Special protective equipment for fire-fighting

Do not inhale explosion and/or combustion gases. In case of combustion use a suitable breathing apparatus. Wear full protective suit.

Other information

Collect contaminated fire-fighting water separately, must not be discharged into the drains. Fire residues and contaminated fire-fighting water must be disposed of in accordance with the local regulations.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Use breathing apparatus if exposed to vapours/dust/aerosol. Avoid contact with skin, eyes and clothing.



Version: 4 / GB Replaces Version: 3 / GB Date revised: 26.11.2021 Print date: 16.05.22

Refer to protective measures listed in Sections 7 and 8.

6.2. Environmental precautions

Prevent spread over a wide area (e.g. by containment or oil barriers). Do not discharge into the drains/surface waters/groundwater. Do not discharge into the subsoil/soil. Retain and dispose of contaminated wash water. In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

6.3. Methods and material for containment and cleaning up

Pick up with absorbent material. Clean contaminated floors and objects thoroughly with water and detergents, observing environmental regulations. Containers in which spilt substance has been collected must be adequately labelled. Dispose of absorbed material in accordance with the regulations.

6.4. Reference to other sections

Refer to protective measures listed in Sections 7 and 8.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Avoid formation of aerosols. Perform filling operations only at stations with exhaust ventilation facilities. Provide suitable exhaust ventilation at the processing machines. If workplace limits are exceeded, a respiratory protection approved for this particular job must be worn. Keep container tightly closed.

7.2. Conditions for safe storage, including any incompatibilities

Recommended storage temperature

Value > 0 < 30 °C

Requirements for storage rooms and vessels

Keep in original packaging, tightly closed. Storage rooms must be properly ventilated. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Provide solvent-resistant and impermeable floor.

Hints on storage assembly

Do not store together with foodstuffs.

Storage classes

Storage class according to 8B Non-combustible corrosive hazardous substances TRGS 510

Further information on storage conditions

Keep under lock and key or accessible only to specialists or people who are authorized.

7.3. Specific end use(s)

no data

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limit values

glutaral

List EH40 Type WEL

Value 0.2 mg/m^3 0.05 ppm(V)Short term exposure limit 0.2 mg/m^3 0.05 ppm(V)

Status: 2011

Other information

There are not known any further control parameters.



Version: 4 / GB Replaces Version: 3 / GB Date revised: 26.11.2021 Print date: 16.05.22

8.2. Exposure controls

General protective and hygiene measures

Hold emergency shower available. Hold eye wash fountain available. Do not inhale gases/vapours/aerosols. Avoid contact with skin and eyes. Do not eat, drink or smoke during work time. Storage of foodstuffs in work rooms is forbidden. Wash hands before breaks and after work. Clean skin thoroughly after work; apply skin cream.

Respiratory protection

If workplace limits are exceeded, a respiratory protection approved for this particular job must be worn. Respiratory protection mask with combination filter A/P2

Hand protection

Chemical resistant gloves

Permanent hand contact Appropriate Material neoprene Material thickness 0.65 mm Breakthrough time 480 Appropriate Material nitrile Material thickness 0,4 >= mm Breakthrough time 480 min Appropriate Material butyl Material thickness >= 0.7 mm Breakthrough time 480 min

Use Short-term hand contact Appropriate Material nitrile

Material thickness >= 0,11 mm

Hand protection must comply with EN 374.

Eye protection

Safety glasses with side protection shield; Eye protection must comply with EN 166.

Body protection

Clothing as usual in the chemical industry.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Form liquid
Colour green
Odour characteristic

Odour threshold

Remarks not determined

pH value

Value appr. 4,1 Temperature 20 °C

Melting point

Remarks not determined

Freezing point

Remarks not determined

Initial boiling point and boiling range

Remarks not determined

Flash point

Remarks Not applicable



Version: 4 / GB Replaces Version: 3 / GB Date revised: 26.11.2021 Print date: 16.05.22

Evaporation rate (ether = 1):

Remarks not determined

Flammability (solid, gas)

evaluation Not applicable

Upper/lower flammability or explosive limits

Remarks Not applicable

Vapour pressure

Remarks not determined

Vapour density

Remarks not determined

Density

Value 1,05 g/cm³

Temperature 20 °C

Solubility in water

Remarks miscible in all proportions

Solubility(ies)

Remarks not determined

Partition coefficient: n-octanol/water

Remarks not determined

Ignition temperature

Remarks Not applicable

Decomposition temperature

Remarks not determined

Viscosity

dynamic

Value < 50 mPa.s

Temperature 20 °C

Explosive properties

evaluation no

Oxidising properties

evaluation None known

9.2. Other information

Other information

None known

SECTION 10: Stability and reactivity

10.1. Reactivity

No hazardous reactions when stored and handled according to prescribed instructions.

10.2. Chemical stability

No hazardous reactions known.

10.3. Possibility of hazardous reactions

No hazardous reactions known.

10.4. Conditions to avoid

No hazardous reactions known.



Version: 4 / GB Replaces Version: 3 / GB Date revised: 26.11.2021 Print date: 16.05.22

10.5. Incompatible materials

Reactions with amines.

10.6. Hazardous decomposition products

No hazardous decomposition products known.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute oral toxicity

Species rat

ATE 300 to 2000 mg/kg Method calculated value (Regulation (EC) No. 1272/2008)

Remarks The classification criteria are met.

Acute oral toxicity (Components)

glutaral

Species rat

77 mg/kg

Method OECD 401

alkylether carboxylic acid

Reference substance alkylether carboxylic acid

Species rat

LD50 > 2000 mg/kg

Acute dermal toxicity

Remarks Based on available data, the classification criteria are not met.

Acute dermal toxicity (Components)

glutaral

Species rabbit

> 2000 mg/kg

Acute inhalational toxicity

Species rat

ATE 1 to 5 mg/l

Administration/Form Dust/Mist

Method calculated value (Regulation (EC) No. 1272/2008)

Remarks The classification criteria are met.

Acute inhalative toxicity (Components)

glutaral

Species rat

LC50 0,28 to 0,48 mg/l

Duration of exposure 4 h

Administration/Form Dust/Mist Method OECD 403

Skin corrosion/irritation

evaluation corrosive

Remarks The classification criteria are met.

Serious eye damage/irritation

evaluation irritant - risk of serious damage to eyes
Remarks The classification criteria are met.

Sensitization

Route of exposure dermal evaluation sensitizing



Version: 4 / GB Replaces Version: 3 / GB Date revised: 26.11.2021 Print date: 16.05.22

Remarks The classification criteria are met.

Route of exposure inhalative evaluation sensitizing

Remarks The classification criteria are met.

Subacute, subchronic, chronic toxicity

Remarks Based on available data, the classification criteria are not met.

Mutagenicity

Remarks Based on available data, the classification criteria are not met.

Reproductive toxicity

Remarks Based on available data, the classification criteria are not met.

Carcinogenicity

Remarks Based on available data, the classification criteria are not met.

Specific Target Organ Toxicity (STOT)

Single exposure

evaluation May cause respiratory irritation.

Route of exposure inhalative

Remarks The classification criteria are met.

Repeated exposure

Remarks Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Experience in practice

Inhalation may lead to irritation of the respiratory tract.

Other information

There is no data available on the product apart from the information given in this subsection.

SECTION 12: Ecological information

12.1. Toxicity

General information

not determined

Fish toxicity (Components)

glutaral

Species Fathead minnow (Pimephales promelas) LC50 5,4 mg/l

Duration of exposure 96 h

alkylether carboxylic acid

Reference substance alkylether carboxylic acid species zebra fish (Brachydanio rerio)

LC50 100 to 220 mg/l

Duration of exposure 96 h

Daphnia toxicity (Components)

glutaral

Species Daphnia magna

EC50 5 mg/l

Duration of exposure 48 h

Algae toxicity (Components)

glutaral



Version: 4 / GB Replaces Version: 3 / GB Date revised: 26.11.2021 Print date: 16.05.22

Species Selenastrum capricornutum

LC50 0,81 mg/l

Duration of exposure 120 h

Bacteria toxicity (Components)

glutaral

Species activated sludge

EC20 appr. 15 mg/l

Duration of exposure 30 min

Method OECD 209

12.2. Persistence and degradability

General information

not determined

12.3. Bioaccumulative potential

General information

not determined

Partition coefficient: n-octanol/water

Remarks not determined

12.4. Mobility in soil

General information

not determined

12.5. Results of PBT and vPvB assessment

Evaluation of persistance and bioaccumulation potential

The product contains no PBT or vPvB substances.

12.6. Other adverse effects

General information

not determined

General information / ecology

Do not allow to enter soil, waterways or waste water canal. Avoid release into the atmosphere.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations for the product

Allocation of a waste code number, according to the European Waste Catalogue (EWC), should be carried out in agreement with the regional waste disposal company.

Disposal recommendations for packaging

Packaging that cannot be cleaned should be disposed off in agreement with the regional waste disposal company.

SECTION 14: Transport information



Version: 4 / GB Replaces Version: 3 / GB Date revised: 26.11.2021 Print date: 16.05.22

	Land transport ADR/RID	Marine transport IMDG/GGVSee	Air transport ICAO/IATA
Tunnel restriction code	E		
IMDG-Code segregation group		0 Not applicable	
14.1. UN number	1903	1903	1903
14.2. UN proper shipping name	DISINFECTANT, LIQUID, CORROSIVE, N.O.S. (glutaral)	DISINFECTANT, LIQUID, CORROSIVE, N.O.S. (glutaral)	DISINFECTANT, LIQUID, CORROSIVE, N.O.S. (glutaral)
14.3. Transport hazard class(es)	8	8	8
Label	8		<u> </u>
14.4. Packing group	III	III	III
Limited Quantity	51		
Transport category	3		
14.5. Environmental hazards		no	

Information for all modes of transport

14.6. Special precautions for user

See Sections 6 to 8

Other information

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code
Not applicable

SECTION 15: Regulatory information ***

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Water Hazard Class (Germany)

Water Hazard Class WGK 3

(Germany)

Remarks Derivation of WGK according to Annex 1 No. 5.2 AwSV

VOC

VOC (EU) 0 %

Other information ***

The product contains SVHC-substances

15.2. Chemical safety assessment

For this preparation a chemical safety assessment has not been carried out.



Version: 4 / GB Replaces Version: 3 / GB Date revised: 26.11.2021 Print date: 16.05.22

SECTION 16: Other information

Hazard statements listed in Chapter 3

H301 Toxic if swallowed.
H314 Causes severe skin burns and even

H314 Causes severe skin burns and eye damage.
H317 May cause an allergic skin reaction.

H318 Causes serious eve damage.

H330 Fatal if inhaled.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H335 May cause respiratory irritation.

H400 Very toxic to aquatic life.

H411 Toxic to aquatic life with long lasting effects.

CLP categories listed in Chapter 3

Acute Tox. 2 Acute toxicity, Category 2 Acute Tox. 3 Acute toxicity, Category 3

Aquatic Acute 1 Hazardous to the aquatic environment, acute, Category 1 Aquatic Chronic 2 Hazardous to the aquatic environment, chronic, Category 2

Eye Dam. 1 Serious eye damage, Category 1
Resp. Sens. 1 Respiratory sensitization, Category 1
Skin Corr. 1B Skin corrosion, Category 1B

Skin Sens. 1A Skin sensitization, Category 1A

STOT SE 3 Specific target organ toxicity - single exposure, Category 3

Abbreviations

ADR: Accord européen relatif au transport international des marchandises Dangereuses par Route RID: Règlement concernant le transport international ferroviaire de marchandises dangereuses

IMDG: International Maritime Code for Dangerous Goods

ICAO: International Civil Aviation Organization IATA: International Air Transport Association

MARPOL 73/78: International Convention for the Prevention of Pollution From Ships, 1973 as modified by

the Protocol of 1978 (MARPOL: Marine Pollution)

IBC: Intermediate Bulk Container CAS: Chemical Abstracts Service VOC: Volatile Organic Compound

ISO: International Organization for Standardization

OEL: Occupational exposure limit

LD: Lethal dose

LC: Lethal concentration

PBT: Persistent, Bioaccumulative and Toxic vPvB: Very persistent and very bioaccumulative

SVHC: Substances of very high concern

IUCLID: International Uniform Chemical Information Database OECD: Organisation for Economic Co-operation and Development

IMO: International Maritime Organization

GHS: Globally Harmonized System of classification and Labelling of Chemicals REACH: Registration, Evaluation, Autohorisation and Restriction of Chemicals

UN: United Nations EU: European Union

Supplemental information

Relevant changes compared with the previous version of the safety data sheet are marked with: *** This information is based on our present state of knowledge. However, it should not constitute a quarantee for any specific product properties and shall not establish a legally valid relationship.